

EXTERIOR LIGHTING

ALUMINUM GARDEN LIGHTS SERIES




2025
PRODUCT CATALOG




GD-AWX057-1

IP Rating: IP65
 Lumen: 1000lm
 POWER: 18W
 Size: 210x170x110mm
 Light source/Socket: SMD2835




GD-AWX057-1-SEN

IP Rating: IP65
 Lumen: 1000lm
 POWER: 18W
 Size: 210x170x110mm
 Light source/Socket: SMD2835
 WITH PIR SENSOR




GD-ABX057-2

IP Rating: IP65
 Lumen: 1000lm
 POWER: 18W
 Size: 87x213x800mm
 Light source/Socket: SMD2835



GD-ABX057-2-SEN


IP Rating: IP65
 Lumen: 1000lm
 POWER: 18W
 Size: 87x213x800mm
 Light source/Socket: SMD2835
 WITH PIR SENSOR






GD-AWX027-5-PC

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size: 170x150x45mm
 Light source/Socket:SMD2835
 PC DIFFUSER




GD-AWX027-6-GL

IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 170x150x45mm
 Light source/Socket:COB
 GLASS DIFFUSER




GD-AWX027-7-PC

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size: 170x150x45mm
 Light source/Socket:SMD2835
 PC DIFFUSER



GD-AWX027-8-GL


IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 170x150x45mm
 Light source/Socket:COB
 GLASS DIFFUSER






GD-ABX027-1-PC-800

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size: 135x170x800mm
 Light source/Socket:SMD2835
 PC DIFFUSER




GD-ABX027-2-GL-800

IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 135x170x800mm
 Light source/Socket:SMD2835
 GLASS DIFFUSER




GD-ABX027-3-PC-800

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size: 135x170x800mm
 Light source/Socket:SMD2835
 PC DIFFUSER




GD-ABX027-4-GL-800

IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 135x170x800mm
 Light source/Socket:SMD2835
 GLASS DIFFUSER




GD-AWX202-1

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 120*120*120mm
 Light source/Socket:SMD2835
 PC DIFFUSER




GD-ABX202-2-600


IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 125*120*600mm
 Light source/Socket:SMD2835
 PC DIFFUSER



GD-ABX202-2-spike-600


IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 125*120*590mm
 Light source/Socket:SMD2835
 PC DIFFUSER






GD-AWX028-1

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 80x140x295mm
 Light source/Socket:SMD2835
 DOUBLE LAYER PC DIFFUSER




GD-AWX028-1-SEN

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 80x140x295mm
 Light source/Socket:SMD2835
 WITH PIR SENSOR
 DOUBLE LAYER PC DIFFUSER




GD-ABX028-2-600

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 80x80x600mm
 Light source/Socket:SMD2835
 DOUBLE LAYER PC DIFFUSER




GD-ABX028-2-SEN-600

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 80x80x600mm
 Light source/Socket:SMD2835
 WITH PIR SENSOR
 DOUBLE LAYER PC DIFFUSER




GD-AWX198

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 80*75*215mm
 Light source/Socket:SMD2835
 DOUBLE LAYER PC DIFFUSER



GD-AWX198-SEN


IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 80*75*215mm
 Light source/Socket:SMD2835
 DOUBLE LAYER PC DIFFUSER






■ **GD-AWX192-1**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 105*80*230mm
 Light source/Socket:SMD2835




■ **GD-ABX192-2-600**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 110*80*600mm
 Light source/Socket:SMD2835




■ **GD-AWX195-1**

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size:115*220*335mm
 Light source/Socket:SMD2835




■ **GD-ABX195-2-600**

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size: 115*235*600mm
 Light source/Socket:SMD2835




■ **GD-AWX034-2**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 180*165*265mm
 Light source/Socket:SMD2835



■ **GD-ABX034-1-600**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 180*190*800mm
 Light source/Socket:SMD2835




CE ROHS

CE ROHS




GD-AWX193-5A

IP Rating: IP65
 Lumen:700lm
 POWER: 7W*2
 Size: 100*70*360mm
 Light source/Socket:SMD2835




GD-AWX193-5B

IP Rating: IP65
 Lumen:700lm
 POWER: 7W*2
 Size: 100*70*360mm
 Light source/Socket:SMD2835




GD-ABX193-4A-600

IP Rating: IP65
 Lumen:350lm
 POWER: 7W
 Size:125*125*600mm
 Light source/Socket:SMD2835




GD-ABX193-4B-600

IP Rating: IP65
 Lumen:350lm
 POWER: 7W
 Size:125*125*600mm
 Light source/Socket:SMD2835




GD-AWX193-2A

IP Rating: IP65
 Lumen:350lm
 POWER: 7W
 Size: 100*70*235mm
 Light source/Socket:SMD2835



GD-AWX193-2B

IP Rating: IP65
 Lumen:350lm
 POWER: 7W
 Size: 100*70*235mm
 Light source/Socket:SMD2835





GD-AWX193-1A


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size: 100*70*205mm

Light source/Socket:SMD2835



GD-AWX193-1B


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size: 100*70*205mm

Light source/Socket:SMD2835



GD-ABX193-3A-600


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size:125*125*575mm

Light source/Socket:SMD2835



GD-ABX193-3B-600


IP Rating: IP65

Lumen:350lm

POWER: 7W

Size:125*125*575mm



Light source/Socket:SMD2835






GD-AWZ63-4

IP Rating: IP 54
 Lumen: 360lm
 POWER: 4W
 Size: 110*80*40mm
 Light source/Socket: SMD2835





GD-AWZ63-6

IP Rating: IP 54
 Lumen: 540lm
 POWER: 6W
 Size: 155*80*35mm
 Light source/Socket: SMD2835




GD-AWZ63-8

IP Rating: IP 54
 Lumen: 720lm
 POWER: 8W
 Size: 155*80*35mm
 Light source/Socket: SMD2835



GD-AWZ63-10


IP Rating: IP 54
 Lumen: 900lm
 POWER: 10W
 Size: 260*80*35mm
 Light source/Socket: SMD2835






GD-AWX173-1

IP Rating: IP65
 Lumen: 300lm
 POWER: 6W
 Size: 155*145*130mm
 Light source/Socket: SMD2835




GD-AWX173-1-GX53

IP Rating: IP65
 Lumen: N/A
 POWER: MAX 10W
 Size: 155*145*130mm
 Light source/Socket: GX53




GD-AWX173-2

IP Rating: IP65
 Lumen: 600lm
 POWER: 6W*2
 Size: 275*145*130mm
 Light source/Socket: SMD2835



GD-AWX173-2-GX53



IP Rating: IP65
 Lumen: N/A
 POWER: MAX 10W*2
 Size: 275*145*130mm
 Light source/Socket: GX53






GD-AWX209-1

IP Rating: IP65
 Lumen: 250lm
 POWER: 5W
 Size: 76*35*120mm
 Light source/Socket: COB





GD-ABX209-2-600

IP Rating: IP65
 Lumen: 250lm
 POWER: 5W
 Size: 80*175*600mm
 Light source/Socket: COB





GD-ABX209-3-600

IP Rating: IP65
 Lumen: 300lm
 POWER: 6W
 Size: 130*200*600mm
 Light source/Socket: SMD 2835




GD-AWX190-1

IP Rating: IP65
 Lumen: 350lm
 POWER: 7W
 Size: 115*110*110mm
 Light source/Socket: SMD 2835





GD-AWX190-2

IP Rating: IP65
 Lumen: 350lm
 POWER: 7W
 Size: 115*110*110mm
 Light source/Socket: SMD 2835




GD-ABX190-7B-600

IP Rating: IP65
 Lumen: 350lm
 POWER: 7W
 Size: 110*110*600mm
 Light source/Socket: SMD 2835



GD-ABX190-8B-600


IP Rating: IP65
 Lumen: 350lm
 POWER: 7W
 Size: 110*110*600mm
 Light source/Socket: SMD 2835






GD-ABX029-1-stake-600

IP Rating: IP65
 Lumen:200lm
 POWER: 5W
 Size: 40x175x828mm
 Light source/Socket:SMD2835
 GLASS DIFFUSER




GD-ABX029-1-base-600

IP Rating: IP65
 Lumen:200lm
 POWER: 5W
 Size: 40x175x600mm
 Light source/Socket:SMD2835
 GLASS DIFFUSER




GD-ABX029-2-stake-600

IP Rating: IP65
 Lumen:200lm
 POWER: 5W
 Size: 46x185x868mm
 Light source/Socket:SMD2835
 GLASS DIFFUSER




GD-ABX029-2-base-600

IP Rating: IP65
 Lumen:200lm
 POWER: 5W
 Size: 46x185x600mm
 Light source/Socket:SMD2835
 GLASS DIFFUSER




GD-ABX031-1-2PC

IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 250x250x260mm
 Light source/Socket:SMD2835
 DOUBLE LAYER PC DIFFUSER




GD-ABX031-1A-2PC-E27

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.40W
 Size: 250x250x260mm
 Light source/Socket:E27
 DOUBLE LAYER PC DIFFUSER




GD-ABX031-2-PC

IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 250x250x260mm
 Light source/Socket:SMD2835
 SINGLE LAYER PC DIFFUSER



GD-ABX031-2A-PC-E27

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.40W
 Size: 250x250x260mm
 Light source/Socket:E27
 SINGLE LAYER PC DIFFUSER





■ **GD-AWX032-1**


IP Rating: IP65

Lumen:700lm

POWER: 12W

Size: 55x80x215mm

Light source/Socket:SMD2835



■ **GD-ABX032-3**


IP Rating: IP65

Lumen:700lm

POWER: 12W

Size: 55x125x600mm

Light source/Socket:SMD2835



■ **GD-ABX032-5**


IP Rating: IP65

Lumen:1400lm

POWER: 2x12W

Size: 55x150x600mm



Light source/Socket:SMD2835







■ **GD-ABX172-1**

IP Rating: IP65
 Lumen:750lm
 POWER: 15W
 Size: 390*345*800mm
 Light source/Socket:COB





■ **GD-ABX172-2**

IP Rating: IP65
 Lumen:500lm
 POWER: 10W
 Size: 390*181*800mm
 Light source/Socket:COB





■ **GD-ABX172-3**

IP Rating: IP65
 Lumen:250lm
 POWER: 5W
 Size: 245*110*800mm
 Light source/Socket:COB




■ **GD-AWX033-1-COB**

IP Rating: IP65
 Lumen:300lm
 POWER: 5W
 Size: 100*100*90mm
 Light source/Socket:COB




■ **GD-AWX033-1-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX 5W
 Size: 100*100*90mm
 Light source/Socket:GU10




■ **GD-AWX033-2-COB**


IP Rating: IP65
 Lumen:300lm
 POWER: 5W
 Size: 100*120*90mm
 Light source/Socket:COB



■ **GD-AWX033-2-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX 5W
 Size: 100*120*90mm
 Light source/Socket:GU10





■ **GD-ABX033-3-600-COB**



IP Rating: IP65

Lumen:300lm

POWER: 5W

Size: 155*100*600mm

Light source/Socket:COB



■ **GD-ABX033-3-600-GU10**



IP Rating: IP65

Lumen:N/A

POWER: MAX 5W

Size: 155*100*600mm

Light source/Socket:GU10



■ **GD-ABX033-4-600-COB**



IP Rating: IP65

Lumen:600lm

POWER: 5W*2

Size: 100*275*600mm

Light source/Socket:COB



■ **GD-ABX033-4-600-GU10**


IP Rating: IP65

Lumen:N/A


POWER: MAX 5W*2

Size: 100*275*600mm


Light source/Socket:GU10



CE ROHS



CE ROHS





■ **GD-AWX073-1**

IP Rating: IP65
 Lumen:500lm
 POWER:10W
 Size: 200*126*141mm
 Light source/Socket:SMD 2835



■ **GD-AWX073-1**

IP Rating: IP65
 Lumen:1000lm
 POWER:10W*2
 Size: 330*126*141mm
 Light source/Socket:SMD 2835




CE ROHS





■ **GD-ABX201-2A-600**

IP Rating: IP65
 Lumen:900lm
 POWER: 20W
 Size: 150*90*600mm
 Light source/Socket:SMD2835





■ **GD-ABX201-2B-600**

IP Rating: IP65
 Lumen:900lm
 POWER: 20W
 Size: 150*90*590mm
 Light source/Socket:SMD2835




■ **GD-ABX201-2C-E27-600**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX 40
 Size: 150*90*600mm
 Light source/Socket:E27




■ **GD-ABX201-2D-E27-600**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX 40
 Size: 150*90*590mm
 Light source/Socket:E27




CE ROHS




■ **GD-ABX074-5-600**

IP Rating: IP65
 Lumen:300lm
 POWER: 6W
 Size: 45x100x600mm
 Light source/Socket:SMD2835




■ **GD-ABX074-6-600**

IP Rating: IP65
 Lumen:300lm
 POWER: 6W
 Size: 80x88x600mm
 Light source/Socket:SMD2835




■ **GD-AWX074-1**

IP Rating: IP65
 Lumen:300lm
 POWER: 6W
 Size: 78x100x172mm
 Light source/Socket:SMD2835





■ **GD-AWX074-2**

IP Rating: IP65
 Lumen:300lm
 POWER: 6W
 Size: 88x110x172mm
 Light source/Socket:SMD2835




■ **GD-AWX074-3**

IP Rating: IP65
 Lumen:600lm
 POWER: 2x6W
 Size: 78x100x260mm
 Light source/Socket:SMD2835



■ **GD-AWX074-4**


IP Rating: IP65
 Lumen:600lm
 POWER: 2x6W
 Size: 88x110x260mm
 Light source/Socket:SMD2835






GD-AWX153-1

IP Rating: IP65
 Lumen:300lm
 POWER: 6W
 Size: 159x156x188mm
 Light source/Socket:SMD2835
 LIGHTING DOWNWARD
 ROTATABLE HEAD




GD-ABX153-5-600

IP Rating: IP65
 Lumen:300lm
 POWER: 6W
 Size: 235x130x600mm
 Light source/Socket:SMD2835
 ROTATABLE HEAD
 LIGHTING DOWNWARD




GD-AWX153-1A

IP Rating: IP65
 Lumen:600lm
 POWER: 2*6W
 Size: 159x156x188mm
 Light source/Socket:SMD2835
 LIGHTING UPWARD AND DOWNWARD
 ROTATABLE HEAD



GD-ABX153-5A-600

IP Rating: IP65
 Lumen:600lm
 POWER:2x 6W
 Size: 235x130x600mm
 Light source/Socket:SMD2835
 ROTATABLE HEAD
 LIGHTING UPWARD AND DOWNWARD






GD-ABX153-8-600

IP Rating: IP65
 Lumen: 600lm
 POWER: 2x6W
 Size: 370x135x600mm
 Light source/Socket: SMD2835


ROTATABLE HEAD
 LIGHTING DOWNWARD



GD-ABX153-7-600

IP Rating: IP65
 Lumen: 700lm
 POWER: 2x7W
 Size: 370x158x600mm
 Light source/Socket: SMD2835



ROTATABLE HEAD



GD-AWX153-3



IP Rating: IP65
 Lumen: 350lm
 POWER: 7W
 Size: 158x158x130mm
 Light source/Socket: SMD2835

ROTATABLE HEAD



GD-AWX154-1


IP Rating: IP65
 Lumen: 250lm
 POWER: 5W
 Size: 100x100x52mm
 Light source/Socket: COB
 Glass diffuser



GD-ABX153-4-600


IP Rating: IP65
 Lumen: 350lm
 POWER: 7W
 Size: 158x235x600mm
 Light source/Socket: SMD2835

ROTATABLE HEAD



GD-ABX154-2-600


IP Rating: IP65
 Lumen: 250lm
 POWER: 5W
 Size: 165x100x600mm
 Light source/Socket: COB
 Glass diffuser



GD-ABX171-6-600

IP Rating: IP65
 Lumen: 300lm
 POWER: 7W
 Size: 159x159x600mm
 Light source/Socket: SMD2835


ROTATABLE HEAD



GD-ABX154-3-600

IP Rating: IP65
 Lumen: 500lm
 POWER: 2x5W
 Size: 230x100x600mm
 Light source/Socket: COB


Glass diffuser






■ **GD-AWX148-1**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 105x155x105mm
 Light source/Socket:SMD2835
 PC DIFFUSER
 PIR SENSOR FOR OPTION




■ **GD-ABX148-4-600**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 105x188x600mm
 Light source/Socket:SMD2835




■ **GD-ABX148-5-600**

IP Rating: IP65
 Lumen:700lm
 POWER:2x7W
 Size: 105x275x600mm
 Light source/Socket:SMD2835




■ **GD-ABX148-6-600**

IP Rating: IP65
 Lumen:700lm
 POWER:2x7W
 Size: 105x275x600mm
 Light source/Socket:SMD2835




■ **GD-AWX148-2-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.12W
 Size: 110x157x171mm
 Light source/Socket:E27
 GLASS DIFFUSER



■ **GD-ABX148-3-600-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.12W
 Size: 155x155x600mm
 Light source/Socket:E27





■ **GD-AWX156-9**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 120x157x240mm
 Light source/Socket:SMD 2835





■ **GD-AWX156-10-E27**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.12W
 Size: 120x157x240mm
 Light source/Socket:E27



■ **GD-AWX156-11**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 240x183x240mm
 Light source/Socket:SMD 2835




CE ROHS




■ **GD-ABX156-12-E27**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.12W
 Size: 240x183x240mm
 Light source/Socket:E27




■ **GD-AWX156-13**

IP Rating: IP65
 Lumen:1200lm
 POWER: 2x12W
 Size: 120x157x373mm
 Light source/Socket:SMD2835




■ **GD-AWX156-14-E27**

IP Rating: IP65
 Lumen:N/A
 POWER: 2xMAX.12W
 Size: 120x157x373mm
 Light source/Socket:E27




■ **GD-AWX156-15**

IP Rating: IP65
 Lumen:1200lm
 POWER: 2x12W
 Size: 128x183x373mm
 Light source/Socket:SMD2835



■ **GD-AWX156-16-E27**

IP Rating: IP65
 Lumen:N/A
 POWER: 2xMAX.12W
 Size: 128x183x373mm
 Light source/Socket:E27




CE ROHS




GD-ABX156-1-600

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 122x122x600mm
 Light source/Socket: SMD2835




GD-ABX156-2-E27-600

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 12W
 Size: 122x122x600mm
 Light source/Socket: E27




GD-ABX156-3-600

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 128x125x600mm
 Light source/Socket: SMD2835




GD-ABX156-4-E27-600

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 12W
 Size: 128x125x600mm
 Light source/Socket: E27




GD-ABX156-5-600

IP Rating: IP65
 Lumen: 900lm
 POWER: 12W+5W
 Size: 120x120x725mm
 Light source/Socket: SMD2835
 LIGHTING UPWARD AND DOWNWARD




GD-ABX156-6-600

IP Rating: IP65
 Lumen: 900lm
 POWER: 12W+5W
 Size: 120x120x725mm
 Light source/Socket: SMD2835
 LIGHTING UPWARD AND DOWNWARD




GD-ABX156-7-600

IP Rating: IP65
 Lumen: 900lm
 POWER: 12W+5W
 Size: 128x125x725mm
 Light source/Socket: SMD2835
 LIGHTING UPWARD AND DOWNWARD



GD-ABX156-8-600


IP Rating: IP65
 Lumen: 900lm
 POWER: 12W+5W
 Size: 165x183x725mm
 Light source/Socket: SMD2835
 LIGHTING UPWARD AND DOWNWARD





■ **GD-AWZ94**

IP Rating: IP65
 Lumen:180lm
 POWER: 5W
 Size: 150x150x36mm
 Light source/Socket:SMD2835



■ **GD-AWZ95**

IP Rating: IP65
 Lumen:180lm
 POWER: 5W
 Size: 150x150x36mm
 Light source/Socket:SMD 2835




■ **GD-AWZ96**

IP Rating: IP65
 Lumen:200lm
 POWER: 5W
 Size: 200x90x36mm
 Light source/Socket:SMD 2835



■ **GD-AWX010-1**

IP Rating: IP65
 Lumen:150lm
 POWER: 5W
 Size: 80x80x48mm
 Light source/Socket:COB









■ **GD-AWX010-2**

IP Rating: IP65
 Lumen:150lm
 POWER: 5W
 Size: 100x100x48mm
 Light source/Socket:COB



■ **GD-AWX011**

IP Rating: IP65
 Lumen:200lm
 POWER: 6W
 Size: 320x79x70mm
 Light source/Socket:SMD 2835







GD-AWX169-5

IP Rating: IP65
 Lumen:320lm
 POWER:7W
 Size: 90x137x290mm
 Light source/Socket:SMD2835



GD-AWX169-6

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 90x137x213mm
 Light source/Socket:SMD2835




CE ROHS




GD-ABX169-1-600

IP Rating: IP65
 Lumen:320lm
 POWER:7W
 Size:90x131x600mm
 Light source/Socket:SMD2835




GD-ABX169-2-600

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 90x131x600mm
 Light source/Socket:SMD2835




GD-ABX169-3-600

IP Rating: IP65
 Lumen:320lm
 POWER:7W
 Size: 90x100x600mm
 Light source/Socket:SMD2835




GD-ABX169-4-600

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:90x100x600mm
 Light source/Socket:SMD2835



GD-ABX169-7-600

IP Rating: IP65
 Lumen:320lm
 POWER:7W
 Size: 90x100x600mm
 Light source/Socket:SMD2835



CE ROHS



■ **GD-ABX167-1-600**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size:150x150x600mm

Light source/Socket:SMD2835



■ **GD-ABX167-2-600**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 165x165x600mm

Light source/Socket:SMD2835



■ **GD-ABX167-3-600**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 150x150x600mm

Light source/Socket:SMD2835



■ **GD-ABX167-4-600**



IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 165x165x600mm

Light source/Socket:SMD2835



■ **GD-AWX167-5**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 150x150x370mm

Light source/Socket:SMD2835





■ **GD-AWX167-6**


IP Rating: IP65

Lumen:300lm

POWER:7W

Size: 165x165x370mm

Light source/Socket:E27



■ **GD-AWX167-7-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 150x150x370mm

Light source/Socket:E27



■ **GD-AWX167-8-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 165x165x370mm

Light source/Socket:E27



■ **GD-ABX168-1-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 120x120x600mm

Light source/Socket:E27



■ **GD-ABX168-2-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 124x121x600mm

Light source/Socket:E27



■ **GD-ABX168-3-600**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 120x120x600mm

Light source/Socket:SMD2835



■ **GD-ABX168-4-600**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 124x121x600mm

Light source/Socket:SMD2835



■ **GD-ABX168-3-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 120x120x600mm

Light source/Socket:E27



■ **GD-ABX168-4-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 124x121x600mm

Light source/Socket:E27





■ **GD-AWX168-5-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 120x120x300mm

Light source/Socket:E27



■ **GD-AWX168-6-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX 12W

Size: 124x121x300mm

Light source/Socket:E27



■ **GD-AWX168-5**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 120x120x300mm

Light source/Socket:SMD 2835



■ **GD-AWX168-6**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size: 124x121x300mm

Light source/Socket:SMD 2835



■ **GD-ABX062-1-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.15W

Size:150x150x230mm



Light source/Socket:E27






■ **GD-ABX062-2-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.15W
 Size:165x165x203mm
 Light source/Socket:E27




■ **GD-ABX062-3**

IP Rating: IP65
 Lumen:400lm
 POWER:6W
 Size:150x150x230mm
 Light source/Socket:SMD2835




■ **GD-ABX062-4**

IP Rating: IP65
 Lumen:400lm
 POWER:6W
 Size:165x165x230mm
 Light source/Socket:SMD2835





■ **GD-ABX062-5-600-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.25W
 Size:150x150x600mm
 Light source/Socket:E27




■ **GD-ABX062-6-600-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.25W
 Size:165x165x600mm
 Light source/Socket:E27




■ **GD-ABX062-7**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:150x150x600mm
 Light source/Socket:COB




■ **GD-ABX062-8**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:165x165x600mm
 Light source/Socket:COB




■ **GD-ABX062-9-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.15W
 Size:150x150x600mm
 Light source/Socket:E27




■ **GD-ABX062-10-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.15W
 Size:165x165x600mm
 Light source/Socket:E27



■ **GD-ABX002-200**

IP Rating: IP65
 Lumen:600lm
 POWER:10W
 Size:108x108x200mm
 Light source/Socket:COB





■ **GD-ABX002-1-600**


IP Rating: IP65

Lumen:600lm

POWER:10W

Size:108x155x600mm

Light source/Socket:COB



■ **GD-ABZ06sn-600**

IP Rating: IP65

Lumen:350lm

POWER:7W

Size:110x110x600mm

Light source/Socket:COB



■ **GD-ABZ06sn-GU10-600**

IP Rating: IP65

Lumen:N/A

POWER:MAX.7W

Size:110x110x600mm

Light source/Socket:GU10



■ **GD-AWX006-1**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size:108x158x200mm

Light source/Socket:COB



■ **GD-ABX006-2-600**


IP Rating: IP65

Lumen:350lm

POWER:7W

Size:108x108x600mm

Light source/Socket:COB



■ **GD-ABX006-3-GU10-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX.7W

Size:108x108x600mm

Light source/Socket:GU10



■ **GD-ABX061-1-200**


IP Rating: IP65

Lumen:250lm

POWER:5W

Size:121x140x207mm

Light source/Socket:COB



■ **GD-ABX061-2-600**


IP Rating: IP65

Lumen:250lm

POWER:5W

Size:165x183x600mm

Light source/Socket:COB



■ **GD-ABX110-1-600**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size:120x120x600mm

Light source/Socket:SMD2835



■ **GD-ABX110-2-600**


IP Rating: IP65

Lumen:600lm

POWER:12W

Size:120x120x600mm


Light source/Socket:SMD2835






■ **GD-ABX110-3A-600**

IP Rating: IP65
 Lumen:600lm
 POWER:12W
 Size:127x123x600mm
 Light source/Socket:SMD2835





■ **GD-ABX110-3B-600**

IP Rating: IP65
 Lumen:600lm
 POWER:12W
 Size:165x183x600mm
 Light source/Socket:SMD2835




■ **GD-AWX110-4**

IP Rating: IP65
 Lumen:600lm
 POWER:12W
 Size:152x180x300mm
 Light source/Socket:SMD2835




■ **GD-AWX110-5**

IP Rating: IP65
 Lumen:600lm
 POWER:12W
 Size:120x157x300mm
 Light source/Socket:SMD2835




■ **GD-AWX110-6**

IP Rating: IP65
 Lumen:600lm
 POWER:12W
 Size:126x146x300mm
 Light source/Socket:SMD2835




■ **GD-ABX111-600**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:108x155x600mm
 Light source/Socket:COB




■ **GD-ABX111A-600-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.7W
 Size:108x155x600mm
 Light source/Socket:GU10





■ **GD-ABX111B-600-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.7W
 Size:108x155x600mm
 Light source/Socket:GU10




■ **GD-ABZ06s-600**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:107x150x600mm
 Light source/Socket:COB



■ **GD-ABX162-2-600**


IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size:108x108x600mm
 Light source/Socket:COB






GD-AWX020-1

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 230x190x110mm
 Light source/Socket: SMD28




GD-ABX020-2-600

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 265x190x600mm
 Light source/Socket: SMD2835




GD-AWX020-3-E27

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 12W
 Size: 245x225x190mm
 Light source/Socket: E27




GD-ABX020-4-E27-600

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 12W
 Size: 265x190x600mm
 Light source/Socket: E27



GD-AWX020-5-E27

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 12W
 Size: 235x225x190mm
 Light source/Socket: E27





■ **GD-ABX020-3-E27-600**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 265x190x600mm

Light source/Socket:E27



■ **GD-AWX147-3**


IP Rating: IP65

Lumen:300lm

POWER:6W

Size: 235x201x180mm

Light source/Socket:SMD2835



■ **GD-ABX147-5-600**


IP Rating: IP65

Lumen:300lm

POWER:6W

Size: 201x273x600mm

Light source/Socket:SMD2835



■ **GD-AWX147-8-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size: 201x230x245mm

Light source/Socket:E27



■ **GD-ABX147-10-600-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.12W

Size:201x273x600mm

Light source/Socket:E27



■ **GD-AWX165-1**


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180*282*470mm

Light source/Socket:SMD2835



■ **GD-ABX165-3-800**


IP Rating: IP65

Lumen:900lm

POWER:18W

Size: 180*286*800mm


Light source/Socket:SMD2835





■ **GD-ABX135-1-600**

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 180x180x600mm
 Light source/Socket:SMD2835





■ **GD-AWX135-2**

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 225x220x180mm
 Light source/Socket:SMD2835




■ **GD-ABX135-3**

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 180x180x240mm
 Light source/Socket:SMD2835




■ **GD-ABX135-4-600**

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 180x180x600mm
 Light source/Socket:SMD2835



■ **GD-ABX022-1-600**


IP Rating: IP65
 Lumen:400lm
 POWER:6W
 Size: 130x237x600mm
 Light source/Socket:SMD2835







GD-ABX135-5-600

IP Rating: IP65
 Lumen:1800lm
 POWER:2x18W
 Size: 180x424x600mm
 Light source/Socket:SMD2835




GD-ABX022-2-600

IP Rating: IP65
 Lumen:800lm
 POWER:2x6W
 Size: 130x375x600mm
 Light source/Socket:SMD2835




GD-ABX170-1-600

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 180x180x600mm
 Light source/Socket:SMD2835




GD-AWX170-2

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 180x183x305mm
 Light source/Socket:SMD2835



GD-AWX170-3

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 180x183x292mm
 Light source/Socket:SMD2835





CE ROHS




GD-AWX171-1

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size: 170x159x200mm
 Light source/Socket:SMD2835





GD-AWX171-2

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 150x163x275mm
 Light source/Socket:SMD2835




GD-AWX171-3

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 150x163x280mm
 Light source/Socket:SMD2835




GD-ABX155-1-600

IP Rating: IP65
 Lumen:300lm
 POWER:6W
 Size: 150x150x680mm
 Light source/Socket:SMD2835




GD-ABX155-2-600

IP Rating: IP65
 Lumen:300lm
 POWER:6W
 Size: 150x150x680mm
 Light source/Socket:SMD2835



CE ROHS




ROTATABLE HEAD SERIES




■ **GD-AWX015-3-PC**

IP Rating: IP65
 Lumen:320lm
 POWER:7W
 Size: 130x195x200mm
 Light source/Socket:COB
 PC DIFFUSER




■ **GD-ABX015-4-PC-600**

IP Rating: IP65
 Lumen:320lm
 POWER:7W
 Size: 130x175x600mm
 Light source/Socket:COB
 PC DIFFUSER




■ **GD-AWX015-1**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 130x195x200mm
 Light source/Socket:COB
 GLASS DIFFUSER




■ **GD-AWX015-5**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 130x130x100mm
 Light source/Socket:COB
 GLASS DIFFUSER




■ **GD-ABX015-2-600**

IP Rating: IP65
 Lumen:350lm
 POWER:7W
 Size: 130x175x600mm
 Light source/Socket:COB
 GLASS DIFFUSER



■ **GD-AWX015-6-PC**

IP Rating: IP65
 Lumen:320lm
 POWER:7W
 Size: 130x130x100mm
 Light source/Socket:COB
 PC DIFFUSER






ROTATABLE HEAD SERIES





■ **GD-AWX146-1**

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 195x145x160mm
 Light source/Socket:SMD2835



■ **GD-AWX146-1B-SEN**


IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 195x145x160mm
 Light source/Socket:SMD2835
 WITH PIR SENSOR



Rotatable

■ **GD-ABX146-3-600**


IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 210x170x600mm
 Light source/Socket:SMD2835



Rotatable


■ **GD-ABX146-4-600**

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 158x226x600mm
 Light source/Socket:SMD2835




■ **GD-AWX146-2A**

IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 195x145x160mm
 Light source/Socket:SMD2835



■ **GD-AWX146-2B-SEN**



IP Rating: IP65
 Lumen:900lm
 POWER:18W
 Size: 195x145x160mm
 Light source/Socket:SMD2835
 WITH PIR SENSOR







■ **GD-AWX122**

IP Rating: IP65
 Lumen: 150lm
 POWER: 3W
 Size: 160x90x35mm
 Light source/Socket: COB





■ **GD-AWX123**

IP Rating: IP65
 Lumen: 200lm
 POWER: 12W
 Size: 160x160x40mm
 Light source/Socket: COB




■ **GD-AWX124**

IP Rating: IP65
 Lumen: 200lm
 POWER: 12W
 Size: 120x120x50mm
 Light source/Socket: COB




■ **GD-AWX152-2**

IP Rating: IP65
 Lumen: 300lm
 POWER: 7W
 Size: 180x180x53mm
 Light source/Socket: SMD2835



■ **GD-AWZ12**


IP Rating: IP65
 Lumen: 800lm
 POWER: 12W
 Size: 126x106x225mm
 Light source/Socket: SMD2835






■ **GD-AWX115-4**

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size: 190x355x150mm
 Light source/Socket:COB




■ **GD-ABX115-2-600**

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size: 150x122x600mm
 Light source/Socket:COB




■ **GD-AWX115-3-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.12W
 Size: 190x355x150mm
 Light source/Socket:E27




■ **GD-AWX115-6**

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size: 190x355x150mm
 Light source/Socket:SMD2835




■ **GD-ABX115-1-600-E27**


IP Rating: IP65
 Lumen:N/A
 POWER:MAX.12W
 Size: 150x122x600mm
 Light source/Socket:E27



■ **GD-ABX115-5-600**



IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size: 150x122x600mm
 Light source/Socket:COB







■ **GD-AWX016-1**

IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 145x100x245mm
 Light source/Socket:SMD2835




■ **GD-AWX016-1-E27**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.12W
 Size: 145x100x245mm
 Light source/Socket:E27




■ **GD-AWX016-2**

IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 145x100x245mm
 Light source/Socket:SMD2835



■ **GD-AWX016-2-E27**


IP Rating: IP65
 Lumen:N/A
 POWER: MAX.12W
 Size: 145x100x245mm
 Light source/Socket:E27






■ **GD-AWX016-3**

IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 145x100x245mm
 Light source/Socket:SMD2835




■ **GD-AWX016-3-E27**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.12W
 Size: 145x100x245mm
 Light source/Socket:E27





■ **GD-AWX016-4**

IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 145x80x245mm
 Light source/Socket:SMD2835





■ **GD-AWX016-4-E27**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.12W
 Size: 145x80x245mm
 Light source/Socket:E27





■ **GD-AWX054-1**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 220x110x82mm
 Light source/Socket:SMD2835





■ **GD-AWX054-2**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 220x110x82mm
 Light source/Socket:SMD2835




■ **GD-AWX054-3**

IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 220x110x82mm
 Light source/Socket:SMD2835



■ **GD-AWX054-4**

IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 220x110x82mm
 Light source/Socket:SMD2835







SMALL SIZE




■ **GD-AWZ05**

IP Rating: IP65
 Lumen:400lm
 POWER: 2x3W
 Size: 115x90x28mm
 Light source/Socket:SMD 2835
 GLASS DIFFUSER



■ **GD-AWZ05-PC**

IP Rating: IP65
 Lumen:400lm
 POWER: 2x3W
 Size: 115x106x28mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




MEDIUM SIZE




■ **GD-AWZ04**

IP Rating: IP65
 Lumen:800lm
 POWER: 2x6W
 Size: 175x90x28mm
 Light source/Socket:SMD 2835
 GLASS DIFFUSER



■ **GD-AWZ04-PC**

IP Rating: IP65
 Lumen:800lm
 POWER: 2x6W
 Size: 175x106x28mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




BIG SIZE




■ **GD-AWX019**

IP Rating: IP65
 Lumen:1200lm
 POWER: 2x12W
 Size: 301x98x40mm
 Light source/Socket:SMD 2835
 GLASS DIFFUSER



■ **GD-AWX019-PC**


IP Rating: IP65
 Lumen:1200lm
 POWER: 2x12W
 Size: 301x114x40mm
 Light source/Socket:SMD 2835
 PC DIFFUSER






■ **GD-AWZ57-2**

IP Rating: IP65
 Lumen:160lm
 POWER: 2x1W
 Size: 85x80x35mm
 Light source/Socket:SMD 3030
 PC DIFFUSER




■ **GD-AWZ57-4**

IP Rating: IP65
 Lumen:300lm
 POWER: 4x1W
 Size: 120x80x35mm
 Light source/Socket:SMD 3030
 PC DIFFUSER




■ **GD-AWZ57-6**

IP Rating: IP65
 Lumen:520lm
 POWER: 6x1W
 Size: 170x80x45mm
 Light source/Socket:SMD 3030
 PC DIFFUSER



■ **GD-AWZ57-8**

IP Rating: IP65
 Lumen:720lm
 POWER:8x1W
 Size: 220x80x50mm
 Light source/Socket:SMD 3030
 PC DIFFUSER



■ **GD-AWZ57-10**

IP Rating: IP65
 Lumen:900lm
 POWER: 10x1W
 Size: 270x70x37mm
 Light source/Socket:SMD 3030
 PC DIFFUSER





■ **GD-AWZ57-12**

IP Rating: IP65
 Lumen:1050lm
 POWER:12x1W
 Size: 320x70x37mm
 Light source/Socket:SMD 3030
 PC DIFFUSER





■ **GD-AWX127-1**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 135x130x180mm
 Light source/Socket:SMD 2835




■ **GD-AWX127-2**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 135x130x180mm
 Light source/Socket:SMD 2835





■ **GD-ABX127-3-600**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 130*165*600mm
 Light source/Socket:SMD 2835




■ **GD-ABX127-7-600**

IP Rating: IP65
 Lumen:1200lm
 POWER: 24W
 Size: 130*245*600mm
 Light source/Socket:SMD 2835



■ **GD-ABX127-4-600**



IP Rating: IP65
 Lumen:1200lm
 POWER: 24W
 Size: 130*245*600mm
 Light source/Socket:SMD 2835






■ **GD-ABX127-5-600**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 130*165*600mm
 Light source/Socket:SMD 2835



■ **GD-ABX127-8-600**

IP Rating: IP65
 Lumen:1200lm
 POWER: 24W
 Size: 130*240*600mm
 Light source/Socket:SMD 2835




■ **GD-ABX127-6-600**

IP Rating: IP65
 Lumen:1200lm
 POWER: 24W
 Size: 130*240*600mm
 Light source/Socket:SMD 2835




■ **GD-AWX181-2**

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size: 150*75*115mm
 Light source/Socket:COB




■ **GD-AWX181-3**

IP Rating: IP65
 Lumen:900lm
 POWER: 18W*2
 Size: 245*75*115mm
 Light source/Socket:COB





■ **GD-AWX188-1**

IP Rating: IP65
 Lumen:900lm
 POWER: 18W
 Size: 140*65*90mm
 Light source/Socket:SMD2835




■ **GD-AWX188-2**

IP Rating: IP65
 Lumen:1000lm
 POWER: 20W
 Size: 185*75*90mm
 Light source/Socket:SMD2835




■ **GD-AWX188-3**


IP Rating: IP65
 Lumen:1200lm
 POWER: 24W
 Size: 220*85*105mm
 Light source/Socket:SMD2835



■ **GD-AWX188-4**


IP Rating: IP65
 Lumen:1500lm
 POWER: 30W
 Size: 300*110*120mm
 Light source/Socket:SMD2835






■ **GD-AWX180**

IP Rating: IP65
 Lumen:800lm
 POWER:18W
 Size: 180*65*70mm
 Light source/Socket:SMD 2835




■ **GD-AWX108-1-E27**

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.18W
 Size: 220x120x90mm
 Light source/Socket:E27




■ **GD-AWX108-2-E27**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.18W
 Size: 220x120x90mm
 Light source/Socket:E27




■ **GD-AWX141**

IP Rating: IP65
 Lumen:350lm
 POWER:2x5W
 Size: 250x100x100mm
 Light source/Socket:COB



■ **GD-AWX128**

IP Rating: IP65
 Lumen:600lm
 POWER: 2x5W
 Size: 180x180x70mm
 Light source/Socket:COB





■ **GD-AWX166-1**


IP Rating: IP65

Lumen: 800lm

POWER: 8*1W

Size: 158x158x56mm

Light source/Socket: COB



■ **GD-AWX166-2**


IP Rating: IP65

Lumen: 900lm

POWER: 8*1W+2W

Size: 158x158x55mm

Light source/Socket: COB



■ **GD-AWX166-3**


IP Rating: IP65

Lumen: 600lm

POWER: 6x2W

Size: 118x118x57mm

Light source/Socket: COB



■ **GD-AWX166-4**


IP Rating: IP65


Lumen: 700lm

POWER: 6x2W+2W

Size: 118x118x56mm

Light source/Socket: COB







■ **GD-AWX137-1**

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size: 100x100x80mm
 Light source/Socket:COB



■ **GD-AWX137-2**

IP Rating: IP65
 Lumen:600lm
 POWER: 2x7W
 Size: 200x105x80mm
 Light source/Socket:COB




CE ROHS




■ **GD-AWX049-1**

IP Rating: IP65
 Lumen:150lm
 POWER:3W
 Size: 90x90x65mm
 Light source/Socket:COB




■ **GD-AWX049-2**

IP Rating: IP65
 Lumen:300lm
 POWER: 2x3W
 Size: 160x90x65mm
 Light source/Socket:COB




■ **GD-AWX105-1**

IP Rating: IP65
 Lumen:150lm
 POWER:3W
 Size: 80x80x65mm
 Light source/Socket:COB




■ **GD-AWX105-2**

IP Rating: IP65
 Lumen:300lm
 POWER: 2x3W
 Size: 140x80x65mm
 Light source/Socket:COB




■ **GD-AWX105-1S**

IP Rating: IP65
 Lumen:150lm
 POWER:3W
 Size: 80x80x65mm
 Light source/Socket:COB



■ **GD-AWX105-2S**

IP Rating: IP65
 Lumen:300lm
 POWER: 2x3W
 Size: 140x80x65mm
 Light source/Socket:COB




CE ROHS





GD-AWZ52

IP Rating: IP65
 Lumen:350lm
 POWER: 6W
 Size: 105x95x85mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




GD-AWZ53

IP Rating: IP65
 Lumen:700lm
 POWER:2x6W
 Size:105x96x130mm
 Light source/Socket:SMD 2835
 PC DIFFUSER





GD-AWZ50

IP Rating: IP65
 Lumen:350lm
 POWER: 6W
 Size: 106x96x85mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




GD-AWZ51

IP Rating: IP65
 Lumen:700lm
 POWER:2x6W
 Size:115x96x130mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




GD-AWX014-1

IP Rating: IP65
 Lumen:400lm
 POWER:7W
 Size: 141x106x126mm
 Light source/Socket:COB
 GLASS DIFFUSER



GD-AWX014-2


IP Rating: IP65
 Lumen:800lm
 POWER:2x7W
 Size: 147x141x126mm
 Light source/Socket:COB
 GLASS DIFFUSER






GD-AWG06

IP Rating: IP65
 Lumen:300lm
 POWER:2x3W
 Size: 100x100x100mm
 Light source/Socket:COB
 GLASS DIFFUSER




GD-AWZ30-G9

IP Rating: IP65
 Lumen:N/A
 POWER:MAX.5W
 Size: 100x100x100mm
 Light source/Socket:G9
 GLASS DIFFUSER




GD-AWG06-R

IP Rating: IP65
 Lumen:300lm
 POWER: 2x3W
 Size: 140x115x100mm
 Light source/Socket:COB
 GLASS DIFFUSER




GD-AWZ30-R-G9

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.5W
 Size: 140x115x100mm
 Light source/Socket:G9
 GLASS DIFFUSER



GD-AWX144


IP Rating: IP65
 Lumen:1000lm
 POWER:2x10W
 Size: 120x120x120mm
 Light source/Socket:SMD2835
 GLASS DIFFUSER






■ **GD-AWX129-2**

IP Rating: IP65
 Lumen:600lm
 POWER:12W
 Size: 200x200x373mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




■ **GD-ABX129-1-800**

IP Rating: IP65
 Lumen:600lm
 POWER:12W
 Size: 200x200x800mm
 Light source/Socket:SMD 2835
 PC DIFFUSER



■ **GD-ABX129-4-800**

IP Rating: IP65
 Lumen:600lm
 POWER:12W
 Size: 200x200x800mm
 Light source/Socket:SMD 2835
 PC DIFFUSER





■ **GD-AWX130-GU10**

IP Rating: IP65


Lumen:N/A

POWER:MAX.7W

Size: 185x125x130mm

Light source/Socket:GU10

GLASS DIFFUSER



■ **GD-ABX130-1-GU10-600**

IP Rating: IP65


Lumen:N/A

POWER: MAX.7W

Size: 200x130x600mm

Light source/Socket:GU10

GLASS DIFFUSER



■ **GD-AWK347-GU10**

IP Rating: IP44


Lumen:N/A

POWER:MAX.7W

Size:65x90x100mm

Light source/Socket:GU10

GLASS DIFFUSER



■ **GD-ABK347-GU10-500**

IP Rating: IP44


Lumen:N/A

POWER:MAX.7W

Size: 115x90x500mm

Light source/Socket:GU10

GLASS DIFFUSER



■ **GD-AWX131-1**

IP Rating: IP65


Lumen:900lm

POWER:18W

Size: 120x100x260mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-ABX131-2-600**

IP Rating: IP65


Lumen:900lm

POWER: 18W

Size: 120x100x600mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-ABX107-1**

IP Rating: IP65


Lumen:300lm

POWER:7W

Size:120x170x170mm

Light source/Socket:SMD2835

PC DIFFUSER



■ **GD-ABX107-2**

IP Rating: IP65


Lumen:300lm

POWER:7W

Size: 120x170x600mm

Light source/Socket:SMD2835


PC DIFFUSER






GD-ABX126-1-600

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size: 170x70x600mm
 Light source/Socket:SMD 2835
 GLASS DIFFUSER




GD-ABX126-3A-600

IP Rating: IP 65
 Lumen:600lm
 POWER:6W*2
 Size: 70*170*600mm
 Light source/Socket:SMD 2835




GD-ABX126-3B-600

IP Rating: IP 44
 Lumen:600lm
 POWER:6W*2
 Size: 70*170*600mm
 Light source/Socket:SMD 2835




GD-ABX126-3C-600

IP Rating: IP 65
 Lumen:300lm
 POWER:6W
 Size: 70*170*600mm
 Light source/Socket:SMD 2835




GD-ABX126-3D-600

IP Rating: IP 44
 Lumen:300lm
 POWER:6W
 Size: 70*170*600mm
 Light source/Socket:SMD 2835




GD-AWX126-2A

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size:145*130*30mm
 Light source/Socket:SMD 2835



GD-AWX126-2B

IP Rating: IP65
 Lumen:300lm
 POWER:7W
 Size:185*130*30mm
 Light source/Socket:SMD 2835





■ **GD-ABG05-500**

IP Rating: IP65


Lumen:200lm

POWER: 5W

Size:80×66×500mm

Light source/Socket:COB

GLASS DIFFUSER



LIGHTING FROM BACK AND FRONT



■ **GD-ABX145-2-600**

IP Rating: IP65


Lumen:400lm

POWER: 2x5W

Size:115x70x600mm

Light source/Socket:COB

GLASS DIFFUSER



LIGHTING FROM FRONT



■ **GD-ABX145-1-600**

IP Rating: IP65


Lumen:200lm

POWER: 5W

Size:115x70x600mm

Light source/Socket:COB

GLASS DIFFUSER



■ **GD-AWZ20**


IP Rating: IP65

Lumen:700lm

POWER:12W

Size: 90*100*290mm

Light source/Socket:SMD2835



■ **GD-ABX163-2-600**

IP Rating: IP65


Lumen:900lm

POWER:18W

Size: 69x153×600mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-ABG01-600**

IP Rating: IP65


Lumen:300lm

POWER: 7W

Size: 153×57×600mm

Light source/Socket:COB

PC DIFFUSER



■ **GD-ABK1883-E27-500**

IP Rating: IP44

Lumen:N/A

POWER:MAX.15W

Size: 140×140×500mm

Light source/Socket::E27

PC DIFFUSER



■ **GD-ABG08-900**

IP Rating: IP65

Lumen:500lm

POWER: 7W

Size: :65×65×900mm

Light source/Socket:SMD 2835

PC DIFFUSER




■ **GD-AWX066-1**
 IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x50mm
 Light source/Socket:SMD 2835
 PC DIFFUSER



■ **GD-AWX066-2**
 IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x60mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




■ **GD-AWX008-1**
 IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 180x180x49mm
 Light source/Socket:SMD 2835




CE ROHS





■ **GD-AWX008-2**
 IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 180x180x61mm
 Light source/Socket:SMD 2835
 PC DIFFUSER





■ **GD-AWX064-1**
 IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x50mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




■ **GD-AWX064-2**
 IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x55mm
 Light source/Socket:SMD 2835
 PC DIFFUSER



■ **GD-AWX007-1**
 IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 180x180x48mm
 Light source/Socket:SMD 2835
 PC DIFFUSER



■ **GD-AWX007-2**
 IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 180x180x61mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




CE ROHS




GD-ABX067-1-600

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




GD-ABX067-2-600

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket:SMD 2835




GD-ABX008-3-600

IP Rating: IP65
 Lumen:1000lm
 POWER:18W
 Size: 180x180x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER



GD-ABX008-4-600

IP Rating: IP65
 Lumen:1000lm
 POWER:18W
 Size: 180x180x600mm
 Light source/Socket:SMD 2835




CE ROHS




GD-ABX065-1-600

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER





GD-ABX065-2-600

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




GD-ABX007-3-600

IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 180x180x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER



GD-ABX007-4-600

IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 180x180x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




CE ROHS





■ **GD-ABX090-1-600**

IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 180x180x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER





■ **GD-ABX090-2-600**

IP Rating: IP65
 Lumen:1000lm
 POWER: 18W
 Size: 180x180x600mm
 Light source/Socket:SMD 2835
 PC DIFFUSER




■ **GD-ABX090-3-600**


IP Rating: IP65
 Lumen:700lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket:SMD2835
 PC DIFFUSER



■ **GD-ABX090-4-600**


IP Rating: IP65
 Lumen:700lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket:SMD2835
 PC DIFFUSER







GD-ABX091-1-600

IP Rating: IP65
 Lumen: 1000lm
 POWER: 18W
 Size: 180x180x600mm
 Light source/Socket: SMD 2835
 PC DIFFUSER




GD-ABX091-2-600

IP Rating: IP65
 Lumen: 1000lm
 POWER: 18W
 Size: 180x180x600mm
 Light source/Socket: SMD 2835
 PC DIFFUSER




GD-ABX091-3-600

IP Rating: IP65
 Lumen: 700lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket: SMD 2835
 PC DIFFUSER




GD-ABX091-4-600

IP Rating: IP65
 Lumen: 700lm
 POWER: 12W
 Size: 150x150x600mm
 Light source/Socket: SMD 2835
 PC DIFFUSER




GD-ABX092-5

IP Rating: IP65
 Lumen: 700lm
 POWER: 12W
 Size: 150x150x260mm
 Light source/Socket: SMD 2835
 PC DIFFUSER




GD-ABX092-6

IP Rating: IP65
 Lumen: 700lm
 POWER: 12W
 Size: 150x150x260mm
 Light source/Socket: SMD 2835
 PC DIFFUSER




GD-ABX092-7

IP Rating: IP65
 Lumen: 700lm
 POWER: 12W
 Size: 150x150x260mm
 Light source/Socket: SMD 2835
 PC DIFFUSER



GD-ABX092-8


IP Rating: IP65
 Lumen: 700lm
 POWER: 12W
 Size: 150x150x260mm
 Light source/Socket: SMD 2835
 PC DIFFUSER






■ **GD-AWX055-1**

IP Rating: IP65
 Lumen: 1200lm
 POWER: 18W
 Size: 275x275x76mm
 Light source/Socket: SMD 2835




■ **GD-AWX055-2**

IP Rating: IP65
 Lumen: 750lm
 POWER: 18W
 Size: 275x275x81mm
 Light source/Socket: SMD 2835




■ **GD-AWX055-3**

IP Rating: IP65
 Lumen: 1100lm
 POWER: 18W
 Size: 275x275x84mm
 Light source/Socket: SMD 2835



■ **GD-AWX055-4**


IP Rating: IP65
 Lumen: 950lm
 POWER: 18W
 Size: 275x275x88mm
 Light source/Socket: SMD 2835






■ **GD-AWX063-1**

IP Rating: IP65
 Lumen:350lm
 POWER: 6W
 Size: 248x248x115mm
 Light source/Socket:SMD2835




■ **GD-ABX063-2-600**

IP Rating: IP65
 Lumen:350lm
 POWER: 6W
 Size: 248x248x600mm
 Light source/Socket:SMD2835



■ **GD-ABX063-3-600**

IP Rating: IP65
 Lumen:350lm
 POWER: 6W
 Size: 248x248x600mm
 Light source/Socket:SMD2835




■ **GD-APX063-6**

IP Rating: IP65
 Lumen:350lm
 POWER: 6W
 Size: 348x110x1000mm
 Light source/Socket:SMD2835




■ **GD-AWX063-4**



IP Rating: IP65
 Lumen:350lm
 POWER: 6W
 Size: 248x253x250mm
 Light source/Socket:SMD2835



■ **GD-AWX063-5**

IP Rating: IP65
 Lumen:350lm
 POWER: 6W
 Size: 248x253x230mm
 Light source/Socket:SMD2835





■ **GD-AWG13-GU10**



IP Rating: IP65

Lumen:N/A

POWER: 2xMAX.5W

Size: 150x68x82mm

Light source/Socket:GU10x2



■ **GD-AWG13**


IP Rating: IP65

Lumen:500lm

POWER: 2x5W

Size: 150x68x82mm

Light source/Socket:COB



■ **GD-AWG14-GU10**



IP Rating: IP65

Lumen:N/A

POWER: MAX.5W

Size: 80x68x82mm

Light source/Socket:GU10



■ **GD-AWG14**


IP Rating: IP65

Lumen:250lm

POWER: 5W

Size: 80x68x82mm


Light source/Socket:COB







■ **GD-AWG15-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER: 2xMAX.5W
 Size: 150x68x82mm
 Light source/Socket:GU10x2





■ **GD-AWG15**

IP Rating: IP65
 Lumen:500lm
 POWER: 2x5W
 Size: 150x68x82mm
 Light source/Socket:COB




■ **GD-AWG16-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.5W
 Size: 80x68x82mm
 Light source/Socket:GU10




■ **GD-AWG16**

IP Rating: IP65
 Lumen:250lm
 POWER: 5W
 Size:80x68x82mm
 Light source/Socket:COB




■ **GD-AWG09**

IP Rating: IP65
 Lumen:300lm
 POWER: 5W
 Size: 50x102x270mm
 Light source/Socket:COB





■ **GD-AWG10**


IP Rating: IP65
 Lumen:600lm
 POWER: 2x5W
 Size: 50x102x300mm
 Light source/Socket:COB



■ **GD-ABG09-600**

IP Rating: IP65
 Lumen:300lm
 POWER: 1x5W
 Size: 100x100x600mm
 Light source/Socket:COB





■ GD-AWY11



IP Rating: IP65

Lumen: 250lm

POWER: 1x5W

Size: 90x80x80mm

Light source/Socket: COB



■ GD-AWY11-GU10



IP Rating: IP65

Lumen: N/A

POWER: MAX. 1x5W

Size: 90x80x80mm

Light source/Socket: GU10



■ GD-AWZ153-1



IP Rating: IP65

Lumen: 250lm

POWER: 1x5W

Size: 90x80x80mm

Light source/Socket: COB



■ GD-AWZ153-1-GU10


IP Rating: IP65

Lumen: N/A

POWER: MAX. 1x5W

Size: 90x80x80mm

Light source/Socket: GU10





SMALLER VERSION

BIGGER VERSION




■ **GD-AWY12**

IP Rating: IP65
 Lumen:500lm
 POWER: 2x5W
 Size: 160x80x80mm
 Light source/Socket:COB





■ **GD-AWX003-1**

IP Rating: IP65
 Lumen:1000lm
 POWER: 2x7W
 Size: 200x100x100mm
 Light source/Socket:COB




■ **GD-AWY12-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.2x5W
 Size: 160x80x80mm
 Light source/Socket:GU10x2




■ **GD-AWX003-1-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.2x7W
 Size: 200x100x100mm
 Light source/Socket:GU10x2




■ **GD-AWZ153**

IP Rating: IP65
 Lumen:500lm
 POWER: 2x5W
 Size: 160x80x80mm
 Light source/Socket:COB




■ **GD-AWX003-2**

IP Rating: IP65
 Lumen:1000lm
 POWER: 2x7W
 Size: 200x100x100mm
 Light source/Socket:COB




■ **GD-AWZ153-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.2x5W
 Size: 160x80x80mm
 Light source/Socket:GU10x2



■ **GD-AWX003-2-GU10**

IP Rating: IP65
 Lumen:N/A
 POWER: MAX.2x7W
 Size: 200x100x100mm
 Light source/Socket:GU10x2




SMALLER VERSION


BIGGER VERSION




■ **GD-AWG08-1**
 IP Rating: IP65
 Lumen:400lm
 POWER: 6W
 Size: 108x108x80mm
 Light source/Socket:SMD 2835




■ **GD-AWG08-2**
 IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 160x160x100mm
 Light source/Socket:SMD 2835




■ **GD-AWG07-1**
 IP Rating: IP65
 Lumen:400lm
 POWER: 6W
 Size: 108x108x80mm
 Light source/Socket:SMD 2835




■ **GD-AWG07-2**
 IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 170x170x102mm
 Light source/Socket:SMD 2835





■ **GD-AWX068-3**
 IP Rating: IP65
 Lumen:400lm
 POWER:6W
 Size: 108x108x80mm
 Light source/Socket:SMD 2835




■ **GD-AWP042**
 IP Rating: IP65
 Lumen:800lm
 POWER:12W
 Size: 160x160x100mm
 Light source/Socket:SMD 2835



■ **GD-AWX069-3**
 IP Rating: IP65
 Lumen:250lm
 POWER: 6W
 Size: 108x108x80mm
 Light source/Socket:SMD 2835



■ **GD-AWX013-1**
 IP Rating: IP65
 Lumen:800lm
 POWER: 12W
 Size: 170x170x100mm
 Light source/Socket:SMD 2835





CE ROHS

GD-AWX069-4-600


IP Rating: IP65

Lumen:250lm

POWER: 6W

Size: 110x110x600mm

Light source/Socket:SMD 2835



CE ROHS

SMALLER VERSION



GD-AWX068-1

IP Rating: IP65

Lumen:250lm

POWER:6W

Size: 108 x 108 x 110mm

Light source/Socket:SMD 2835



GD-AWX069-2


IP Rating: IP65

Lumen:250lm

POWER: 6W

Size: 108x108x110mm

Light source/Socket:SMD 2835



GD-AWX069-1


IP Rating: IP65

Lumen:250lm

POWER: 6W

Size:110x110x110mm

Light source/Socket:SMD 2835



GD-AWX068-2


IP Rating: IP65

Lumen:400lm

POWER: 6W

Size: 110x110x105mm

Light source/Socket:SMD 2835



CE ROHS

BIGGER VERSION



GD-AWX083-1


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 160x160x134mm

Light source/Socket:SMD 2835



GD-AWX084-2

IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 170x170x130mm

Light source/Socket:SMD 2835



GD-AWX084-1


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 170x170x134mm

Light source/Socket:SMD 2835



GD-AWX083-2


IP Rating: IP65

Lumen:800lm

POWER:12W

Size: 160x160x128mm


Light source/Socket:SMD 2835






■ **GD-AWX051-1**

IP Rating: IP65
 Lumen: 900lm
 POWER: 18W
 Size: 220x220x55mm
 Light source/Socket: SMD2835




■ **GD-AWX051-2**

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 155x155x54mm
 Light source/Socket: SMD 2835




■ **GD-AWX051-3**

IP Rating: IP65
 Lumen: 900lm
 POWER: 18W
 Size: 220x220x55mm
 Light source/Socket: SMD2835





■ **GD-AWX051-4**

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 155x155x54mm
 Light source/Socket: SMD 2835




■ **GD-AWX101-1**

IP Rating: IP65
 Lumen: 800lm
 POWER: 18W
 Size: 210x210x70mm
 Light source/Socket: SMD2835



■ **GD-AWX101-2**


IP Rating: IP65
 Lumen: 800lm
 POWER: 18W
 Size: 230x230x70mm
 Light source/Socket: SMD 2835







■ **GD-AWX095-1**

IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 220x220x55mm
 Light source/Socket:SMD2835





■ **GD-AWX095-2**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 155x155x55mm
 Light source/Socket:SMD 2835




■ **GD-AWX096-1**

IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 220x220x55mm
 Light source/Socket:SMD2835




■ **GD-AWX096-2**

IP Rating: IP65
 Lumen:600lm
 POWER: 12W
 Size: 155x155x55mm
 Light source/Socket:SMD 2835




■ **GD-AWX093-1**

IP Rating: IP65
 Lumen:1200lm
 POWER: 22W
 Size: 245x245x50mm
 Light source/Socket:SMD2835




■ **GD-AWX093-2**

IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 180x180x50mm
 Light source/Socket:SMD2835




■ **GD-AWX094-1**

IP Rating: IP65
 Lumen:1200lm
 POWER: 22W
 Size: 245x245x50mm
 Light source/Socket:SMD2835



■ **GD-AWX094-2**

IP Rating: IP65
 Lumen:800lm
 POWER: 18W
 Size: 175x175x50mm
 Light source/Socket:SMD2835





■ **GD-ABZ12-E27-600**

IP Rating: IP44

Lumen: N/A

POWER: MAX. 10W

Size: 108×108×600mm

Light source/Socket: E27



■ **GD-ABG02-600**


IP Rating: IP65

Lumen: 800lm

POWER: 12W

Size: 112×112×650mm

Light source/Socket: SMD 2835



■ **GD-ABG03-600**



IP Rating: IP65

Lumen: 250lm

POWER: 7W

Size: 160×160×600mm

Light source/Socket: SMD 2835



■ **GD-ABG04-600**



IP Rating: IP65

Lumen: 300lm

POWER: 7W

Size: 138×138×600mm

Light source/Socket: SMD 2835



■ **GD-ABG11-600**


IP Rating: IP65

Lumen: 250lm

POWER: 7W

Size: 120×120×600mm


Light source/Socket: SMD 2835






■ **GD-AWZ14**

IP Rating: IP65
 Lumen:200lm
 POWER: 2x3W
 Size: 138x75x76mm
 Light source/Socket:COB




■ **GD-AWX044-3**

IP Rating: IP65
 Lumen:220lm
 POWER: 2x3W
 Size: 176x111x63mm
 Light source/Socket:COB




■ **GD-AWX046-1**

IP Rating: IP65
 Lumen:240lm
 POWER: 3x2W
 Size: 140x122x41mm
 Light source/Socket:COB




■ **GD-AWX046-2**

IP Rating: IP65
 Lumen:450lm
 POWER: 3x3W
 Size: 140x122x41mm
 Light source/Socket:COB



■ **GD-AWX120**

IP Rating: IP65
 Lumen:250lm
 POWER: 5W
 Size: 165x90x200mm
 Light source/Socket:COB





■ **GD-AWX112-1-S**


IP Rating: IP65

Lumen:300lm

POWER: 3x2W

Size: 161x161x63mm

Light source/Socket:COB



■ **GD-AWX112-2-D**


IP Rating: IP65

Lumen:600lm

POWER: 6x2W

Size: 161x161x63mm

Light source/Socket:COB



■ **GD-AWX112-3-S**


IP Rating: IP65

Lumen:300lm

POWER: 6W

Size: 161x161x63mm

Light source/Socket:SMD2835



■ **GD-AWX112-4-D**


IP Rating: IP65

Lumen:600lm

POWER: 2x6W

Size: 161x161x63mm

Light source/Socket:SMD2835



■ **GD-AWK01**


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 140x120x64mm

Light source/Socket:SMD2835



■ **GD-AWK01-SEN**


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 138x121x121mm

Light source/Socket:SMD2835



■ **GD-AWK02**


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 140x120x63mm

Light source/Socket:SMD2835



■ **GD-AWK02-SEN**


IP Rating: IP65

Lumen:800lm

POWER: 12W

Size: 140x120x120mm


Light source/Socket:SMD2835






■ **GD-AWX047-1**

IP Rating: IP65
 Lumen: 700lm
 POWER: 2x7W
 Size: 100x90x180mm
 Light source/Socket: COB




■ **GD-AWX047-2**

IP Rating: IP65
 Lumen: 700lm
 POWER: 2x7W
 Size: 100x90x180mm
 Light source/Socket: COB




■ **GD-AWX047-3**

IP Rating: IP65
 Lumen: 700lm
 POWER: 2x7W
 Size: 100x90x180mm
 Light source/Socket: COB




■ **GD-AWG11**


IP Rating: IP65
 Lumen: 400lm
 POWER: 6W
 Size: 165x130x50mm
 Light source/Socket: SMD2835



■ **GD-AWG12**


IP Rating: IP65
 Lumen: 800lm
 POWER: 12W
 Size: 240x130x50mm
 Light source/Socket: SMD2835






■ **GD-AWZ101-260-E27**

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 18W
 Size: 260x125x125mm
 Light source/Socket: E27




■ **GD-AWZ101-260**

IP Rating: IP65
 Lumen: 600lm
 POWER: 12W
 Size: 260x125x125mm
 Light source/Socket: SMD 2835



■ **GD-AWX100**

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 18W
 Size: 96x150x285mm
 Light source/Socket: E27




■ **GD-AWX017-1-E27**

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 12W
 Size: 160x160x190mm
 Light source/Socket: E27




■ **GD-AWX017-1**

IP Rating: IP65
 Lumen: 700lm
 POWER: 12W
 Size: 160x160x190mm
 Light source/Socket: SMD 2835



■ **GD-AWX017-2-E27**

IP Rating: IP65
 Lumen: N/A
 POWER: MAX. 12W
 Size: 160x160x190mm
 Light source/Socket: E27



■ **GD-AWX017-2**

IP Rating: IP65
 Lumen: 700lm
 POWER: 12W
 Size: 160x160x190mm
 Light source/Socket: SMD 2835



■ **GD-AWZ67-260-E27**

IP Rating: IP65


Lumen:N/A

POWER: MAX.18W

Size: 260x125x125mm

Light source/Socket:E27

PC DIFFUSER



■ **GD-AWZ67-260**

IP Rating: IP65


Lumen:600lm

POWER:12W

Size: 260x125x125mm

Light source/Socket:SMD 2835

PC DIFFUSER



■ **GD-AWZ66-260-E27**

IP Rating: IP65


Lumen:N/A

POWER: MAX.18W

Size: 260x125x125mm

Light source/Socket:E27

PC DIFFUSER



■ **GD-AWZ66-260**

IP Rating: IP65


Lumen:600lm

POWER:12W

Size: 260x125x125mm

Light source/Socket:SMD 2835


PC DIFFUSER






■ **GD-AWY31-GU10**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX.7W
 Size: 90x150x180mm
 Light source/Socket: GU10
 PC DIFFUSER




■ **GD-AWY32-GU10**

IP Rating: IP44
 Lumen: N/A
 POWER: 2xMAX.7W
 Size: 110x125x225mm
 Light source/Socket: GU10x2
 PC DIFFUSER




■ **GD-AWY33-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX 10W
 Size: 90x150x185mm
 Light source/Socket: E27
 PC DIFFUSER




■ **GD-AWY34-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: 2xMAX10W
 Size: 90x150x310mm
 Light source/Socket: E27x2
 PC DIFFUSER



■ **GD-AWZ111-2-3C-E27**


IP Rating: IP44
 Lumen: N/A
 POWER: 2xMAX 12W
 Size: 90x150x360mm
 Light source/Socket: E27x2
 PC DIFFUSER






■ **GD-AWY35-GU10**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX. 7W
 Size: 110x100x155mm
 Light source/Socket: GU10
 PC DIFFUSER




■ **GD-AWY36-GU10**

IP Rating: IP44
 Lumen: N/A
 POWER: 2xMAX. 7W
 Size: 110x102x195mm
 Light source/Socket: GU10x2
 PC DIFFUSER




■ **GD-AWY37-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX. 10W
 Size: 100x110x190mm
 Light source/Socket: E27
 PC DIFFUSER




■ **GD-AWY38-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: 2xMAX. 10W
 Size: 100x110x310mm
 Light source/Socket: E27x2
 PC DIFFUSER



■ **GD-AWZ107-1-3C-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX. 12W
 Size: 110x95x232mm
 Light source/Socket: E27
 PC DIFFUSER




CE ROHS




■ **GD-AWY39-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX. 10W
 Size: 100x100x190mm
 Light source/Socket: E27
 PC DIFFUSER




■ **GD-AWY40-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: 2xMAX. 10W
 Size: 100x110x310mm
 Light source/Socket: E27x2
 PC DIFFUSER




■ **GD-AWY41-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX. 10W
 Size: 110x125x220mm
 Light source/Socket: E27




■ **GD-AWY42-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: 2xMAX. 10W
 Size: 90x125x335mm
 Light source/Socket: E27x2
 PC DIFFUSER



■ **GD-AWZ108-2-3C-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: 2xMAX. 10W
 Size: 90x150x380mm
 Light source/Socket: E27x2
 PC DIFFUSER




CE ROHS




■ **GD-ABZ13-E27-5C-600**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX. 15W
 Size: 140x140x600mm
 Light source/Socket: E27
 PC DIFFUSER




■ **GD-ABZ13-E27-3C-500**

IP Rating: Ip44
 Lumen: N/A
 POWER: MAX. 12W
 Size: 140x140x500mm
 Light source/Socket: E27
 PC DIFFUSER



■ **GD-ABZ11-E27-600**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX. 12W
 Size: 150x150x600mm
 Light source/Socket: E27
 PC DIFFUSER



■ **GD-ABY07-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: NAX. 18W
 Size: 120x160x500mm
 Light source/Socket: E27
 PC DIFFUSER



■ **GD-ABY05-E27**

IP Rating: IP44
 Lumen: N/A
 POWER: MAX. 10W
 Size: 88x140x500mm
 Light source/Socket: E27
 PC DIFFUSER



■ **GD-AWY01-E27**

IP Rating: IP44


Lumen:N/A

POWER:MAX.12W

Size:120x120x170mm

Light source/Socket:E27

PS DIFFUSER



■ **GD-AWY03-E27**

IP Rating: IP44


Lumen:N/A

POWER:MAX.12W

Size:120x120x170mm

Light source/Socket:E27

PS DIFFUSER



■ **GD-AWY02-E27**

IP Rating: IP44


Lumen:N/A

POWER:2xMAX.12w

Size:120x120x305mm

Light source/Socket:E27x2

PS DIFFUSER



■ **GD-AWY04-E27**

IP Rating: IP44


Lumen:N/A


POWER:2xMAX.12w

Size:120x120x305mm

Light source/Socket:E27x2

PS DIFFUSER





■ **GD-AWY43-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.18W

Size: 250x110x85mm

Light source/Socket:E27



CE ROHS



■ **GD-AWY43**


IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 250x110x85mm

Light source/Socket:SMD 2835



■ **GD-AWX102-2-E27**


IP Rating: IP65

Lumen:N/A

POWER:MAX.18W

Size: 250x110x85mm

Light source/Socket:E27



■ **GD-AWX102-2**



IP Rating: IP65

Lumen:600lm

POWER: 12W

Size: 250x110x85mm

Light source/Socket:SMD2835



■ **GD-AWY44-E27**



IP Rating: IP65

Lumen:N/A

POWER:MAX.18W

Size: 250x110x85mm

Light source/Socket:E27



■ **GD-AWY44**


IP Rating: IP65

Lumen:400lm

POWER:12W

Size: 250x110x85mm

Light source/Socket:SMD 2835



CE ROHS