

# Contents



(I)



(II)

01-20



GENERAL ELECTRONIC DIGITAL SAFE



21-32

LCD ELECTRONIC DIGITAL SAFE

33-36

MECHANICAL SAFE



37-38

FINGERPRINT SAFE

39-48

OFFICE/HOTEL SAFE



49-50

FIREPROOF SAFE

51-52

GUN SAFE



# GENERAL ELECTRONIC DIGITAL SAFE



S-50EA

S-50E

The series of electronic safe are ideal for office, home and hotel use, supporting both combination code and emergency key. Resetting combination code is available. The emergency key is provided in case the personal code is forgotten or batteries are out of power.

### INCLUDES:

- General Electronic Digital safe;
- Special Electronic Digital safe;
- LCD display Electronic Digital safe;
- Motorized Electronic Digital safe.

### FEATURES:

- Steel construction with 2 live locking bolts
- Fine powder coated finish with carpeted floor
- Emergency key override and master code available
- Pre-drilled anchoring holes on the back and bottom
- Anchoring bolts and emergency keys included
- Powered by 4xAA batteries (included)



S-20E

S-25E

S-30E

S-35E

S-45E

S-43E

S-50E

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20E(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20E(I)	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25E(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25E(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35E(II)	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35E(I)	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30E(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30E(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45E(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45E(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3E(II)	440	400	300	436	340	296	2	4		17	18	46X43X33	454
S-5-3E(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4E(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4E(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43E(II)	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43E(I)	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50E(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50E(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383
S-50EA(I)	350	330	570	346	260	496	2	5	2	26	27.5	37X41X60	305
	350	330	570	344	260	494	3	6	2	35.5	37	37X41X60	305
	350	330	570	340	260	490	5	6	2	48	49.5	37X41X60	305

General Electronic Digital Safe  
LCD Electronic Digital Safe  
Mechanical Safe  
Fingerprint Safe  
Office/Hotel Safe  
Fireproof Safe  
Gun Safe

General Electronic Digital Safe  
LCD Electronic Digital Safe  
Mechanical Safe  
Fingerprint Safe  
Office/Hotel Safe  
Fireproof Safe  
Gun Safe



S-20EQ

S-25EQ

S-30EQ



S-35EQ



S-45EQ



S-50EQ



S-50EQ

S-20EQ

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20EQ(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20EQ(I)	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25EQ(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25EQ(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35EQ(II)	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35EQ(I)	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30EQ(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30EQ(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45EQ(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45EQ(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3EQ(II)	440	400	300	436	340	296	2	4		17	18	46X43X33	454
S-5-3EQ(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4EQ(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4EQ(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43EQ(II)	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43EQ(I)	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50EQ(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50EQ(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-20EU



S-25EU



S-30EU



S-35EU



S-45EU



S-50EU



S-50EU

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20EU(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20EU(I)	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25EU(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25EU(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35EU(II)	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35EU(I)	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30EU(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30EU(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45EU(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45EU(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3EU(II)	440	400	300	436	340	296	2	4		17	18	46X43X33	454
S-5-3EU(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4EU(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4EU(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43EU(II)	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43EU(I)	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50EU(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50EU(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-50EV

S-50EV

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20EV(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20EV(I)	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25EV(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25EV(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35EV(II)	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35EV(I)	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30EV(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30EV(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45EV(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45EV(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3EV(II)	440	400	300	436	340	296	2	4		17	18	46X43X33	454
S-5-3EV(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4EV(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4EV(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43EV(II)	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43EV(I)	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50EV(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50EV(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-20EV



S-25EV



S-30EV



S-20EV



S-35EV



S-45EV





S-25ES



S-30ES



S-30ES

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-25ES(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25ES(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-30ES(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30ES(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45ES(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45ES(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3ES(II)	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3ES(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
	440	400	300	430	340	290	5	6	1	37	38	46X43X33	454
S-5-4ES(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4ES(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
	440	400	350	430	340	340	5	6	1	40.5	45	46X43X38	389
S-50ES(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50ES(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-50ES



S-45ES



S-50ES



S-20EX



S-25EX



S-30EX



S-35EX



S-45EX



S-50EX



S-20EX

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20EX(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20EX(I)	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25EX(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25EX(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35EX(II)	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35EX(I)	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30EX(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30EX(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45EX(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45EX(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3EX(II)	440	400	300	436	340	296	2	4		17	18	46X43X33	454
S-5-3EX(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4EX(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4EX(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43EX(II)	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43EX(I)	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50EX(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50EX(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-25EG



S-30EG



S-30EG

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-25EG(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25EG(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-30EG(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30EG(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45EG(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45EG(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3EG(II)	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3EG(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
	440	400	300	430	340	290	5	6	1	37	38	46X43X33	454
S-5-4EG(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4EG(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
	440	400	350	430	340	340	5	6	1	40.5	45	46X43X38	389
S-50EG(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50EG(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-50EG



S-45EG



S-50EG



S-30EW



S-20EW



S-25EW



S-30EW



S-50EW

S-50EW

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20EW(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20EW(I)	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25EW(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25EW(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35EW(II)	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35EW(I)	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30EW(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30EW(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45EW(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45EW(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3EW(II)	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3EW(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4EW(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4EW(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43EW(II)	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43EW(I)	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50EW(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50EW(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-25ED(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25ED(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-30ED(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30ED(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45ED(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45ED(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3ED(II)	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3ED(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
	440	400	300	430	340	290	5	6	1	37	38	46X43X33	454
S-5-4ED(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4ED(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
	440	400	350	430	340	340	5	6	1	40.5	45	46X43X38	389
S-50ED(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50ED(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-25ED



S-30ED



S-30ED



S-50ED



S-45ED



S-50ED



S-23ET(II)



S-23ET(III)



S-23EP(II)



S-20ET(II)




S-25EP



S-25ET

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-15ET	180	150	150	176	100	146	2	3	3	3.5	3.5	20X17X17	4862
S-23ET(II)	230	170	170	226	110	164	2	3	4	4.5	4.5	25X19X19	3168
S-23ET(III)	230	170	170	226	110	164	2	3	4	4.5	4.5	25X19X19	3168
S-23EP(II)	230	170	170	226	110	164	2	3	4	4.5	4.5	25X19X19	3168
S-20ET(II)	310	200	200	306	140	196	2	4	6.5	7	7	33X23X23	1750
S-25ET(II)	350	250	250	346	190	246	2	4	9.5	10	10	37X28X28	1024
S-25EP	350	250	250	346	190	246	2	5	11.5	12	12	37X28X28	1024



S-25ET



S-15ET

S-15ET

# LCD ELECTRONIC DIGITAL SAFE



S-50LCD

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20LCD(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20LCD(I)	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25LCD(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25LCD(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35LCD(II)	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35LCD(I)	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30LCD(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30LCD(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45LCD(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45LCD(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3LCD(II)	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3LCD(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4LCD(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4LCD(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43LCD(II)	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43LCD(I)	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50LCD(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50LCD(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-20LCD

S-25LCD

S-30LCD



S-20LCD



S-35LCD

S-45LCD

S-50LCD



S-50LCD(A)



S-45LCD(A)



S-50LCD(A)

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-25LCD(A)II	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25LCD(A)I	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-30LCD(A)II	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30LCD(A)I	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45LCD(A)II	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45LCD(A)I	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3LCD(A)II	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3LCD(A)I	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
	440	400	300	430	340	290	5	6	1	37	38	46X43X33	454
S-5-4LCD(A)II	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4LCD(A)I	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
	440	400	350	430	340	340	5	6	1	40.5	45	46X43X38	389
S-50LCD(A)II	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50LCD(A)I	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383




S-25LCD(A)



S-30LCD(A)



S-30LCD(A)





S-50LCD(B)

S-50LCD(B)

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20LCD(B)II	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20LCD(B)I	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25LCD(B)II	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25LCD(B)I	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35LCD(B)II	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35LCD(B)I	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30LCD(B)II	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30LCD(B)I	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45LCD(B)II	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45LCD(B)I	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3LCD(B)II	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3LCD(B)I	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4LCD(B)II	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4LCD(B)I	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43LCD(B)II	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43LCD(B)I	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50LCD(B)II	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50LCD(B)I	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-20LCD(B)



S-25LCD(B)



S-30LCD(B)



S-20LCD(B)



S-35LCD(B)



S-45LCD(B)





S-25LCD(D)



S-25LCD(D)



S-30LCD(D)



S-50LCD(D)



S-45LED(D)



S-50LCD(D)

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20LCD(D)II	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20LCD(D)I	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25LCD(D)II	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25LCD(D)I	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35LCD(D)II	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35LCD(D)I	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30LCD(D)II	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30LCD(D)I	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45LCD(D)II	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45LCD(D)I	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3LCD(D)II	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3LCD(D)I	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4LCD(D)II	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4LCD(D)I	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43LCD(D)II	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43LCD(D)I	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50LCD(D)II	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50LCD(D)I	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383



S-45LCD(W)



S-50LCD(W)



S-25LCD(W)



S-20LCD(W)



S-25LCD(W)



S-30LCD(W)

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20LCD(W)II	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20LCD(W)I	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25LCD(W)II	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25LCD(W)I	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35LCD(W)II	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35LCD(W)I	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30LCD(W)II	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30LCD(W)I	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45LCD(W)II	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45LCD(W)I	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3LCD(W)II	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3LCD(W)I	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
S-5-4LCD(W)II	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4LCD(W)I	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
S-43LCD(W)II	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43LCD(W)I	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
S-50LCD(W)II	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50LCD(W)I	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20EMC(II)	310	200	200	306	140	196	2	3		6.5	7	33X23X23	1750
S-20EMC(LCD)II	310	200	200	306	140	196	2	3		6.5	7	33X23X23	1750
S-25EMC(II)	350	250	250	346	190	246	2	3		9.5	10	37X28X28	1024
S-25EMC(LCD)II	350	250	250	346	190	246	2	3		9.5	10	37X28X28	1024



General Electronic Digital Safe

LCD Electronic Digital Safe

Mechanical Safe

Fingerprint Safe

Office/Hotel Safe

Fireproof Safe

Gun Safe

General Electronic Digital Safe

LCD Electronic Digital Safe

Mechanical Safe

Fingerprint Safe

Office/Hotel Safe

Fireproof Safe

Gun Safe

# MECHANICAL SAFE



S-20K

S-17K

S-50K

S-20KM



S-15K



S-23K



S-25K



S-30K



S-35K



S-45K

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-15K(II)	200	200	150	196	150	146	2	4		4.5	5	22X22X17	3630
S-23K(II)	230	170	170	226	110	164	2	3		3.5	4	25X19X19	3168
S-17K(II)	310	280	170	306	230	166	2	4		6.5	7	32X30X20	1462
S-17K(I)	310	280	170	306	230	166	2	5		8	8.5	32X30X20	1462
S-20K(II)	310	200	200	306	150	196	2	4		6	6.5	33X23X23	1750
S-20K(I)	300	200	200	306	150	196	2	5		7.5	8	31X23X23	1750
S-25K(II)	350	250	250	346	200	246	2	4		9	9.5	37X28X28	1024
S-25K(I)	350	250	250	346	200	246	2	5		11	11.5	37X28X28	1024
	350	250	250	344	200	244	3	6		14	14.5	37X28X28	1024
S-35K(II)	430	350	200	426	300	196	2	4		10.5	11.5	45X38X23	750
	430	350	200	426	300	196	2	5		12.5	13.5	45X38X23	750
S-30K(II)	380	300	300	376	250	296	2	4	1	13	14	40X33X33	692
S-30K(I)	380	300	300	376	250	296	2	5	1	15	16	40X33X33	692
	380	300	300	374	250	294	3	6	1	19.5	20.5	40X33X33	692
	380	300	300	370	250	290	5	6	1	27.5	28.5	40X33X33	692
S-45K(II)	450	365	250	446	305	246	2	4		12.5	13.5	47X40X28	543
S-45K(I)	450	365	250	446	305	246	2	5		16	17	47X40X28	543
	450	365	250	444	305	244	3	6		20.5	21.5	47X40X28	543
S-5-3K(II)	440	400	300	436	350	296	2	4	1	16.5	17.5	46X43X33	454
S-5-3K(I)	440	400	300	436	350	296	2	5	1	19	20	46X43X33	454
	440	400	300	434	350	294	3	6	1	24.5	25.5	46X43X33	454
	440	400	300	430	350	290	5	6	1	36.5	37.5	46X43X33	454
S-5-4K(II)	440	400	350	436	340	346	2	4	1	18	19.5	46X43X38	389
S-5-4K(I)	440	400	350	436	350	346	2	5	1	21	22.5	46X43X38	389
	440	400	350	434	350	344	3	6	1	26.5	28	46X43X38	389
	440	400	350	430	350	340	5	6	1	40	40.5	46X43X38	389
S-43K(II)	330	380	430	326	330	426	2	4		15	15.5	35X41X46	449
S-43K(I)	330	380	430	326	330	426	2	5		18	18.5	35X41X46	449
	330	380	430	324	330	424	3	6		23	23.5	35X41X46	449
	330	380	430	320	330	420	5	6		35	35.5	35X41X46	449
S-50K(II)	350	330	500	346	280	496	2	4	2	18	19.5	37X36X53	383
S-50K(I)	350	330	500	346	280	496	2	5	2	21	22.5	37X36X53	383
	350	330	500	344	280	494	3	6	2	28	29.5	37X36X53	383
	350	330	500	340	280	490	5	6	2	39.5	41	37X36X53	383
S-20KM(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750



S-42B

S-20B



S-19B

S-20B

S-36B

S-42B



Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20B	300	160	220	256	117	196	2	6		7	7.5	32X24X18	2180
S-19B	260	150	180	236	100	156	2	8		6.5	7	30.5X16.5X22.5	2520
S-36B	360	195	230	316	153	186	2	6	1	9.5	10	40.5X21.5X28	1230
	360	195	230	316	153	186	2	8	1	10.5	11	40.5X21.5X28	1230
S-42B	420	250	280	396	200	256	2	8	1	15	16	46.5X27X33	735

# FINGERPRINT SAFE



FG-50EA



FG-57AS



FG-20A



FG-25M



FG-25A



FG-25EM



FG-50A



FG-57AS



FG-25E

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
FG-20A(II)	310	200	200	306	140	196	2	4		6.5	7	36X26X25.5	1180
	310	200	200	306	140	196	2	5		8	8.5	36X26X25.5	1180
FG-25A(II)	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
FG-25A(I)	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
	350	250	250	344	190	244	3	6		14.5	15	41X31X31	720
FG-25M(II)	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
FG-25M(I)	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
	350	250	250	344	190	244	3	6		14.5	15	41X31X31	720
FG-25EM(II)	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
FG-25EM(I)	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
	350	250	250	344	190	244	3	6		14.5	15	41X31X31	720
FG-50A(II)	350	330	500	346	260	496	2	4	2	18.5	20	40X41X56	280
FG-50A(I)	350	330	500	346	260	496	2	5	2	21.5	23	40X41X56	280
	350	330	500	344	260	494	3	6	2	28.5	30	40X41X56	280
FG-50EA	350	330	570	346	260	496	2	5	2	28	29	43X42X65	254
	350	330	570	344	260	494	3	6	2	35.5	36.5	43X42X65	254
FG-57AS(II)	380	360	570	376	290	566	2	5	2	27	28.5	43X44X63	240
	380	360	570	374	290	564	3	6	2	35	36.5	43X44X63	240

# OFFICE / HOTEL SAFE



DB-40K



S-20M



TB-40ET



DB-40K



TB-48ETS



TB-48ETS



TB-70ETS



TB-40ETS

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20M(II)	310	200	200	306	140	196	2	4		6	6.5	33X23X23	1750
S-20M(I)	300	200	200	306	140	196	2	5		7.5	8	33X23X23	1750
S-25M(II)	350	250	250	346	190	246	2	4		9	9.5	37X28X28	1024
S-25M(I)	350	250	250	346	190	246	2	5		11	11.5	37X28X28	1024
	350	250	250	344	190	244	3	6		14	14.5	37X28X28	1024
DB-40K	403	260	140	315	225	90	2	3		12	12.5	44.5X30X19	1140
TB-40ET	355	355	405	350	290	400	2	5		19.5	20.5	38X39X43	420
TB-40ETS	355	355	405	350	290	400	2	5		20	21.5	41X45X48	350
	355	355	405	350	290	400	3	8		27	28.5	41X45X48	350
TB-48ETS	390	350	480	386	285	476	2	5		30	32	45X45X56	260
	390	350	480	384	285	474	3	8		38	40	45X45X56	260
TB-70ETS	390	350	700	386	285	696	2	5		39	41.5	45X45X78	195
	390	350	700	384	285	694	3	8		49.5	52	45X45X78	195

General Electronic Digital Safe  
LCD Electronic Digital Safe  
Mechanical Safe  
Fingerprint Safe  
Office/Hotel Safe  
Fireproof Safe  
Gun Safe

General Electronic Digital Safe  
LCD Electronic Digital Safe  
Mechanical Safe  
Fingerprint Safe  
Office/Hotel Safe  
Fireproof Safe  
Gun Safe



**SD-26EM**



**SD-30EM**



**SD-30E**



**SD-30E**

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
SD-26EM	420	260	80	320	235	60	2	2		8.5	9	44X28X12	2222
SD-30EM	500	300	80	400	275	60	1.5	1.5		9	9.5	52X32X12	1463
SD-30E	302	354	128	295	345	80	1.5	2.5		6.8	7.5	36X41X18.5	1080
PC-160K	160	105	50										
PC-190K	190	140	64										
PC-300K	300	210	65										

**SD-26EM**

**PC-300K**

**PC-160K**

**PC-190K**

General Electronic Digital Safe  
 LCD Electronic Digital Safe  
 Mechanical Safe  
 Fingerprint Safe  
 Office/Hotel Safe  
 Fireproof Safe  
 Gun Safe


General Electronic Digital Safe  
 LCD Electronic Digital Safe  
 Mechanical Safe  
 Fingerprint Safe  
 Office/Hotel Safe  
 Fireproof Safe  
 Gun Safe



S-25CE



S-25LCD(H)



S-25CM



S-25CE



S-25LCD(H)



Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-25LCD(H)II	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
S-25LCD(H)I	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
			250	344	190	244	3	6		14.5	15	41X31X31	720
S-25CE(II)	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
S-25CE(I)	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
			250	344	190	244	3	6		14.5	15	41X31X31	720
S-25CM(II)	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
S-25CM(I)	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
			250	344	190	244	3	6		14.5	15	41X31X31	720



S-25QM



S-25SM



S-20SM



S-25SM



S-25QM

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20SM(II)	310	200	200	306	140	196	2	4		6.5	7	36X26X25.5	1180
S-20SM(I)	310	200	200	306	140	196	2	5		8	8.5	36X26X25.5	1180
S-25SM(II)	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
S-25SM(I)	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
	350	250	250	344	190	244	3	6		14.5	15	41X31X31	720
S-25QM(II)	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
S-25QM(I)	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
	350	250	250	344	190	244	3	6		14.5	15	41X31X31	720



S-50LCD(F)



S-45LCD(F)



S-50LCD(F)



S-25LCD(F)



S-30LCD(F)



S-30LCD(F)



Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20LCD(F)II	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20LCD(F)I	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25LCD(F)II	350	250	250	346	190	246	2	4		9.5	10	41X31X31	720
S-25LCD(F)I	350	250	250	346	190	246	2	5		11.5	12	41X31X31	720
	350	250	250	344	190	244	3	6		14.5	15	41X31X31	720
S-35LCD(F)II	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35LCD(F)I	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30LCD(F)II	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30LCD(F)I	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-5-3LCD(F)II	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3LCD(F)I	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
	440	400	300	430	340	290	5	6	1	37	38	46X43X33	454
S-5-4LCD(F)II	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4LCD(F)I	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
	440	400	350	430	340	340	5	6	1	40.5	45	46X43X38	389
S-43LCD(F)II	330	380	430	326	320	426	2	4	1	15.5	16	35X41X46	449
S-43LCD(F)I	330	380	430	326	320	426	2	5	1	18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6	1	23.5	24	35X41X46	449
	330	380	430	320	320	420	5	6	1	35.5	36	35X41X46	449
FG-50LCD(F)II	350	330	500	346	260	496	2	4	2	18.5	20	40X41X56	280
FG-50LCD(F)I	350	330	500	346	260	496	2	5	2	21.5	23	40X41X56	280
	350	330	500	344	260	494	3	6	2	28.5	30	40X41X56	280

General Electronic Digital Safe  
 LCD Electronic Digital Safe  
 Mechanical Safe  
 Fingerprint Safe  
 Office/Hotel Safe  
 Fireproof Safe  
 Gun Safe

General Electronic Digital Safe  
 LCD Electronic Digital Safe  
 Mechanical Safe  
 Fingerprint Safe  
 Office/Hotel Safe  
 Fireproof Safe  
 Gun Safe

# FIREPROOF SAFE



SBF-16KD



SF-30E



SBF-16KD



SF-30E



SF-30ED



SF-30K



SBF-30LCD(B)II



SBF-45LCD(B)II



SBF-30LCD(B)I



SBF-45LCD(B)I



SBF-30LCD(B)I

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
SF-30E	460	410	310	380	300	220	3	6	1	29	31	50X45.5X33.5	408
SF-30ED	460	410	310	380	300	220	3	6	1	29	31	50X45.5X33.5	408
SF-30K	460	410	310	380	300	220	3	6	1	28	30	50X45.5X33.5	408
SBF-30LCD(B)II	450	380	305	340	245	190	54	82		33.5	35	52X45X39	329
SBF-30LCD(B)I	450	380	305	340	245	190	54	82		33.5	35	52X45X39	329
SBF-45LCD(B)II	480	450	360	365	295	235	58	94		50	52	57X52X45	220
SBF-45LCD(B)I	480	450	360	365	295	235	58	94		50	52	57X52X45	220
SBF-16KD	390	290	162	305	215	83				11.5	12.5		


# GUN SAFE



S-145LCD(H)



FG-145A



S-145LCD(H)



FG-135A



FG-135A



GB-135E



GB-135K



S-145E



S-145K

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
GB-135K	250	220	1325	246	190	1320	2	2		21	22.5	27X24X135	315
GB-135E	250	220	1325	246	160	1320	2	2		26.5	28	27X30X135	215
FG-135A	250	220	1325	246	160	1320	2	2		26.5	28	30X33X140	196
S-145E	350	300	1450	344	235	1200	3	6		70	72	38.5X36X150	138
S-145K	350	300	1450	344	235	1200	3	6		70	72	38.5X36X150	138
FG-145A	350	300	1450	344	235	1200	3	6	1	65	67	38.5X36X150	138
S-145LCD(H)	350	300	1450	344	235	1200	3	6	1	65	67	38.5X36X150	138

# ADDENDA

Art.	External Width	Dimensions Depth	mm. Height	Internal Width	Dimensions Depth	mm. Height	Body (mm)	Door (mm)	Shelf	N.W. (Kg)	G.W. (Kg)	Packing Size (CM)	Pcs/20'
S-20E(II)	310	200	200	306	140	196	2	4		6.5	7	33X23X23	1750
S-20E(I)	310	200	200	306	140	196	2	5		8	8.5	33X23X23	1750
S-25E(II)	350	250	250	346	190	246	2	4		9.5	10	37X28X28	1024
S-25E(I)	350	250	250	346	190	246	2	5		11.5	12	37X28X28	1024
	350	250	250	344	190	244	3	6		14.5	15	37X28X28	1024
S-35E(II)	430	350	200	426	290	196	2	4		11	12	45X38X23	750
S-35E(I)	430	350	200	426	290	196	2	5		13	14	45X38X23	750
S-30E(II)	380	300	300	376	240	296	2	4	1	13.5	14.5	40X33X33	692
S-30E(I)	380	300	300	376	240	296	2	5	1	15.5	16.5	40X33X33	692
	380	300	300	374	240	294	3	6	1	20	21	40X33X33	692
	380	300	300	370	240	290	5	6	1	28	29	40X33X33	692
S-45E(II)	450	365	250	446	305	246	2	4		13	14	47X40X28	543
S-45E(I)	450	365	250	446	305	246	2	5		16.5	17.5	47X40X28	543
	450	365	250	444	305	244	3	6		21	22	47X40X28	543
S-5-3E(II)	440	400	300	436	340	296	2	4	1	17	18	46X43X33	454
S-5-3E(I)	440	400	300	436	340	296	2	5	1	19.5	20.5	46X43X33	454
	440	400	300	434	340	294	3	6	1	25	26	46X43X33	454
	440	400	300	430	340	290	5	6	1	37	38	46X43X33	454
S-5-4E(II)	440	400	350	436	340	346	2	4	1	18.5	20	46X43X38	389
S-5-4E(I)	440	400	350	436	340	346	2	5	1	21.5	23	46X43X38	389
	440	400	350	434	340	344	3	6	1	27	28.5	46X43X38	389
	440	400	350	430	340	340	5	6	1	40.5	45	46X43X38	389
S-43E(II)	330	380	430	326	320	426	2	4		15.5	16	35X41X46	449
S-43E(I)	330	380	430	326	320	426	2	5		18.5	19	35X41X46	449
	330	380	430	324	320	424	3	6		23.5	24	35X41X46	449
	330	380	430	320	320	420	5	6		35.5	36	35X41X46	449
S-50E(II)	350	330	500	346	270	496	2	4	2	18.5	20	37X36X53	383
S-50E(I)	350	330	500	346	270	496	2	5	2	21.5	23	37X36X53	383
	350	330	500	344	270	494	3	6	2	28.5	30	37X36X53	383
	350	330	500	340	270	490	5	6	2	40	41.5	37X36X53	383
S-57E(II)	380	360	570	376	300	566	2	4	2	23	25	40X39X60	305
	380	360	570	374	300	564	3	6	2	31	33	40X39X60	305
S-50EA(I)	350	330	570	346	260	496	2	5	2	26	27.5	37X41X60	305
	350	330	570	344	260	494	3	6	2	35.5	37	37X41X60	305
	350	330	570	340	260	490	5	6	2	48	49.5	37X41X60	305
S-57EA(II)	380	360	570	376	290	566	2	5	2	27	28.5	43X44X63	240
	380	360	570	374	290	564	3	6	2	35	36.5	43X44X63	240