

CATALOG

Turning your dream bathroom into a reality




TOP 5
Bathroom Brand in China

eSilence Hybrid Flush

Attention to details in initiatingly designing the Bow! Flushing, Assisted Pump Flushing, Flow Rates, Jetting Diameter, Drain Diameter, etc. to make sure the "soundproof water layer effectively contributesto down to 45dB flushing noise.


45dB



FUNCTION



Foot sensor
to open seat



Auto open
close lid



Foot sensor
to flush




Auto Flush



Lady/Rear
Wash



Warm And
Cool Wash



Water Pressure
Temperature Adjust



Heated Seat



Warw Air Dryer



Antibacterial
Seat Ring



Wire Less
Remote



Night Light

SUPERIOR COMFORT

Through beautiful, innovative and modern technology products to make life easier, healthier, happier and better.



HUDSON

WZ8482

- Floor Standing Smart Toilet
- S-Trap Siphonic 305mm
- Water Consumption:
 - Half Flush:1.0GPF(3.8L)
 - Full Flush:1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 697×412×486mm
27-1/2" x 16-1/4" x 19-1/8"



MADEIRA

WZ8470

- Floor Standing Smart Toilet
- Lipless Flush
- S-Trap Siphonic 305mm
- Water Consumption:
 - Half Flush:1.0GPF(3.8L)
 - Full Flush:1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 693×410×455mm



YUKON

WZ2801U-3

- Floor Standing Smart Toilet
- S-Trap Siphonic 305mm
- Water Consumption:
 - Half Flush:1.0GPF(3.8L)
 - Full Flush:1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 686×432×483mm
27" x 17" x 19"





Multifunction button
Push the button down to achieve flushing and one-touch cleaning.

LED display



ORINO

WZ2801U-2

- Floor Standing Smart Toilet
- ADA Design
- S-Trap Siphonic 305mm
- Water Consumption:
Half Flush: 1.0GPF(3.8L)
Full Flush: 1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 718*417*502mm
28 1/4" x 16 1/2" x 19 3/4"



FRASER

WZ8468

- Floor Standing Smart Toilet
- S-Trap Siphonic 305mm
- Water Consumption:
Half Flush: 1.0GPF(3.8L)
Full Flush: 1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 680x395x475mm
26-3/4" x 15-5/8" x 18-3/4"



BALSAS

WZ2801U-5

- Floor Standing Smart Toilet
- ADA Design
- S-Trap Siphonic 305mm
- Water Consumption:
Half Flush: 1.0GPF(3.8L)
Full Flush: 1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 715x414x493mm
28-1/8" x 16-1/4" x 19-3/8"



LIPLESS FLUSH DESIGN

Lipless design, refusing to harbor dirt and grime
Clean without blind spots, making daily maintenance simpler, cleaner,
and more hygienic.



NEGRO

WZ3301U-3A

- Floor Standing Smart Toilet
- ADA Design
- Lipless Flush
- S-Trap Siphonic 305mm
- Water Consumption:
 - Full Flush: 1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 685×396×485mm
27"×16"×19 1/10"



NEGRO

WZ3301U-3

- Floor Standing Smart Toilet
- ADA Design
- Lipless Flush
- S-Trap Siphonic 305mm
- Water Consumption:
 - Half Flush: 1.0GPF(3.8L)
 - Full Flush: 1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 718×417×502mm
28 1/4"×16 1/2"×19 3/4"



TOCUYO

WZ8407

- Floor Standing Smart Toilet
- Lipless Flush
- S-Trap Siphonic 305mm
- Water Consumption:
 - Half Flush: 1.0GPF(3.8L)
 - Full Flush: 1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 682×393×460mm
26-7/8" x 15-1/2" x 18-1/8"



TOILET SERIES



WATER SAVING

Using just 4.8 litres for the full flush and 3.8 litres for the half flush, water usage is reduced by a third.

EASY TO CLEAN

Lipless flush design making easier cleaning and more hygienic.

SILENT FLUSH

Lipless flush system allows a faster and more silent flush.



W2161R

- Elongated One Piece Toilet
- **Tornado** and **Lipless** Flush design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-1/2"(395mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Side Lever Handle Single Flush is also available
- Dimension: 690×395×725mm
27-1/8" x 15-1/2" x 28-1/2"



W8515D

- Elongated ADA One Piece Toilet
- **Tornado** Flush Design
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 16-3/4"(425mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Side Lever Handle Single Flush is also available
- Dimension: 690×382×725mm
27-1/8" x 15" x 28-1/2"



W1231

- Elongated One Piece Toilet
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.1Gpf(4.2Lpf) / 1.6Gpf(6.0Lpf)
- 15-1/2"(395mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 730×390×670mm
28-3/4" x 15-3/8" x 26-3/8"



W2111D

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 16"(405mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Side Lever Handle Single Flush is available
- Dimension: 700×390×700mm
27-1/2" x 15-3/8" x 27-1/2"



W1991

- Elongated One Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28 Gpf(4.8 Lpf)
- 15-3/4"(400mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 710×365×710mm
28" x 14-3/8" x 28"



W2121D

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action.
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-2/5"(390mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Side Lever Handle Single Flush is also available
- Dimension: 705×430×700mm
27-3/4" x 17" x 27-1/2"



W0011

- Elongated One Piece Toilet
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 16-1/2"(420mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 725x420x755mm



W2091

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0GPF(3.8Lpf)/1.28GPF(4.8L)
- 16"(405mm) Top Rim
- Floor Mounted, S trap with
- 12"(305mm)/8.7"220mm rough in
- Dimension: 705×430×700mm



W2131D

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-3/4"(400mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Side Lever Handle Single Flush is available
- Dimension: 695×390×720mm
27-9/25" x 15-7/20" x 28-7/20"



W2141D

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-3/4"(400mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Side Lever Handle Single Flush is available
- Dimension: 700×385×715mm
27-11/20" x 15-3/20" x 28-3/20"



W2289

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-1/2"(390mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 665×370×710mm



W2880

- Elongated One Piece Toilet
- Tornado Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-3/4"(400mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 690×365×740mm



W2171

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-1/2"(395mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 680×370×700mm



W2181

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-1/2"(395mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 730×390×705mm



W2191

- Elongated One Piece Toilet
- **Tornado** Flush Design
- Top Push Button with Siphon Jet Action
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf)
- 15-1/2"(395mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 715×400×735mm





W2281

- Elongated ADA One Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28 Gpf(4.8 Lpf)
- 16-1/2"(420mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 720×414×745mm
28-3/8" x 16-1/4" x 29-3/8"



W1881

- Elongated ADA One Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28 Gpf(4.8 Lpf)
- 16-1/2"(420mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 700×375×710mm
27-1/2" x 14-3/4" x 28"



W8233+T8233

- Elongated ADA Two Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28 Gpf(4.8 Lpf)
- 16-3/4"(425mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 745×415×795mm
29-3/8" x 16-3/8" x 31-1/4"



W8110+T8152

- Round Front Two Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16-3/4"(425mm) Top Rim Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 675×455×778mm
26-1/2" x 17-3/4" x 31"



W8110N+T8152

- Round Front Two Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16-3/4"(425mm) Top Rim Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 675×455×778mm
26-1/2" x 17-3/4" x 30-1/4"



W8111+T8152

- Round Front Two Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16"(405mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 725×455×758mm
28-1/2" x 17-3/4" x 30-1/4"



W8113+T8152

- Elongated Two Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16-3/4"(425mm) Top Rim Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 675×455×778mm
28-1/2" x 17-3/4" x 31"



W8142+T8152

- Elongated Two Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16"(405mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 740×455×765mm
29-1/8" x 18" x 30-1/8"



W8152+T8152

- Round Front ADA Two Piece Toilet
- Side Lever Handle with Siphon Jet Action.
- Single Flush at 1.28Gpf(4.8Lpf)
- 16-3/4"(425mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in.
- Dimension: 700×455×780mm
29-1/8" x 18" x 30-1/8"



W8110+T8172

- Round Front Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16" (405mm) Top Rim
- Floor Mounted, S-trap with 12" (305mm) Rough-in
- Top Push Button Dual Flush is available
- Dimension: 675×455×778mm
26-1/2" x 18" x 30-5/8"



W8110N+T8172

- Round Front Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16" (405mm) Top Rim
- Floor Mounted, S-trap with 12" (305mm) Rough-in
- Top Push Button Dual Flush is available
- Dimension: 675×450×768mm
26-1/2" x 18" x 30"



W8111+T8172

- Elongated Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16" (405mm) Top Rim
- Floor Mounted, S-trap with 12" (305mm) Rough-in
- Top Push Button Dual Flush is available
- Dimension: 725×450×768mm
28-1/2" x 18" x 30"



W8113+T8172

- ADA Elongated Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16-3/4" (425mm) Top Rim
- Floor Mounted, S-trap with 12" (305mm) Rough-in
- Top Push Button Dual Flush is available
- Dimension: 725×450×768mm
28-1/2" x 18" x 30-5/8"



W8142+T8172D

- Elongated Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at 1.28Gpf(4.8Lpf)
- 16" (405mm) Top Rim
- Floor Mounted, S-trap with 12" (305mm) Rough-in
- Side Lever Handle Flush is available
- Dimension: 740×450×775mm
29-1/8" x 17-3/4" x 30-1/2"



W8152+T8172D

- Round Front ADA Two Piece Toilet
- Front Lever Handle with Siphon Jet Action.
- Single Flush at 1.28Gpf(4.8Lpf)
- 16-3/4" (425mm) Top Rim
- Floor Mounted, S-trap with 12" (305mm) Rough-in
- Side Lever Handle Flush is available
- Dimension: 700×450×790mm
27-1/2" x 17-3/4" x 31-1/8"



W8270+T8272

- Round Front Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at 1.0Gpf(3.8Lpf)
- 15-3/4" (405mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 700×476×785mm
27-1/2" x 18-3/4" x 30-7/8"



W3185+T3285

- Elongated Two Piece Toilet
- Side Lever Handle with Siphon Jet Action
- Single Flush at 1.28 Gpf(4.8 Lpf)
- 15-2/5"(390mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Round Front toilet is available
- Dimension: 740×445×745mm
29-1/8" x 17-1/2" x 29-3/8"



W8273+T8272

- Elongated ADA Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at 1.0Gpf(3.8Lpf)
- 17-1/5" (435mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 760×476×810mm
30" x 18-3/4" x 31-7/8"



W2385+T2285

- Elongated ADA Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at 1.28 Gpf(4.8 Lpf)
- 16-2/5"(416mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Round Front toilet is available
- Dimension: 705×440×765mm
27-3/4" x 17-3/8" x 30-1/8"



W8011+T8012

- Elongated Two Piece Toilet
- Front Lever Handle with Siphon Jet Action
- Single Flush at **0.8Gpf(3.0Lpf)**
- 16"(405mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in
- Dimension: 701×342×811mm
27-5/8" x 13-1/2" x 31-7/8"



W8020+T2030

- Round Front Two Piece Toilet
- Top Push Button with Wash Down Action
- Dual Flush at 1.1Gpf(4.2Lpf) / 1.6Gpf(6.0Lpf)
- 15-1/2" (395mm) Top Rim
- Floor Mounted, P-trap
- Meet the demand for simultaneous use of multiple bathroom equipment
- Dimension: 701×342×811mm
26-3/4" x 17-1/2" x 30-1/2"



TORNADO
FLUSHING SYSTEM



- ① Siphonic Action, Water Saving
- ② World Well-known Flushing valve
- ③ Antibacterial Finish
- ④ Easy Clean
- ⑤ Silent and Powerful Flush
- ⑥ Fully Glazed Trapway



ANTIBACTERIAL
FINISH

99.9%



QUICK RELEASE
COVER & SEAT



W8713+T8712

- Elongated ADA Two Piece Toilet
- **Tornado** Flush Design
- Side Lever Handle with Siphon Jet Action.
- Single Flush at 1.28 Gpf(4.8 Lpf).
- 16-3/4"(425mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in.
- Dimension: 730×480×790mm
28-3/4" x 18-7/8" x 31-1/8"



W8281+T8282

- Elongated ADA Two Piece Toilet
- Front Lever Handle with Siphon Jet Action.
- Single Flush at 1.28 Gpf(4.8 Lpf).
- 16-1/2"(420mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in.
- Dimension: 725×365×808mm
28-1/2" x 14-3/8" x 31-7/8"



W8473+T8472

- Elongated ADA Two Piece Toilet
- Side Lever Handle with Siphon Jet Action.
- Single Flush at 1.28 Gpf(4.8 Lpf).
- 16-1/2"(420mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in.
- Dimension: 725×367×755mm
28-1/2" x 14-1/2" x 29-3/4"





WZ8410

- Wall Hung Smart Toilet
- Wash Down P-Trap
- **Water Consumption:**
 - Half Flush: 1.0GPF(3.8L)
 - Full Flush: 1.28GPF(4.8L)
- Rated Voltage: 110-120V / 220-240V
- Dimension: 725×365×808mm
22-1/2" x 14-1/2" x 14-1/8"

- Function:**
- Seat heating
 - Wireless remote
 - Button flush
 - Water temperature adjustment
 - Self-cleaning nozzle
 - Night light
 - Deodorization
 - Warm air drying
 - Rear wash/Bidet wash



W8690

- D-shape Wall Hung toilet
- Wash Down P-Trap
- Dual Flush at 1.1Gpf(4.2Lpf) / 1.6Gpf(6.0Lpf).
- Dimension: 555×360×350mm
21-7/8" x 14-1/8" x 13-3/4"



CC-1336

- Concealed Cistern
- Dual Flush at 1.0Gpf(3.8Lpf) / 1.28Gpf(4.8Lpf).



W432FV

- Elongated Commercial Toilet
- Single Flush at 1.28 Gpf(4.8 Lpf).
- 16"(405mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in.
- Dimension: 705×365×407mm
27-3/4" x 14-3/8" x 16"



U010

- Wall Hung Urinal
- Dimension: 320×362×590mm
12-5/8" x 14-1/4" x 23-1/4"



W472FV

- Elongated Commercial Toilet
- Single Flush at 1.28 Gpf(4.8 Lpf).
- 17-1/5"(435mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in.
- Dimension: 705×365×438mm
27-3/4" x 14-3/8" x 17-1/4"



U020

- Wall Hung Urinal
- Dimension: 367×255×555mm
14-1/2" x 10" x 21-7/8"



W613FV

- Elongated Two Piece Toilet
- Front Lever Handle with Siphon Jet Action.
- Single Flush at 0.8Gpf(3.0Lpf)
- 16"(405mm) Top Rim
- Floor Mounted, S-trap with 12"(305mm) Rough-in.
- Dimension: 701×342×811mm
29-1/2" x 14-1/8" x 16-1/2"



U493

- Wall Hung Urinal
- Dimension: 468×350×689mm
18-1/2" x 13-3/4" x 27-7/8"



PEDESTAL BASIN



L260+P260

- Lavatory with Full Pedestal
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 550×460×800mm
21-5/8" x 18-1/8" x 31-1/2"



L280+P280

- Lavatory with Full Pedestal
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 670×517×865mm
26-3/8" x 20-3/8" x 34"



L8235+P8235

- Lavatory with Full Pedestal
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 608×515×885mm
24" x 20-1/4" x 34-7/8"



L540+P540

- Lavatory with Half Pedestal
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 546×512×407mm
21-1/2" x 20-1/8" x 16"



CE

L8295+P8295

- Lavatory with Full Pedestal
- Dimension: 550x435x850mm



VT500+VP500

- Lavatory with Full Pedestal
- Dimension: 500x400x815mm



**ART
BASIN**

L2070

- Counter Top Basin
- Dimension : 545 x 405 x 120 mm



L3240

- Counter Top Basin
- Dimension: 640×405×155mm



G-L3310

- Counter Top Basin
- Dimension : 410×410×148mm



L3250

- Counter Top Basin
- Dimension: 555×490×155mm



L3160

- SQUARE - Over countertop Basin
- Dimension: 460×470×165mm



L3260

- Countertop Basin
- Dimension: 505×505×155mm



L3360

- SQUARE - Over countertop Basin
- Dimension: 480x370x137mm



L140

- Countertop Lavatory
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 415x415x170mm
16-3/8" x 16-3/8" x 6-5/8"



L3460

- SQUARE - Over countertop Slim Basin
- Dimension: 395x395x130mm



L133

- Countertop Lavatory
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 585x466x180mm
23" x 18-3/8" x 7"



L172

- Countertop Lavatory
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 514x438x191mm
20-1/4" x 17-1/4" x 7-1/2"



L190

- Countertop Lavatory
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 485x485x215mm
19" x 19" x 8-1/2"



L400

- Wall Hung Lavatory
- Overflow Drain
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 525×472×310mm
20-5/8" x 18-1/2" x 12-1/4"



L179

- Wall Hung Lavatory
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 508×431×270mm
20" x 17" x 10-5/8"



L8295

- Wall Hung Lavatory
- Available with a Single Hole or 4" and 8" center faucet holes
- Dimension: 550×435×195mm
21-5/8" x 17-1/8" x 7-5/8"



UNDER COUNTER
BASIN

L433

- Undercounter Lavatory
- Overflow Drain
- Dimension: 520×370×200mm
20-1/2" x 14-1/2" x 7-5/8"



L183

- Undercounter Lavatory
- Overflow Drain
- Dimension: 440×365×190mm
17-3/8" x 14-3/8" x 7-1/2"



L1999

- Undercounter Lavatory
- Overflow Drain
- Dimension: 515×405×185mm
20-1/4" x 16" x 7-1/4"



L343

- Undercounter Lavatory
- Overflow Drain
- Dimension: 535×410×220mm
21" x 16-1/8" x 8-5/8"



L4160

- Undercounter Lavatory
- Overflow Drain
- Dimension: 600×420×200mm
23-5/8" x 16-1/2" x 7-5/8"



L196

- Undercounter Lavatory
- Overflow Drain
- Dimension: 488×412×184mm
19-1/4" x 16-1/4" x 7-1/4"

