

Espresso & Grinder Coffee Machine



GP6800 capacity **1500ML**

- 58mm portafilter and single & dual walled filter baskets.
- Enjoy a 250g bean container that ensures freshness of your beans.
- 30 Grind settings conical burr grinder delivers a precise, consistent dose of freshly ground coffee
- 20-bar professional pump
- Advanced Thermoblock fast heating system with 1300W
- Experience convenience with the Long coffee button , Cold Brew Button and hot water function , Milk Froth function or choose a single or double espresso.
- Manual control of the grinding amount and brewing capacity of coffee
- Menu setting function, Including:
 - 3 kinds of water temperature selection settings

- 3 kinds of water hardness selection settings
- 3 kinds of automatic shutdown time selection settings water output free to set
- 1.5L removable water tank
- Mechanical ON/OFF switch for safety
- Water Flowmeter for Precise control of coffee capacity
- Generous storage space structure for easy accessory storage
- **AC** 100-240V 1350W 220-240V 1350W
- **Packing material:**
 - Gift box: 362x405x375mm Carton: 735x420x400mm
- **1Pc/Ctn:**
 - 1x20GP: 610 pcs 1x40GP: 1266 pcs 1x40HQ: 1438 pcs



GP6801 capacity **1500ML**

- 58mm portafilter and single & dual walled filter baskets.
- Enjoy a 250g bean container that ensures freshness of your beans.
- 30 Grind settings conical burr grinder delivers a precise, consistent dose of freshly ground coffee.
- 15/20-bar professional pump.
- Advanced Thermoblock fast heating system with 1350W.
- Experience convenience with the Long coffee button , Cold Brew Button and Hot Water function , Milk Froth function or choose a single or double espresso.
- Manual control of the grinding amount and brewing capacity of coffee.
- Menu setting function, Including :
 - 3 kinds of water temperature selection settings.
 - 3 kinds of water hardness selection settings.
 - 3 kinds of automatic shutdown time selection settings.
- 1.5L removable water tank.
- Mechanical ON/OFF switch for safety.
- Water Flowmeter for Precise control of coffee capacity.
- Generous storage space structure for easy accessory storage.
- Continuous brewing function.
- With a warming area for cups.
- More metal decorations.
- **AC** 220-240V 1350W

GP6802 capacity **1500ML**

- 58mm portafilter and single & dual walled filter baskets.
- Enjoy a 250g bean container that ensures freshness of your beans.
- 30 Grind settings conical burr grinder delivers a precise, consistent dose of freshly ground coffee.
- 15/20-bar professional pump.
- Advanced Thermoblock fast heating system with 1350W.
- Experience convenience with the Long coffee button , Cold Brew Button and Hot Water function , Milk Froth function or choose a single or double espresso.
- Manual control of the grinding amount and brewing capacity of coffee.
- Menu setting function, Including :
 - 3 kinds of water temperature selection settings.
 - 3 kinds of water hardness selection settings.
 - 3 kinds of automatic shutdown time selection settings.
- 1.5L removable water tank.
- Mechanical ON/OFF switch for safety.
- Water Flowmeter for Precise control of coffee capacity.
- Generous storage space structure for easy accessory storage.
- Continuous brewing function.
- With a warming area for cups.
- More metal decorations.
- **AC** 220-240V 1350W

GP6803 capacity **2000ML**

- 58mm portafilter and single & dual walled filter baskets.
- Enjoy a 250g bean container that ensures freshness of your beans.
- 30 Grind settings conical burr grinder delivers a precise, consistent dose of freshly ground coffee.
- 20-bar professional pump.
- Advanced Thermoblock fast heating system with 2200W.
- Cold Brew Button and hot water function , Milk Froth function or choose a single or double espresso.
- Manual control of the grinding amount and brewing capacity of coffee.
- Menu setting function, Including :
 - 5 kinds of water temperature selection settings.
 - 3 kinds of water hardness selection settings.
 - 5 kinds of automatic shutdown time selection settings.
- 2L removable water tank.
- Mechanical ON/OFF switch for safety.
- Water Flowmeter for Precise control of coffee capacity.
- **AC** 220-240V 2200W

GP6805 capacity **2000ML**

- 58mm portafilter and single & dual walled filter baskets.
- Enjoy a 250g bean container that ensures freshness of your beans.
- 30 Grind settings conical burr grinder delivers a precise, consistent dose of freshly ground coffee.
- 20-bar professional pump.
- Advanced Thermoblock fast heating system with 2200W.
- Cold Brew Button and hot water function , Milk Froth function or choose a single or double espresso.
- Manual control of the grinding amount and brewing capacity of coffee.
- Menu setting function, Including :
 - 5 kinds of water temperature selection settings.
 - 3 kinds of water hardness selection settings.
 - 5 kinds of automatic shutdown time selection settings.
- 2L removable water tank.
- Mechanical ON/OFF switch for safety.
- Water Flowmeter for Precise control of coffee capacity.
- **AC** 220-240V 2200W

Espresso Coffee Machine

PM6202D

capacity **1500ML**

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Slim Design with cup warming function
- 15 or 20 Bar Pump Pressure Coffee Machine
- Digital control with 7 buttons for on/off, hot coffee(single cup, double cups), cold coffee(single cup, double cups), customized coffee cup, steam function.
- Removable water tank and removable steam wand
- Advanced Thermoblock fast heating system
- HOT WATER FUNCTION / COLD BREW FUNCTION
- With descaling reminder function which carry out low, middle and High of hard water mode
- Menu setting function, Including:
 - 3 kinds of water temperature selection settings
 - 3 kinds of water hardness selection settings
 - 3 Kinds of automatic shutdown time selection settings
- water output free to set
- Removable drip tray to suit different height cups with drip tray full indicator
- Domestic pump
- Aluminum portaliter with dual stainless filter (φ51mm, pressurise filter)
- PP tamper with Spoon
- Stainless steel steam wand with S.S sleeve
- Touch screen panel and display
- Manual control of the grinding amount and brewing capacity of coffee
- Experience convenience with Cold Brew Button and hot water function , Milk Froth function or choose a single or double espresso.



· **AC** 100-120V 1350W 220-240V 1350W

· **Packing detail**

Gift Box: 365x220x360mm Carton: 450x380x380mm

· **2 Pcs/Ctn:**

1x20GP: 910pcs 1x40GP: 1860pcs 1x40HQ: 1860pcs

PM6203

capacity **1500ML**

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Slim Design with cup warming function
- 15 or 20 Bar Pump Pressure Coffee Machine
- Removable water tank and removable steam wand
- Advanced Thermoblock fast heating system
- HOT WATER FUNCTION / COLD BREW FUNCTION
- With descaling reminder function which carry out low, middle and High of hard water mode
- Menu setting function, Including:
 - 3 kinds of water temperature selection settings
 - 3 kinds of water hardness selection settings
 - 3 Kinds of automatic shutdown time selection settings
- water output free to set
- Removable drip tray to suit different height cups with drip tray full indicator
- Domestic pump
- Aluminum portaliter with dual stainless filter (φ51mm, pressurise filter)
- PP tamper with Spoon
- Stainless steel steam wand with S.S sleeve
- Touch screen panel and display
- Manual control of the grinding amount and brewing capacity of coffee
- Experience convenience with Cold Brew Button and hot water function , Milk Froth function or choose a single or double espresso.



· **AC** 100-120V 1350W 220-240V 1350W

· **Packing detail**

Gift Box: 365x220x360mm Carton: 450x380x380mm

· **2 Pcs/Ctn:**

1x20GP: 910pcs 1x40GP: 1860pcs 1x40HQ: 1860pcs

PM6202C

capacity **1500ML**

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Slim Design with cup warming function and pressure gage
- 15 or 20 Bar Pump Pressure Coffee Machine
- Digital control with 4 buttons for on/off,one cup ,two cups and steam function.
- Removable water tank and removable steam wand
- Advanced Thermoblock fast heating system
- HOT WATER FUNCTION / COLD BREW FUNCTION
- With descaling reminder function which carry out low, middle and High of hard water mode
- Menu setting function, Including:
 - 3 kinds of water temperature selection settings
 - 3 kinds of water hardness selection settings
 - 3 Kinds of automatic shutdown time selection settings
- water output free to set
- Removable drip tray to suit different height cups with drip tray full indicator
- Domestic pump
- Aluminum portaliter with dual stainless filter (φ51mm, pressurise filter)
- PP tamper with Spoon
- Stainless steel steam wand with S.S sleeve
- Built in pressure gauge - With a pressure gauge, which shows you the precise pressure and helps you extract the perfect Espresso

· **AC** 100-120V 1350W 220-240V 1350W

· **Packing detail**

Gift Box: 365x220x360mm Carton: 450x380x380mm

· **2 Pcs/Ctn**

1x20GP: 910pcs 1x40GP: 1860pcs 1x40HQ: 1860pcs



PM6202

capacity **1500ML**

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Slim Design with cup warming function
- 15 or 20 Bar Pump Pressure Coffee Machine
- Digital control with 4 buttons for on/off,one cup ,two cups and steam function.
- Removable water tank and removable steam wand
- Advanced Thermoblock fast heating system
- HOT WATER FUNCTION / COLD BREW FUNCTION
- With descaling reminder function which carry out low, middle and High of hard water mode
- Menu setting function, Including:
 - 3 kinds of water temperature selection settings
 - 3 kinds of water hardness selection settings
 - 3 Kinds of automatic shutdown time selection settings
- water output free to set
- Removable drip tray to suit different height cups with drip tray full indicator
- Domestic pump
- Aluminum portaliter with dual stainless filter (φ51mm, pressurise filter)
- PP tamper with Spoon
- Aluminum steam wand with S.S sleeve

· **AC** 100-120V 1350W 220-240V 1350W

· **Packing detail**

Gift Box: 365x220x360mm Carton: 450x380x380mm

· **2 Pcs/Ctn**

1x20GP: 910pcs 1x40GP: 1860pcs 1x40HQ: 1860pcs



Grind & Brew



GM3301

capacity 1.25L



- With 120g coffee bean container
- Grind Size Adjustment: Coarse, Medium, Fine
- With removable conical burr ceramic grinder for easy cleaning
- One knob + One switch for easy operation
- 1-10 cups selection base on your own need about the coffee bean amount; The water volume needs to be added according to the number of cups
- Grinding system cleaning mode
- Optional coffee bean or coffee powder
- Permanent filter with handle
- Water tank in 1.25L with water level mark
- Auto keep warm with non-stick coated warming plate
- ERP 40 mins auto off after brewing
- Convenient anti-drip valve
- Stainless Steel decoration

· **AC** 100-120V 750-1000W 220-240V 1000W

· Packing material:

Gift Box: 310x240x453mm Carton:500x314x470mm

· 2 Pcs/Ctn:

1x20GP: 730 pcs 1x40GP: 1504 pcs 1x40HQ: 1650 pcs



GM3302

capacity 1.25L



- With 120g coffee bean container
- Grind Size Adjustment: Coarse, Medium, Fine
- With removable conical burr ceramic grinder for easy cleaning
- One knob + One switch for easy operation
- 1-10 cups selection base on your own need about the coffee bean amount; The water volume needs to be added according to the number of cups
- Grinding system cleaning mode
- Optional coffee bean or coffee powder
- Permanent filter with handle
- Water tank in 1.25L with water level mark
- Auto keep warm with non-stick coated warming plate
- ERP 40 mins auto off after brewing
- Convenient anti-drip valve

· **AC** 100-120V 750-1000W 220-240V 1000W

· Packing material:

Gift Box: 310x240x453mm Carton:500x314x470mm

· 2 Pcs/Ctn:

1x20GP: 730 pcs 1x40GP: 1504 pcs 1x40HQ: 1650 pcs



Grind & Brew



GM3006 capacity 650ML

Certificate: CCC

- With removable Conical Burr grinder for easy cleaning
- Optional coffee bean or coffee powder
- With 120g Coffee bean container
- Removable water tank in 650ml
- Permanent filter with handle
- Aroma button for optimized coffee taste
- Cup selection "1,2,3,4,5,M1,M2" base on your own needs, 1 cup(130ml), M1 (big 1 cup in 195ml), M2(big 2 cup in 390ml)
- Adjustable coffee temp, High or Low
- Ice coffee selection (non-keep warm function)
- 24 hours presetting program function with LED display

- Descale function with indicator light)
- Auto Keep warm with non-stick coated warming plate
- ERP 30 mins auto off after brewing
- Convenient anti-drip valve

· **AC** 100-120V 880W 220-240V 850W

· **Packing material:**
Gift Box: 349x218x462mm Carton: 450x363x482mm

· **2 Pcs/Ctn:**
1x20GP: 624pcs 1x40GP: 1272pcs 1x40HQ: 1590pcs



GM3002 capacity 650ML

Certificate: CB,CE,BSMI,PSE

- With removable Conical Burr grinder for easy cleaning
- Optional coffee bean or coffee powder
- With 120g Coffee bean container
- Removable water tank in 650ml
- Permanent filter with handle
- Aroma button for optimized coffee taste
- Cup selection "1,2,3,4,5,M1,M2" base on your own needs, 1cup (130ml), M1 (big 1 cup in 195ml), M2(big 2 cup in 390ml)
- Adjustable coffee temp, High or Low
- Ice coffee selection (non-keep warm function)
- 24 hours presetting program function with LED display
- Descale function with indicator light)
- Auto Keep warm with non-stick coated warming plate
- ERP 30 mins auto off after brewing
- Convenient anti-drip valve

· **AC** 100-120V 880W 220-240V 850W

· **Packing material:**
Gift Box: 349x218x462mm Carton: 450x363x482mm

· **2 Pcs/Ctn:**
1x20GP: 624pcs 1x40GP: 1272pcs 1x40HQ: 1590pcs



GM3007 capacity 650ML

Certificate: CCC

- With removable Conical Burr grinder for easy cleaning
- Optional coffee bean or coffee powder
- With 120g Coffee bean container
- Removable water tank in 650ml
- Permanent filter with handle
- Aroma button for optimized coffee taste
- Cup selection "1,2,3,4,5,M1,M2" base on your own needs, 1 cup(130ml), M1 (big 1 cup in 195ml), M2(big 2 cup in 390ml)
- Adjustable coffee temp, High or Low
- Ice coffee selection (non-keep warm function)
- 24 hours presetting program function with LED display
- Descale function with indicator light)
- Auto Keep warm with non-stick coated warming plate
- ERP 30 mins auto off after brewing
- Convenient anti-drip valve

· **AC** 100-120V 880W 220-240V 850W

· **Packing material:**
Gift Box: 362x242x489mm Carton: 376x253x509mm

· **2 Pcs/Ctn:**
1x20GP: 600pcs 1x40GP: 1222pcs 1x40HQ: 1368pcs



coffee powder



coffee bean



GM3000BE capacity **0.55L** 

Certificate: GS, CE, CB, ETL, RoHs, REACH, LFGB

- Automatic Single Serve Coffee Maker with Grinder Built-In
- Instantly grinds whole coffee beans for the freshest cup of coffee
- Programmable With Dual Brewing Options: whole coffee beans or pre-ground coffee
- Fine (with 25s grinding) And Coarse (with 20s grinding) Grinding Options
- One Touch Pausing
- Level Adjustment: The removable drip tray has two adjustable levels to set the proper height to prevent coffee spillage, which can accommodate a container that is up to 6.7" such as travel mugs or cup.
- ERP of auto off after brewing

- Stainless steel decoration
- Removable grinder filter with 35g bean/coffee powder
- Overheat protection by thermostat and thermofuse
- Ceramic Cup is not included

· **AC** 100-120V 900W 220-240V 900W

· **Packing material:**
Gift Box: 276x188x399mm Carton: 570x390x413mm

· **4 Pcs/Ctn:**
1x20GP: 1120pcs 1x40GP: 2320pcs 1x40HQ: 2768pcs

Auto Pour Over



reddot award 2017

CDC-503SF capacity 650ML



CDC-503 capacity 650ML 

Certificate: GS, CE, CB, RoHs, REACH, LFGB, ETL

- With LCD display
- With electronic scale to adjust water and coffee powder ratio
- Auto and manual mode optional
- Personalize brewing temperature
- Rotary water dropping path ,simulate hand drip coffee
- Big share cup
- 24h Presetting function
- Optional Wifi function

AC

100-120V 1200W 220-240V 1500W

- With descaling function
- High borosilicate glass water tank
- With stainless steel filter holder
- Imitating Barista skill with rotating drip mechanism
- Easy to get a Golden Cup coffee

Packing material:

Gift box: 300 x 198 x 482mm Carton: 416 x 310 x 504mm

2Pcs/Ctn:

1x20GP: 840pcs 40' GP: 1728pcs 40' HQ: 1920pcs

Auto Pour Over



CM1011

capacity **0.65L**



Certificate: GS, CE, CB, RoHs, REACH, LFGB

- Concise ergonomic design
- Pour over barista brewing skill
- Unique transparent brewing window
- Anti-drip Valve
- Non-stick keep warm plate
- ERP energy-saving program
- Brewing time ≤ 7 min
- Coffee temperature ≥ 76

· **AC** 100-120V 800W AC 220-240V 800W

· **Packing material:**

Gift box: 269 x 213 x 343mm Carton: 556 x 440 x 363mm

· **4 Pcs/Ctn:**

1x20GP: 1252pcs 1x40GP: 2596pcs 1x40HQ: 2932pcs



1. The visible window



2. Rotary water dropping path



CM1012E

capacity **0.65L**



Certificate: GS, CE, CB, RoHs, REACH, LFGB

- Open design with 650ml capacity (Optional change to other Glass carafe) Blooming feature help to wake up the coffee with better extraction
- 3 Holes rotating brewing head ensures the classic circular infusion of Pour Over coffee according to the direct brewing principle.
- Simple use with 3 buttons, let you enjoy hot/cold coffee. Pour over coffee / Ice coffee(non-keep warm function) / Descale function (after 60times brewing with white indicator light remind)
- The heat-resistant 650ml borosilicate glass carafe with opening design which can reach into the bottom of the cup, cleaning more thoroughly, All removable parts are dishwasher safe for easy cleaning
- Creative build in water level indicator with filter
- ERP auto-off after brewing in 40 mins / 2 hours

· **AC** 100-120V 800W AC 220-240V 800W

· **Packing material:**

Gift box: 269 x 213 x 343mm Carton: 556 x 440 x 363mm

· **4 Pcs/Ctn:**

1x20GP: 1252pcs 1x40GP: 2596pcs 1x40HQ: 2932pcs



Auto Pour Over



CM-602

capacity **0.5L**

Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Clock function with LED screen
- Removable water tank
- Removable metal funnel
- ERP of auto-off after brewing
- Overheat protection by thermostat and thermo fuse
- Ceramic cup Available for ice drip coffee
- A battery box which is at the bottom. It is 3 pcs AA batteries and for clock-powered.

- Short press switch(1 seconds) choose 250ml mode
- Long press switch(3 seconds) choose 500ml mode

· **AC** 100-120V 600W 220-240V 600W

· **Packing material:**

Gift box: 276x172x325mm Carton: 565x360x345mm

· **4 Pcs/Ctn:**

1x20GP:1488 pcs 1x40GP:3072 pcs 1x40HQ:3584 pcs



CM-310HE

capacity **0.65L**



Certificate: GS, CE, CB, RoHs, REACH, LFGB

- Detachable water tank with water level indicator
- Non-return valve to prevent water flow back when the water tank is detached.
- Overheat protection by thermostat and thermofuse
- Auto off after brewing
- 2 mode for option, short press for one cup 230ml coffee, long press to finish the water in the water tank.

· **AC** 100V 120V 800W · **DC** 12V 170W
220V-240V 730-800W 24V 300W

· **Packing material:**

Gift box: 275 x195x 280 mm Carton: 565x405x300mm

· **4 Pcs/Ctn:**

1x20GP: 1568 pcs 1x40GP: 3308 pcs 1x40HQ: 3760 pcs

High Temperature Coffee



CDC-501B 1.25L capacity ECBC complied 10-12


Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Switch with LED indicator
- Swing filter holder
- Glass water tank
- Constant temperature and quick coffee making
- Permanent filter with handle
- ERP of 40 mins auto-off after brewing
- Energy saving design by PTC warm keeping system
- Non-stick coated warming plate
- Overheat protection by thermostat and thermo fuse
- Optional color of stainless steel decoration

· **AC**
 100-120V 1000W-1200W-1500W
 220-240V 1800W
 PSE 100V 1000W
 ETL 120V 1200W

· **Packing detail:**
 Gift Box: 304x229x465mm Carton: 624x242x480mm


· **2 Pcs/Ctn:**
 1x20GP:724 pcs 1x40GP:1494 pcs 1x40HQ:1782 pcs



- 01. NTC sensor for accurate brewing temperature control
- 02. Switch with LED indicator
- 03. PTC keep warm System
- 04. Glass water tank



ECBC Characteristic Chart



- T1: Funnel temp
 ECBC Approval
 92-96 °C
 4-6 min
 Brewing ratio: 90%
- T2: Funnel temp
 Non ECBC Approval
 72-92 °C
 6-7 min

High Temperature Coffee



1. Easy open funnel cover



2. Water tank with water level Indicator



3. Easy access touch control ON/OFF switch

AD-103

capacity 1.25L



Certificates: GS, CE, CB, CCC, RoHS, REACH, LFGB

- Convenient anti-drip valve
- Easy access touch control ON/OFF switch
- Different indicators for each operation condition
- Water level indicator
- Permanent filter with handle
- ERP of 40 mins auto-off after brewing
- Energy saving design by PTC warm keeping system
- Non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- Stainless steel decoration
- Glued handle carafe
- Optional AROMA function
- Optional color of stainless steel decoration

AC

100 -120V 1250W
220 -240V 1250W


Packing detail:

Gift Box: 310x190x340mm Carton: 635x395x360mm

4 Pcs/Ctn:

1x20GP:1216 pcs 1x40GP:2552 pcs 1x40HQ:2964 pcs

Higher Funnel Temp



Single Serve



CM-313

capacity 0.15L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Nylon permanent filter
- ERP auto-off function
- One ceramic cup
- Suitable for making tea or coffee
- Overheat protection by thermostat and thermofuse
- Optional for plastic cup
- Available for car plug

· AC	· DC
100-120V 300W	12V 170W
220-240V 300W	24V 300W

· **Packing detail**

Gift Box: 193 x 193 x 228mm Carton: 601 x 398 x 248mm

· **6 Pcs/Ctn**

1x20GP:2754pcs 1x40GP:5724pcs 1x40HQ:6360pcs

CM-801

capacity 0.15L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Swing water spout
- Nylon Permanent filter
- One ceramic cup
- Suitable for making tea or coffee
- Overheat protection by thermostat and thermofuse
- Optional plastic cup
- Optional spray painted housing
- Available for car plug

· **AC**

100-120V 300W
220-240V 300W

· **DC**

12V 170W
24V 250W

· **Packing detail**

Gift Box: 140x125x195mm Carton: 394x296x415mm

· **12 Pcs/Ctn**

1x20GP: 6540pcs 1x40GP: 13440pcs 1x40HQ: 16128pcs



CM-901

capacity 0.3L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Swing water spout and nylon permanent filter
- Big travel mug
- Suitable for making coffee or tea
- Available for car plug
- Overheat protection by thermostat and thermofuse
- ERP auto-off function
- Optional spray painted front cover
- Optional big ceramic cup
- Optional for coffee pad filter (for pod coffee)

· **AC**

100-120V 460W
220-240V 420-500W

· **DC**

12V 170W
24V 300W

· **Packing detail**


Gift Box: 160x160x245mm Carton: 508x344x270mm

· **6 Pcs/Ctn**

1x20GP: 3480pcs 1x40GP: 7200pcs 1x40HQ: 7884pcs



Single Serve



SE-101

capacity **0.9L**

Certificate: CB, CE, GS, Rohs, Reach, LFGB

- The preparation is switched off automatically once 100 ml have been served.
- System for automatic drying of the pod.
- Electro-mechanical pump: 2 bars.
- 1 cup pod holder.
- Removable water tank with a capacity of 0.9 L.
- Compatible with all flexible single cup pods with a diameter of 71 mm.
- No preheating time required.
- Double overheating safety device.
- Excess pressure safety device.

Packing detail

Gift Box: 305X205X270mm

Carton: 630X 320X 287mm

3 Pcs/Ctn

1x20GP: 1509pcs

1x40GP: 3084pcs

1x40HQ: 3480pcs

Packing detail

Carton: 650x425x345mm


20 Pcs/Ctn:(with SE-101 1:1)

20GP: 1050PCS

40GP: 2160PCS

40HQ: 2480PCS

Double Serve



CM-902 capacity 0.3L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Swing water spout and nylon permanent filter
- Two ceramic cups
- Suitable for making coffee or tea
- Optional plastic cup
- Available for car plug
- Overheat protection by thermostat and thermofuse
- ERP auto-off function
- Stainless steel decoration

· AC	· DC
100-120V 420-500W	12V 170W
220-240V 420-500W	24V 300W

· **Packing detail**

Gift Box: 215x177x213mm Carton: 545x228x445mm

· **6 Pcs/Ctn**

1x20GP: 3000pcs 1x40GP: 6180pcs 1x40HQ: 6750pcs

CM-316

capacity 0.3L



Certificates: GS, CE, CB, ETL, CCC, RoHs, REACH, LFGB

- Nylon permanent filter
- ERP auto-off function
- Two ceramic cups
- Suitable for making tea or coffee
- Overheat protection by thermostat and thermofuse
- Optional for plastic cup
- Available for car plug

· AC	· DC
100-120V 420-500W	12V 170W
220-240V 420-500W	24V 300W

· **Packing detail**

Gift Box: 265x201x239mm Carton: 618x280x494mm

· **6 Pcs/Ctn**

1x20GP:1968 pcs 1x40GP:4020pcs 1x40HQ:4624pcs



CM-802

capacity 0.3L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Swing water spout
- Nylon Permanent filter
- Two ceramic cup
- Suitable for making tea or coffee
- Overheat protection by thermostat and thermofuse
- Optional plastic cup
- Optional spray painted housing
- Available for car plug

· AC	· DC
100-120V 420-500W	12V 170W
220-240V 420-500W	24V 250W

· **Packing detail**

Gift Box: 190x183x216mm Carton: 575x202x456mm

· **6 Pcs/Ctn**

1x20GP:3318 pcs 1x40GP:6780 pcs 1x40HQ:7320 pcs



Filter Coffee



CM1706BAT

capacity 1.8L



Certificate: GS,CE,CB,Rohs,REACH,LFGB,ETL

- With Big LED digital display (dimension : 80*60mm)
- Brew complete signal tone
- Keep warm timer indicates how long coffee has been in the keep warm mode
- Stainless Steel exterior,full of S.S decoration on both sides
- Aroma control
- Water level indicator
- Touch Panel design
- Double-walled holder presents aroma loss – uses No. 4 cone filters
- 24-hour programmable clock
- Anti-drip function
- 1.8L heat-resistant glass carafe with hinged lid, handle with S.S decoration
- Self-clean/auto clean feature
- Carafe Temperature Control from Low,Medium,High
- Adjustable auto-off from 0-4hours (unit: 0.5h)
- **AC** 100-120V 1000W 220-240V 1000W

Packing detail:

Gift Box: 252x235x373mm Carton: 517x244x390mm

2 Pcs/Ctn:

1x20GP: 1130pcs 1x40GP: 2302pcs 1x40HQ: 2714pcs

CM1706WE

capacity 1.2L



Certificate: GS,CE,CB,Rohs,REACH,LFGB,ETL

- With Big LED digital display (dimension : 80*60mm)
- Brew complete signal tone
- Stainless Steel exterior,full of S.S decoration on both sides
- Aroma control
- Water level indicator
- Touch Panel design
- Double-walled holder presents aroma loss – uses No. 4 cone filters
- 24-hour programmable clock
- Anti-drip function
- Automatic switch-off function
- 1.2L Double wall stainless thermo jug
- Self-clean/auto clean feature
- **AC** 100-120V 1000W 220-240V 1000W

Packing detail:

Gift Box: 280x264x388mm Carton: 542x290x403mm

2 Pcs/Ctn:

1x20GP: 898pcs 1x40GP: 1876pcs 1x40HQ: 2064pcs

CM1705BATE

capacity 1.8L



Certificate: GS,CE,CB,Rohs,REACH,LFGB,ETL

- Black LCD digital display (dimension : 50*27mm)
- Brew complete signal tone
- Keep warm timer indicates how long coffee has been in the keep warm mode
- Stainless Steel exterior,full of S.S decoration on both sides
- Aroma control
- Water level indicator
- Double-walled holder presents aroma loss – uses No. 4 cone filters
- 24-hour programmable clock
- Anti-drip function
- 1.8L heat-resistant glass carafe with hinged lid ,handle With S.S decoration
- Self-clean/auto clean feature
- Carafe Temperature Control from Low,Medium,High
- Adjustable auto-off from 0-4hours (unit: 0.5h)
- Electroplated ABS decoration strip
- **AC** 100-120V 1000W 220-240V 1000W

Packing detail:

Gift Box: 252x235x373mm Carton: 517x244x390mm

2 Pcs/Ctn:

1x20GP: 1130pcs 1x40GP: 2302pcs 1x40HQ: 2714pcs

CM1705WE

capacity 1.2L



Certificate: GS,CE,CB,Rohs,REACH,LFGB,ETL

- Black LCD digital display (dimension : 50*27mm)
- Brew complete signal tone
- Stainless Steel exterior,full of S.S decoration on both sides
- Aroma control
- Water level indicator
- Double-walled holder presents aroma loss – uses No. 4 cone filters
- 24-hour programmable clock
- Anti-drip function
- 1.2L Double wall stainless thermo jug
- Self-clean/auto clean feature
- Electroplated ABS decoration strip
- **AC** 100-120V 1000W 220-240V 1000W

Packing detail:

Gift Box: 280x264x388mm Carton: 542x290x403mm

2 Pcs/Ctn:

1x20GP: 898pcs 1x40GP: 1876pcs 1x40HQ: 2064pcs

Filter Coffee



CM1707BAT

capacity **1.8L**



Certificate: GS, CE, CB, RoHS, REACH, LFGB, ETL

- With LED digital display
- Brew complete signal tone
- Keep warm timer indicates how long coffee has been in the keep warm mode
- Stainless Steel exterior, full of S.S decoration on both sides
- Aroma control
- Water level indicator
- Touch Panel design
- Double-walled holder presents aroma loss – uses No. 4 cone filters
- 24-hour programmable clock
- Anti-drip function
- 1.8L heat-resistant glass carafe with hinged lid, handle with S.S decoration
- Self-clean/auto clean feature
- Carafe Temperature Control from Low, Medium, High
- Adjustable auto-off from 0-4hours (unit: 0.5h)
- **AC** 100-120V 1000W 220-240V 1000W
- **Packing detail:**
Gift Box: 252x235x373mm Carton: 517x244x390mm
- **2 Pcs/Ctn:**
1x20GP: 1130pcs 1x40GP: 2302pcs 1x40HQ: 2714pcs



CM1707WE

capacity **1.2L**



Certificate: GS, CE, CB, RoHS, REACH, LFGB, ETL

- With LED digital display
- Brew complete signal tone
- Stainless Steel exterior, full of S.S decoration on both sides
- Aroma control
- Water level indicator
- Touch Panel design
- Double-walled holder presents aroma loss – uses No. 4 cone filters
- 24-hour programmable clock
- Anti-drip function
- Automatic switch-off function
- 1.2L Double wall stainless thermo jug
- Self-clean/auto clean feature
- **AC** 100-120V 1000W 220-240V 1000W
- **Packing detail:**
Gift Box: 280x264x388mm Carton: 542x290x403mm
- **2 Pcs/Ctn:**
1x20GP: 898pcs 1x40GP: 1876pcs 1x40HQ: 2064pcs

CM1003AE capacity **0.65L**



Certificate: GS, CE, CB, RoHS, REACH, LFGB

- Convenient anti-drip valve
- Illuminated aroma chromaed knob for optimized coffee taste
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 mins auto-off after brewing
- **AC** 100V-120V 600W 220V-240V 600W
- **Packing material:**
Gift box: 240x194x310mm Carton: 496x400x330mm
- **4 Pcs/Ctn:**
1x20GP: 1540pcs 1x40GP: 3180pcs 1x40HQ: 3680pcs



CM1009 capacity **480ML**

Certificate: GS, CE, CB, RoHS, REACH, LFGB

- Three buttons to choose different coffee flavor profiles.
- Portable stainless steel travel mug.
- Permanent filter with handle
- Overheat protection by thermostat and thermofuse
- **AC** 100V 600W 220V-240V 600W
- **Packing material:**
Gift box: 227x178x330mm Carton: 472x370x350mm
- **4 Pcs/Ctn:**
1x20GP: 1728pcs 1x40GP: 3456pcs 1x40HQ: 4032pcs



Filter Coffee



CM-337BA capacity 1.25L



Certificate: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Aroma button for optimized coffee taste
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 mins auto-off after brewing
- Optional stainless steel decoration

· **AC** 100V-120V 1000W
220V-240V 1000W

· **Packing material:**
Gift box: 285 x230x 357 mm Carton : 588x474x377mm

· **4 Pcs/Ctn:**
1x20GP:1084pcs 1x40GP: 2200 pcs 1x40HQ: 2376 pcs

CM-337BWA capacity 1.0L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Double wall stainless steel thermo jug
- Convenient anti-drip valve
- Aroma button for optimized coffee taste
- Permanent filter with handle
- Overheat protection by thermostat and thermo fuse.
- ERP auto-off after brewing
- Optional stainless steel decoration

· **AC**
100V-120V 800W
220V-240V 800W

· **Packing material:**
Gift box: 285x230x357mm Carton : 588x474x377mm

· **4 Pcs/Ctn:**
1x20GP:1084pcs 1x40GP: 2200 pcs 1x40HQ: 2376 pcs



CM-337TBA capacity 1.25L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Based on CM-337A with more functions:
- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

· **AC**
100V-120V 1000W
220V-240V 1000W

· **Packing material:**
Gift box: 285x230x357mm Carton : 588x474x377mm

· **4 Pcs/Ctn:**
1x20GP:1084pcs 1x40GP: 2200 pcs 1x40HQ: 2376 pcs



CM-337TBWA capacity 1.0L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Based on CM-337BWA with more functions:
- 24 hours presetting program function with LCD timer
- ERP auto-off after brewing

· **AC**
100V-120V 800W
220V-240V 800W

· **Packing material:**
Gift box: 285x230x357mm Carton : 588x474x377mm

· **4 Pcs/Ctn:**
1x20GP:1084pcs 1x40GP: 2200 pcs 1x40HQ: 2376 pcs



Filter Coffee



CM-337B capacity 1.25L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Convenient anti-drip valve
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermo fuse.
- ERP 40 mins auto-off after brewing
- Optional stainless steel decoration

· AC

100V-120V 1000W
220V-240V 1000W

· Packing material:

Gift box: 285x230x357mm Carton : 588x474x377mm

· 4 Pcs/Ctn:

1x20GP:1084pcs 1x40GP: 2200 pcs 1x40HQ: 2376 pcs

CM-337BW capacity 1.0L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Double wall stainless steel thermo jug
- Convenient anti-drip valve
- Permanent filter with handle
- Overheat protection by thermostat and thermo fuse.
- ERP auto-off after brewing
- Optional stainless steel decoration

· AC

100V-120V 800W
220V-240V 800W

· Packing material:

Gift box: 285x230x357mm Carton : 588x474x377mm

· 4 Pcs/Ctn:

1x20GP:1084pcs 1x40GP: 2200 pcs 1x40HQ: 2376 pcs



CM-337TB capacity 1.25L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Based on CM-337B with more functions:
- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

· AC

100V-120V 1000W
220V-240V 1000W

· Packing material:

Gift box: 285x230x357mm Carton : 588x474x377mm

· 4 Pcs/Ctn:

1x20GP:1084pcs 1x40GP: 2200 pcs 1x40HQ: 2376 pcs



CM-337TBW capacity 1.0L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Based on CM-337BW with more functions:
- 24 hours presetting program function with LCD timer
- ERP auto-off after brewing

· AC

100V-120V 800W
220V-240V 800W

· Packing material:

Gift box: 285x230x357mm Carton : 588x474x377mm

· 4 Pcs/Ctn:

1x20GP:1084pcs 1x40GP: 2200 pcs 1x40HQ: 2376 pcs



Filter Coffee



CM-338A capacity 1.25L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Convenient anti-drip valve
- Double Water indicator
- Aroma button for optimized coffee taste
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 mins auto-off after brewing
- Optional stainless steel decoration

· AC 100V-120V 1000W
220V-240V 1000W

· Packing material:
Gift box: 285 x250x 368 mm Carton : 588x514x388mm

· 4 Pcs/Ctn:
1x20GP:916pcs 1x40GP: 1856pcs 1x40HQ: 2188 pcs

CM-338BWA capacity 1.0L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Double wall stainless steel thermo jug
- Convenient anti-drip valve
- Double water indicator
- Aroma button for optimized coffee taste
- Permanent filter with handle
- Overheat protection by thermostat and thermo fuse.
- ERP auto-off after brewing
- Optional stainless steel decoration

· AC
100V-120V 800W
220V-240V 800W

· Packing material:
Gift box: 285 x250x 368 mm Carton : 588x514x388mm

· 4 Pcs/Ctn:
1x20GP:916pcs 1x40GP: 1856pcs 1x40HQ: 2188 pcs



CM-338TBA capacity 1.25L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Based on CM-338A with more functions:
- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

· AC
100V-120V 1000W
220V-240V 1000W

· Packing material:
Gift box: 285 x250x 368 mm Carton : 588x514x388mm

· 4 Pcs/Ctn:
1x20GP:916pcs 1x40GP: 1856pcs 1x40HQ: 2188 pcs



CM-338TBWA capacity 1.0L



Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Based on CM-338BWA with more functions:
- 24 hours presetting program function with LCD timer
- ERP auto-off after brewing

· AC
100V-120V 800W
220V-240V 800W

· Packing material:
Gift box: 285 x250x 368 mm Carton : 588x514x388mm

· 4 Pcs/Ctn:
1x20GP:916pcs 1x40GP: 1856pcs 1x40HQ: 2188 pcs



Filter Coffee



CM-338B capacity 1.25L



Certificate: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Double water indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermo fuse.
- ERP 40 mins auto-off after brewing
- Optional stainless steel decoration

· **AC** 100V-120V 1000W
220V-240V 1000W

· **Packing material:**
Gift box: 285 x250x 368 mm Carton : 588x514x388mm

· **4 Pcs/Ctn:**
1x20GP:916pcs 1x40GP: 1856pcs 1x40HQ: 2188 pcs

CM-338BW capacity 1.0L



Certificate: GS,CE,CE, CB, RoHs, REACH, LFGB

- Double wall stainless steel thermo jug
- Convenient anti-drip valve
- Double water indicator
- Permanent filter with handle
- Overheat protection by thermostat and thermo fuse.
- ERP auto-off after brewing
- Optional stainless steel decoration

· **AC**
100V-120V 800W
220V-240V 800W

· **Packing material:**
Gift box: 285 x250x 368 mm Carton : 588x514x388mm

· **4 Pcs/Ctn:**
1x20GP:916pcs 1x40GP: 1856pcs 1x40HQ: 2188 pcs



CM-338TB capacity 1.25L



Certificate: GS,CE,CE, CB, RoHs, REACH, LFGB

- Based on CM-338B with more functions:
- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

· **AC**
100V-120V 1000W
220V-240V 1000W

· **Packing material:**
Gift box: 285 x250x 368 mm Carton : 588x514x388mm

· **4 Pcs/Ctn:**
1x20GP:916pcs 1x40GP: 1856pcs 1x40HQ: 2188 pcs



CM-338TBW capacity 1.0L



Certificate: GS,CE,CE, CB, RoHs, REACH, LFGB

- Based on CM-338BW with more functions:
- 24 hours presetting program function with LCD timer
- ERP auto-off after brewing

· **AC**
100V-120V 800W
220V-240V 800W

· **Packing material:**
Gift box: 285 x250x 368 mm Carton : 588x514x388mm

· **4 Pcs/Ctn:**
1x20GP:916pcs 1x40GP: 1856pcs 1x40HQ: 2188 pcs



Filter Coffee

CM-328

capacity 1.25L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Permanent filter with handle
- ERP 40 mins auto-off after brewing
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- Stainless steel decoration

AC

100 -120V 1000W
220 -240V 1000W

Packing detail

Gift Box: 312x216x350mm Carton: 644x446x368mm

4 Pcs/Ctn

1x20GP:1064 pcs 1x40GP:2232 pcs 1x40HQ:2520 pcs



CM-331

capacity 1.25L



Certificates: GS, CE, CB, RoHs, REACH, LFGB, ETL

- Convenient anti-drip valve
- Water indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- EPR 40 mins auto-off after brewing
- Optional stainless steel decoration

AC

100-120V 1000W
220-240V 1000W

Packing detail

Gift Box: 266x247x365mm
Carton: 550x506x380mm

4 Pcs/Ctn

1x20GP: 1056pcs
1x40GP: 2208pcs
1x40HQ: 2384pcs



CM-330

capacity 1.8L



Certificates: ETL, LFGB

- Convenient anti-drip valve
- Permanent filter with handle
- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing
- Aroma function
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- Stainless steel decoration

AC

100 -120V 1000W 220 -240V 1000W

Packing detail

Gift Box: 312x216x356mm
Carton: 644x446x374mm

4 Pcs/Ctn

1x20GP: 1064pcs 1x40GP: 2232pcs
1x40HQ: 2416pcs



CM-332

capacity 1.25L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Permanent filter with handle
- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing
- Aroma function
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- Stainless steel decoration

AC

100 -120V 1000W 220 -240V 1000W

Packing detail

Gift Box: 312x216x356mm
Carton: 644x446x374mm

4 Pcs/Ctn

1x20GP:1064pcs 1x40GP:2232pcs,
1x40HQ:2416pcs



CM-336

capacity 0.65L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Permanent filter with handle
- ERP 40 mins auto-off after brewing
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- Optional stainless steel decoration

AC

100-120V 600W
220-240V 600W

DC

12V 170W
24V 300W

Packing detail

Gift Box: 24 1x182x284mm Carton:565x496x304mm

6 Pcs/Ctn

1x20GP: 1866pcs 1x40GP: 3876pcs 1x40HQ: 4428pcs



Filter Coffee



CM-318 capacity 1.25L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Water indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 mins auto-off after brewing
- Stainless steel decoration

· **AC**
100-120V 1000W
220-240V 1000W

· **Packing detail**
Gift Box: 300x250x350mm Carton: 518x312x366mm

· **2 Pcs/Ctn**
1x20GP: 936 pcs 1x40GP: 1944 pcs 1x40HQ: 2268 pcs

CM-318W capacity 1.2L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Water indicator
- Permanent filter with handle
- Overheat protection by thermostat and thermofuse
- ERP auto-off after brewing
- Stainless steel decoration

· **AC**
100-120V 800W
220-240V 800W

· **Packing detail**
Gift Box: 300x250x350mm Carton: 518x312x366mm

· **2 Pcs/Ctn**
1x20GP: 936 pcs 1x40GP: 1944 pcs 1x40HQ: 2268 pcs

CM-832 capacity 1.5L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Cups warming design
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Stainless steel decoration
- Glued handle carafe could be heated by Microwave oven
- ERP 40 mins auto-off after brewing

· **AC**
100-120V 900W
220-240V 1000W

· **Packing detail**
Gift Box: 235x195x360mm Carton: 485x405x380mm

· **4 Pcs/Ctn**
1x20GP: 1532 pcs 1x40GP: 3156 pcs 1x40HQ: 3188 pcs

CM-832W capacity 1.2L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Double wall stainless steel thermo jug
- Overheat protection by the thermostat and thermofuse
- ERP auto-off after brewing
- Convenient anti-drip valve
- Cups warming design
- Water level indicator
- Permanent filter with handle

· **AC**
100-120V 800W
220-240V 800W

· **Packing detail**
Gift Box: 235x195x360mm Carton: 485x405x380mm

· **4 Pcs/Ctn**
1x20GP: 1488 pcs 1x40GP: 3144 pcs 1x40HQ: 3144 pcs

Filter Coffee

CM1300B

capacity 1.25L



Certificate: GS,CE,CB,RoHS,REACH,LFGB

- Convenient anti-drip valve
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermo fuse.
- ERP 40 mins auto-off after brewing
- Stainless steel decoratio

· **AC**

100V-120V 730~870W
220V-240V 730~870W

· **Packing material:**

Gift box: 285x213x344mm Carton : 550x440x364mm

· **4 Pcs/Ctn:**

1x20:1252 pcs 1x40GP:2604 pcs 1x40HQ:2932 pcs



CM-931T

capacity 1.25L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

Based on CM-931 with more functions:

- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

· **AC**

100-120V 1000W
220-240V 1000W

· **Packing detail**

Gift Box: 266x213x344mm Carton: 550x440x364mm

· **4 Pcs/Ctn**

1x20:1252 pcs 1x40GP:2604 pcs 1x40HQ:2932 pcs



CM-931

capacity 1.25L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Water lever indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 minus auto-off after brewing
- Stainless steel decoration

· **AC**

100-120V 730~870W
220-240V 730~870W

· **Packing detail**

Gift box: 266x213x344mm
Carton : 550x440x364mm

· **4 Pcs/Ctn**

1x20GP:1252 pcs
1x40GP:2604 pcs
1x40HQ:2932 pcs



CM-931W

capacity 1.0L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Double wall stainless steel thermo jug
- Convenient anti-drip valve
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Overheat protection by thermostat and thermofuse
- ERP auto-off after brewing
- Stainless steel decoration

· **AC**

100-120V 800W
220-240V 800W

· **Packing detail**

Gift Box: 266x213x344mm
Carton: 550x440x364mm

· **4 Pcs/Ctn**

1x20GP:1252 pcs
1x40GP:2604 pcs
1x40HQ:2932 pcs



CM-931TW

capacity 1.0L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

Based on CM-931W with more functions:

- 24 hours presetting program function with LCD timer
- ERP auto-off after brewing

· **AC**

100-120V 800W
220-240V 800W

· **Packing detail**

Gift Box: 266x213x344mm Carton: 550x440x364mm

· **4 Pcs/Ctn**

1x20:1252 pcs 1x40GP:2604 pcs 1x40HQ:2932 pcs



Filter Coffee



• Carafe



• Single wall S.S. jug



CM-325 capacity 0.65L

Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 mins auto-off after brewing
- Optional stainless steel decoration
- Optional color plastic funnel cover.
- Optional single wall stainless steel jug

- **AC**
100-120V 600W
220-240V 600W
- **DC**
12V 170W
24V 300W

• **Packing detail**
Gift Box: 220x190x292mm Carton: 585x455x310mm

• **6 Pcs/Ctn**
1x20GP:2136 pcs 1x40GP:4356 pcs 1x40HQ:4668 pcs



CM-327 capacity 1.25L

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate

- **AC**
100-120V 1000W
220-240V 1000W
- Overheat protection by thermostat and thermofuse
- ERP 40 mins auto-off after brewing
- Optional stainless steel decoration
- Optional color plastic funnel cover.

• **Packing detail**
Gift Box: 250x220x345mm Carton: 520x452x362mm

• **4 Pcs/Ctn**
1x20GP:1328 pcs 1x40GP:2728 pcs 1x40HQ:3072 pcs

CM-327TB capacity 1.25L

Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

Based on CM-327 with more functions:

- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

- **AC**
100-120V 1000W
220-240V 1000W

• **Packing detail**
Gift Box: 255x225x400mm Carton: 530x470x425mm

• **6 Pcs/Ctn**
1x20GP:1084 pcs 1x40GP:2168 pcs 1x40HQ:2540 pcs



CM-327W capacity 1.0L

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Double wall stainless thermo jug
- Convenient anti-drip valve
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP auto-off after brewing
- Optional stainless steel decoration
- Optional color plastic funnel cover

- **AC**
100-120V 800W
220-240V 800W

• **Packing detail**
Gift Box: 263x240x360mm Carton: 544x494x380mm

• **4 Pcs/Ctn**
1x20GP: 1052pcs 1x40GP: 2208pcs 1x40HQ: 2372pcs



CM-327TW capacity 1.0L

Based on CM-327W with more functions:

- 24 hours presetting program function with LCD timer

- **AC**
100-120V 800W
220-240V 800W

• **Packing detail**
Gift Box: 263x240x360mm Carton: 544x494x380mm

• **4 Pcs/Ctn**
1x20GP: 1052pcs 1x40GP: 2208pcs 1x40HQ: 2372pcs



Filter Coffee



CM-322 capacity 1.25L 

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Permanent filter with handle
- "MAX" and "MIN" water level mark inside water tank

· **AC**

100 -120V 800W
220 -240V 800W

- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 minus auto-off after brewing
- Optional stainless steel decoration

· **Packing detail**

Gift Box: 287x202x332mm Carton: 592x416x348mm

· **4 Pcs/Ctn**

1x20GP: 1220pcs 1x40GP: 2544pcs 1x40HQ: 2956pcs

CM-326 capacity 0.65L 

Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- "MAX" water level mark inside water tank
- Overheat protection by thermostat and thermofuse
- ERP 40 minus auto-off after brewing
- Optional single wall stainless steel jug
- Optional stainless steel decoration

· **AC**

100 -120V 600W
220 -240V 600W

· **DC**

12V 170W
24V 300W

· **Packing detail**

Gift Box: 230x155x273mm Carton: 480x245x565mm

· **6 Pcs/Ctn**

1x20GP:2472 pcs 1x40GP:5184 pcs 1x40HQ:5748 pcs



CM-322W capacity 1.0L 

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Double wall stainless thermo jug
- Convenient anti-drip valve
- Swing filter holder
- Permanent filter with handle
- "MAX" and "MIN" water level mark inside water tank
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP auto-off after brewing
- Optional stainless steel decoration

· **AC**

100 -120V 800W
220 -240V 800W

· **Packing detail**

Gift Box: 287x202x332mm Carton: 592x416x348mm

· **4 Pcs/Ctn**

1x20GP: 1220pcs 1x40GP: 2544pcs 1x40HQ: 2956pcs



Filter Coffee



CM1302B capacity 1.25L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Permanent filter with handle
- "MAX" and "MIN" water level mark inside water tank
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 minus auto-off after brewing
- Optional stainless steel decoration

· AC

100 -120V 800W
220 -240V 800W

· Packing detail

Gift Box: 287x202x332mm Carton: 592x416x348mm

· 4 Pcs/Ctn

1x20GP: 1220pcs 1x40GP: 2544pcs 1x40HQ: 2956pcs



CM1002B capacity 0.65L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Permanent filter with handle
- "MAX" water level mark inside water tank
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 minus auto-off after brewing
- Optional stainless steel decoration

· AC

100 -120V 600W
220 -240V 600W

· DC

12V 170W
24V 300W

· Packing detail

Gift Box: 230x155x273mm Carton: 480x245x565mm

· 6 Pcs/Ctn

1x20GP:2472 pcs 1x40GP:5184 pcs 1x40HQ:5748 pcs



Filter Coffee



CM-323 capacity 0.65L 

Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 minus auto-off after brewing
- Optional stainless steel decoration

AC 100 -120V 600W
220 -240V 600W

DC 12V 170W
24V 300W

Packing detail
Gift Box: 220x190x292mm Carton: 585x455x310mm

6 Pcs/Ctn
1x20GP:2130 pcs 1x40GP:4290 pcs 1x40HQ:4890 pcs



CM-823B capacity 1.25L 

Certificates: GS, CE, CB, ETL, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- ERP 40 minus auto-off after brewing
- Optional stainless steel decoration

AC 100 -120V 1000W
220 -240V 1000W

Packing detail
Gift Box: 250x220x345mm Carton: 515x455x365mm

4 Pcs/Ctn
1x20GP: 1368pcs 1x40GP: 2736pcs 1x40HQ: 3080pcs

CM-823W capacity 1.0L 

Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Double wall stainless steel thermo jug
- Convenient anti-drip valve
- ERP auto-off after brewing
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- Optional stainless steel decoration

AC
100 -120V 800W
220 -240V 800W

Packing detail
Gift Box: 263x240x360mm Carton: 544x492x376mm

4 Pcs/Ctn
1x20GP: 1052pcs 1x40GP: 2220pcs 1x40HQ: 2408pcs

CM-833W capacity 1.0L 

Certificate: GS, CE, CB, ETL, CCC, RoHs, REACH, LFGB

Based on CM-823W with more functions:

- 24 hours presetting program function with LCD timer

AC
100 -120V 800W
220 -240V 800W

Packing detail
Gift Box: 263x240x360mm Carton: 544x492x376mm

4 Pcs/Ctn
1x20GP: 1052pcs 1x40GP: 2220pcs 1x40HQ: 2408pcs

CM-833 capacity 1.25L 

Certificates: GS, CE, CB, ETL, CCC, RoHs, REACH, LFGB

Based on CM-823 with more functions:

- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

AC
100 -120V 1000W
220 -240V 1000W

Packing detail
Gift Box: 250x220x345mm Carton: 515x455x365mm

4 Pcs/Ctn
1x20GP:1368 pcs 1x40GP:2736 pcs 1x40HQ:3080 pcs



Filter Coffee



CM-308

capacity 0.65L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing funnel cover and tank cover
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- ERP 40 minus auto-off after brewing
- Overheat protection by thermostat and thermofuse

· **AC**
100 -120V 600W
220 -240V 600W

· **DC**
12V 170W
24V 300W

· **Packing detail**

Gift Box: 275x165x275mm Carton: 510x290x570mm

· **6 Pcs/Ctn**

1x20GP: 2040pcs 1x40GP: 4176pcs 1x40HQ: 4620pcs



CM-828

capacity 1.5L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing funnel cover and tank cover
- Water level indicator
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- Optional 40 minus auto-off after brewing
- Overheat protection by thermostat and thermofuse
- Optional stainless steel decoration
- Glued handle carafe could be heated by Microwave oven

· **AC**
100 -120V 1000W
220 -240V 1000W

· **Packing detail**

Gift Box: 301x203x350mm Carton: 617x421x370mm

· **4 Pcs/Ctn**

1x20GP: 1176pcs 1x40GP: 2416pcs 1x40HQ: 2800pcs

CM-828W

capacity 1.2L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Double wall stainless steel thermo jug
- Convenient anti-drip valve
- Swing funnel cover and tank cover
- Water level indicator
- Permanent filter with handle
- ERP auto-off after brewing
- Overheat protection by thermostat and thermofuse
- Optional stainless steel decoration

· **AC**
100 -120V 800W
220 -240V 800W

· **Packing detail**

Gift Box: 308x203x350mm Carton: 631x421x370mm

· **4 Pcs/Ctn**

1x20GP: 1112pcs 1x40GP: 2252pcs 1x40HQ: 2572pcs



CM-828TW

capacity 1.2L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

Based on CM-828 with more functions:

- 24 hours presetting program function with LCD timer
- ERP auto-off after brewing

· **AC**
100 -120V 800W
220 -240V 800W

· **Packing detail**

Gift Box: 308x203x350mm Carton: 631x421x370mm

· **4 Pcs/Ctn**

1x20GP: 1112pcs 1x40GP: 2252pcs 1x40HQ: 2572pcs



CM-828T

capacity 1.5L



Certificates: GS, CE, CB, ETL, RoHs, REACH, LFGB

Based on CM-828 with more functions:

- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

· **AC**
100 -120V 1000W
220 -240V 1000W

· **Packing detail**

Gift Box: 301x203x350mm Carton: 617x421x370mm

· **4 Pcs/Ctn**

1x20GP: 1176pcs 1x40GP: 2416pcs 1x40HQ: 2800pcs



Filter Coffee



CM-806

capacity 0.65L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Permanent filter with handle
- Detachable water tank with water level indicator
- ERP 40 mins auto-off after brewing
- Non-return valve to prevent water flow back when the water tank is detached
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse

· AC	· DC
100 -120V 600W	12V 170W
220 -240V 600W	24V 300W

· **Packing detail**

Gift Box: 250x185x275mm Carton: 570x515x295mm

· **6 Pcs/Ctn**

1x20GP: 2034pcs 1x40GP: 4212pcs 1x40HQ: 4608pcs



CM-921

capacity 1.25L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Permanent filter with handle
- Detachable water tank with water level indicator
- ERP 40 mins auto-off after brewing
- Non-return valve to prevent water flow back when the water tank is detached
- Auto keep warm with non-stick coated warming plate
- Overheat protection by thermostat and thermofuse
- Optional stainless steel decoration

· AC
100 -120V 1000W
220 -240V 1000W

· **Packing detail**

Gift Box: 290x210x330mm
Carton: 595x435x350mm

· **4 Pcs/Ctn**

1x20GP: 1188pcs
1x40GP: 2408pcs
1x40HQ: 2792pcs



CM-921W

capacity 1.0L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Double wall stainless steel thermo jug
- Convenient anti-drip valve
- Swing filter holder
- Water level indicator
- Permanent filter with handle
- Detachable water tank with water level indicator
- ERP auto-off after brewing
- Non-return valve to prevent water flow back when the water tank is detached
- Overheat protection by thermostat and thermofuse
- Optional stainless steel decoration

· **AC**

100 -120V 800W
220 -240V 800W

· **Packing detail**

Gift Box: 290x210x330mm Carton: 595x435x350mm

· **4 Pcs/Ctn**

1x20GP: 1188pcs 1x40GP: 2408pcs 1x40HQ: 2792pcs



CM-921T

capacity 1.25L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

Based on CM-921 with more functions:

- 24 hours presetting program function with LCD timer
- ERP 40 mins auto-off after brewing

· **AC**

100 -120V 1000W
220 -240V 1000W

· **Packing detail**

Gift Box: 290x210x330mm Carton: 595x435x350mm

· **4 Pcs/Ctn**

1x20GP: 1188pcs 1x40GP: 2408pcs 1x40HQ: 2792pcs



CM-921TW

capacity 1.0L



Certificates: GS, CE, CB, RoHs, REACH, LFGB

Based on CM-921W with more functions:

- 24 hours presetting program function with LCD timer
- ERP auto-off after brewing

· **AC**

100 -120V 800W
220 -240V 800W

· **Packing detail**

Gift Box: 290x210x330mm Carton: 595x435x350mm

· **4 Pcs/Ctn**

1x20GP: 1188pcs 1x40GP: 2408pcs 1x40HQ: 2792pcs



Filter Coffee



CM-913

capacity 1.25L



- Convenient anti-drip valve
 - Guide light water level system
 - Auto keep warm with non-stick coated warming plate
 - Overheat protection by thermostat and thermofuse
- **AC**
100 -120V 1000W
220 -240V 1000W
- **4 Pcs/Ctn**
1x20GP: 1352 pcs 1x40HQ: 3164 pcs
1x40GP: 2828 pcs

- Permanent filter with handle
 - ERP 40 minus auto-off after brewing
 - Stainless steel decoration
- **Packing detail**
Gift Box: 300x180x340mm
Carton: 615x375x360mm



CM-916

capacity 1.25L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Guide light water level system
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- ERP 40 minus auto-off after brewing
- Overheat protection by thermostat and thermo fuse
- Optional stainless steel decoration
- Optional single wall stainless steel jug

- **AC**
100 -120V 1000W
220 -240V 1000W

- **Packing detail**
Gift Box: 255x225x340mm
Carton: 690x525x360mm

- **6 Pcs/Ctn**
1x20GP: 1230pcs
1x40GP: 2784pcs
1x40HQ: 3024pcs



CM-307

capacity 0.65L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- ERP 40 minus auto-off after brewing
- Overheat protection by thermostat and thermofuse
- Optional stainless steel decoration
- Optional single wall stainless steel jug

- **AC**
100 -120V 600W
220 -240V 600W
- **DC**
12V 170W
24V 300W

- **Packing detail**
Gift Box: 215x195x275mm
Carton: 660x405x295mm

- **6 Pcs/Ctn**
1x20GP: 2046pcs
1x40GP: 4230pcs
1x40HQ: 4806pcs



· Single wall S.S. jug

Filter Coffee

CM-912 capacity 1.2L



Certificates: GS, CE, CB, ETL, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Permanent filter with handle
- "MAX" and "MIN" water level mark inside water tank
- Auto keep warm with non-stick coated warming plate
- ERP 40 mins auto-off after brewing
- Overheat protection by thermostat and thermo fuse

AC
100 -120V 800W
220 -240V 800W

Packing detail
Gift Box: 287x202x332mm Carton: 592x416x348mm

4 Pcs/Ctn
1x20GP: 1312pcs 1x40GP: 2708pcs 1x40HQ: 3116pcs



CM-306 capacity 0.65L



Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Swing filter holder
- Permanent filter with handle
- Auto keep warm with non-stick coated warming plate
- ERP 40 mins auto-off after brewing
- "MAX" water level mark inside water tank
- Overheat protection by thermostat and thermo fuse
- Optional single wall stainless steel jug

AC 100 -120V 600W 220 -240V 600W
DC 12V 170W 24V 300W

Packing detail
Gift Box: 230x155x273mm Carton: 480x245x565mm

6 Pcs/Ctn
1x20GP: 2472pcs 1x40GP: 5184pcs 1x40HQ: 5748pcs



• Carafe



• Single wall S.S. jug

CM-306Z capacity 0.65L



Certificates: GS, CE, CB, ETL, CCC, RoHs, REACH, LFGB

Based on CM-306 with one hour auto off function and UL commercial use approval

AC 100 -120V 600W 220 -240V 600W
DC 12V 170W 24V 300W

Packing detail
Gift Box: 230x155x273mm Carton: 480x245x565mm

6 Pcs/Ctn
1x20GP: 2472pcs 1x40GP: 5184pcs 1x40HQ: 5748pcs



Electric Kettle



T-810 capacity 1.0L

Certificates: GS, CE, RoHs, REACH, LFGB

- Automatically switch off when boiling
- Easy access touch control ON/OFF switch
- Boil dry safety cut-off & thermo fuse
- Lighted power 'ON' indicator
- Stainless steel heating element
- Lid or spout filling
- Available for car plug



· AC	· DC
100 -120V 1000W	12V 170W
220 -240V 1000W	24V 250W

· Packing detail
Gift Box: 175x95x215mm Carton: 400x190x445mm

· 8 Pcs/Ctn
1x20GP:6344pcs 1x40GP:13120pcs 1x40HQ:14144pcs



T-811 capacity 0.8L

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Automatically switch off when boiling
- Easy access touch control ON/OFF switch
- Boil dry safety cut-off & thermo fuse
- Lighted power 'ON' indicator
- Stainless steel heating plate
- Lid or spout filling
- Available for car plug



· AC	· DC
100 -120V 1000W	12V 170W
220 -240V 1000W	24V 300W

· Packing detail
Gift Box: 185x95x220mm Carton: 400x200x460mm

· 8 Pcs/Ctn
1x20GP:6152pcs 1x40GP:12520pcs 1x40HQ:13600pcs



CH-8133S capacity 1.3L

Certificates: RoHs, REACH, LFGB

- Stainless steel heating element
- Boil dry safety cut-off
- Power indicator
- Lid or spout filling
- Available for car plug
- Optional spray painted housing
- Dual indicators for each operation condition
- Automatic keep-warm

· AC	· DC
100 -120V 1000W	12V 170W
220 -240V 1000W	24V 250W

· Packing detail
Gift Box: 182x140x220mm Carton: 435x385x460mm

· 12 Pcs/Ctn
1x20GP: 4200pcs 1x40GP: 9000pcs 1x40HQ: 9000pcs

Tea Maker

CM-310 capacity 0.65L 

Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Permanent filter with handle
- Detachable water tank with water level indicator
- Non-return valve to prevent water flow back when the water tank is detached
- Auto keep warm with non-stick coated warming plate
- ERP 40 minus auto-off after brewing
- Overheat protection by thermostat and thermofuse
- Optional for coffee or tea funnel

· AC	· DC
100 -120V 650-800W	12V 170W
220 -240V 730-870W	24V 300W

· Packing detail
Gift Box: 281x184x275mm Carton: 582x382x302mm

· 4 Pcs/Ctn
1x20GP: 1512pcs 1x40GP: 3188pcs 1x40HQ: 3628pcs



CM-310B capacity 0.65L 

Certificates: GS, CE, CB, CCC, RoHs, REACH, LFGB

- Convenient anti-drip valve
- Permanent filter with handle
- Detachable water tank with water level indicator
- Non-return valve to prevent water flow back when the water tank is detached
- Auto keep warm with non-stick coated warming plate
- ERP 40 minus auto-off after brewing
- Overheat protection by thermostat and thermofuse

· AC	· DC
100 -120V 650-800W	12V 170W
220 -240V 730-870W	24V 300W

· Packing detail
Gift Box: 281x184x275mm Carton: 582x382x302mm

· 4 Pcs/Ctn
1x20GP: 1512pcs 1x40GP: 3188pcs 1x40HQ: 3628pcs



Kettle



T-817

capacity 1.5L

Certificates: GS,CE,CB,CCC,RoHs,REACH,LFGB

- Popup lid with water filter
- Splash proof lower housing for maximum safety
- Borosilicate glass body
- Hygienic concealed stainless steel heating element
- 360 degree "Otter" connector
- Automatic cut off after boiling
- Safety boil-dry cut off and over heating protector
- LED "ON/OFF" switch
- Auto "OFF" when kettle moved from cordless base
- Cord storage in base
- Optional SCHOTT glass jug from Germany

AC

100 -120V 1200 -1500W 220 -240V 2200W

Packing detail

Gift Box: 235x187x230mm Carton: 575x250x480mm

6 Pcs/Ctn

1x20GP:2340 pcs 1x40GP:4872pcs 1x40HQ:5460 pcs



T-817B

capacity 1.5L

Certificates: GS,CE,CB,CCC,RoHs,REACH,LFGB

- Popup lid with water filter
- Splash proof lower housing for maximum safety
- Borosilicate glass body
- Hygienic concealed stainless steel heating element
- 360 degree "Otter" connector
- Automatic cut off after boiling
- Safety boil-dry cut off and over heating protector
- LED "ON/OFF" switch
- Auto "OFF" when kettle moved from cordless base
- Cord storage in base
- Optional SCHOTT glass jug from Germany
- Stainless steel decoration on the cover

AC

100 -120V 1200 -1500W 220 -240V 2200W

Packing detail

Gift Box: 235x187x230mm Carton: 575x250x480mm

6 Pcs/Ctn

1x20GP:2340 pcs 1x40GP:4872pcs 1x40HQ:5460 pcs



Coffee Grinder



GD6000

capacity 50g

Certificate: GS,CE,CB,RoHs,REACH,LFGB

- Professional bean grinder
- Transparent top lid
- Twin stainless steel blades for even grinding
- Simple push button control
- Free Button press work mode for easy operation
- Not working when unit is uncovered to ensure the security
- Versatile Use for grinding different food ingredients
- Portable size fit for both household or travel use

· **AC** 100 - 120V 150W 220 - 240V 150W

· **Packing Detail:**

Gift box: 109x88x175mm Carton : 353x285x374mm

· **18 Pcs/Ctn:**

1x20GP: 13806pcs 1x40GP:28080pcs 1x40HQ:28080pcs



GD6001T

capacity 200g

Certificate: GS, CE, CB, RoHs, REACH, LFGB

- 200g removable Bean container
- With electronic scale
- With a one-button operation which simple to USE
- Stainless steel conical burrs design which Made of S.S (SUS 420J2(3Cr13) , the hardness level is above HRC50 degree
- Built-in overheating detection protects motor for long life
- Anti-static Conical Burr Coffee Grinder: The anti-static technology makes the ground coffee chamber mess-free, improving your user experience
- Automatic shutoff ensures a precise amount of ground coffee every time
- Grounds keeper holds up to 60 grams
- Use the single dial to switch between Cups Mode, Grams Mode, In Cups mode, you grind based on the number of cups of coffee you would like to brew
- No-bean detector won't let you grind if the hopper is empty
- Removable upper burr, hopper, chamber for easy to clean

- In Cups mode,you grind based on the number of cups of coffee you would like to brew.
- GD6001T No-bean detector won't let you grind if the hopper is empty.

· **AC**

100-120V 120W AC 220~240V 120W

· **Packing Detail:**

Gift Box: 260x187x358mm Carton: 538x380x370mm

· **4 Pcs/Ctn:**

1x20GP: 1484pcs 1x40GP: 3072pcs 1x40HQ: 3580pcs



GD6005 capacity **200g**

- Certificate: GS, CE, CB, RoHs, REACH, LFGB**
- Conical Burr Coffee Grinder.
 - 200g/0.45lb removable bean container.
 - Grounds keeper holds up to 100 grams.
 - With a one-button operation which simple to use.
 - Stainless steel conical burrs design.
 - Built-in overheating detection protects motor for long life.
 - Automatic shut off ensures a precise amount of ground coffee every time.
 - 17 precise grind settings from fine for espresso to coarse for French press or cold brew.
 - GD6005 use the single dial to switch between choose a single or double espresso or Cups Mode(2, 4, 6, 8, 10 CUPS).
 - GD6005 features continuous coffee grinding.
 - **AC** 100-127V 220-240V 140W-180W
 - **Packing detail**
Gift Box:330x150x292mm Carton:612x342x310mm
 - **4 Pcs/Ctn**
1X20GP:1652pcs 1X40GP: 3500 pcs 1X40HQ:4000pcs



Milk Frother



FM6307 capacity **250ML**

- Touch panel control
- Capable of frothing animal milk/plant-based milk
- Multi-functional milk frother, supporting latte art, milk frothing, milk heating, cold stirring, hot chocolate making, etc.
- Metal housing, featuring a high-end and stylish design
- Two-piece detachable design, the cup is dishwasher-safe, ensuring easy and convenient cleaning
- **AC** 100-120V 460W 220-240V 420-500W
- **Packing detail**
Gift Box:190x190x285mm Carton:390x390x296mm
- **4 Pcs/Ctn**
1X20GP:2104pcs 1X40GP: 4356 pcs 1X40HQ:4936pcs



FM6302B capacity **120ML**

Certificates: GS, CE, CB, RoHS, REACH, LFGB

- Milk Frothing and hot chocolate maker creates creamy froth for coffee, latte, cappuccino, hot chocolate and other enjoyable, flavorful milk creations.
- With Maximum milk capacity of 4.05oz/120ml for frothing
- With Maximum milk capacity of 8.45oz/250ml for heating
- With non-stick coating stainless steel jug
- One button control in two color indicator
- Red indicator for hot milk foam and heating milk by press 1 second
- Blue indicator for cold milk foam by press 3 seconds
- Double walled with plastic housing
- Oil dry protection function
- Transparent lid
- Without keep warm
- 360 degree cordless design
- Even and soft foam milk (0.21+-0.02g/cm)
- Quiet enough with noise level 70dB

· **AC** 100-120V 460W 220-240V 420-500W

· **Packing detail**

Gift Box:174x174x220mm Carton: 358x358x230mm

· **8 Pcs/Ctn**

1X20GP:3468pcs 1X40GP: 7360 pcs 1X40HQ:8444pcs

FM6302A capacity **120ML**

Certificates: GS, CE, CB, RoHS, REACH, LFGB

- Milk Frothing and hot chocolate maker creates creamy froth for coffee, latte, cappuccino, hot chocolate and other enjoyable, flavorful milk creations.
- With Maximum milk capacity of 4.05oz/120ml for frothing
- With Maximum milk capacity of 8.45oz/250ml for heating
- With non-stick coating stainless steel jug
- One button control in two color indicator
- Red indicator for hot milk foam and heating milk by press 1 second
- Blue indicator for cold milk foam by press 3 seconds
- Double walled with plastic housing
- Oil dry protection function
- Transparent lid
- Without keep warm
- 360 degree cordless design
- Even and soft foam milk (0.21+-0.02g/cm)
- Quiet enough with noise level 70dB

· **AC** 100-120V 460W 220-240V 420-500W

· **Packing detail**

Gift Box:174x174x220mm Carton: 358x358x230mm

· **8 Pcs/Ctn**

1X20GP:3468pcs 1X40GP: 7360 pcs 1X40HQ:8444pcs

FM6302C capacity **120ML**

Certificates: GS, CE, CB, RoHS, REACH, LFGB

- Milk Frothing and hot chocolate maker creates creamy froth for coffee, latte, cappuccino, hot chocolate and other enjoyable, flavorful milk creations.
- With Maximum milk capacity of 4.05oz/120ml for frothing
- With Maximum milk capacity of 8.45oz/250ml for heating
- With non-stick coating stainless steel jug
- One button control in two color indicator
- Red indicator for hot milk foam and heating milk by press 1 second
- Blue indicator for cold milk foam by press 3 seconds
- Double walled with plastic housing
- Oil dry protection function
- Transparent lid
- Without keep warm
- 360 degree cordless design
- Even and soft foam milk (0.21+-0.02g/cm)
- Quiet enough with noise level 70dB

· **AC** 100-120V 460W 220-240V 420-500W

· **Packing detail**

Gift Box:174x174x220mm Carton: 358x358x230mm

· **8 Pcs/Ctn**

1X20GP:3468pcs 1X40GP: 7360 pcs 1X40HQ:8444pcs

FM6302 capacity **120ML**

Certificates: GS, CE, CB, RoHS, REACH, LFGB

- Milk Frothing and hot chocolate maker creates creamy froth for coffee, latte, cappuccino, hot chocolate and other enjoyable, flavorful milk creations.
- With Maximum milk capacity of 4.05oz/120ml for frothing
- With Maximum milk capacity of 8.45oz/250ml for heating
- With non-stick coating stainless steel jug
- One button control in two color indicator
- Red indicator for hot milk foam and heating milk by press 1 second
- Blue indicator for cold milk foam by press 3 seconds
- Double walled with plastic housing
- Oil dry protection function
- Transparent lid
- Without keep warm
- 360 degree cordless design
- Even and soft foam milk (0.21+-0.02g/cm)
- Quiet enough with noise level 70dB

· **AC** 100-120V 460W 220-240V 420-500W

· **Packing detail**

Gift Box:174x174x220mm Carton: 358x358x230mm

· **8 Pcs/Ctn**

1X20GP:3468pcs 1X40GP: 7360 pcs 1X40HQ:8444pcs

Pour Over Set

HP-201

Crystal-clear high borosilicate carafe
 More optional different kinds of ceramic dripper for different kinds of filter paper
 Coffee aficionados agree that pour-over brewing makes the best coffee
 Brew coffee at the perfect temperature and regulate the flow of water with optimal turbulence of coffee grounds for ideal coffee extraction



This kit provides everything you need to savor the pour-over coffee experience —just add your favorite fresh grind. The manual brewing method offers complete control over brewing time and temperature, so your coffee is prepared exactly the way you like it.

· Packing detail

Gift Box: 306x212x168mm Carton: 598x440x351mm

· 4 Pcs/Ctn

1x20GP:2212 pcs 1x40GP:4596 pcs 1x40HQ:5340 pcs



HP6100

capacity 0.75L

Certificate: RoHS,REACH,LFGB

- High Borosilicate Glass
- Metal Filter
- Silicone Heatproof Design
- Leather Belt Decoration
- Fit For V02 Paper Filter
- Product Specification: 133x133x198mm
- Temperature Resistance: 150°C

· Packing detail

Gift Box: 170x170x253mm Carton: 532x348x273mm

· 6 Pcs/Ctn

1x20GP: 3066pcs 1x40GP: 6240pcs 1x40HQ: 7014pcs

Milk Warmer

This warmer is suitable for all liquids.
Do not be fooled by its name, it is capable of heating milk, hot chocolate, water, soup and any other liquid.



T-610B capacity 1.0L

Certificates: GS, CE, CB, RoHs, REACH, LFGB

- Automatic heating and warm keeping ,make sure the liquid is always warm
- ON/OFF switch with light
- Safety boil-dry cut off and overheating protector
- Aluminum alloy inner tank, make sure heating uniformly
- Teflon coat inner tank, more easily for cleaning
- Individual power cord connecting, convenience for using

- **AC** 100-120V 250W 220-240V 250W
- **Packing detail**
Gift Box: 200x150x210mm Carton: 470x220x435mm
- **6 Pcs/Ctn**
1x20GP: 3678pcs 1x40GP: 7470pcs 1x40HQ: 8928pcs



For heating milk, soup...and preparing hot chocolate
Skimming filter
Switch with LED light
Easy to clean.

Personal Blender



MJ6601B capacity 600mL for travel bottle 300g for mixing bowl

Certificate: GS,CE,CB,RoHs,REACH,LFGB

- 2 in 1 Multifunctional (Juicer & Grinder)
- BPA-free and Tritan bottle
- Portable bottle for traveling stainless
- Steel blades for even grinding
- Detachable blade for easy cleaning
- Mixing bowl with anti-slip silicone ring
- Big size glass mixing bowl

- Free Button press work mode for easy operation
- Versatile Use for grinding different food ingredients

· **AC** 230V 300W
· **Packing material:**
Gift box: 320x255x263mm Carton : 339x528x287mm

· **2 Pcs/Ctn:**
1x20GP: 1140 pcs 1x40GP: 2354 pcs 1x40HQ: 2654 pcs