




TV BRACKET



产品远销海外 得到全球客户青睐

Products have been sold home and abroad, well received by the customers.



Contents

固定一体系列Fixed Frame08-16

倾斜支架系列Tilt Mount17-21

CP万向伸缩系列Full Motion Mounts22-29


多功能吊架系列Ceiling Mount30-32

移动推车系列Trolley Stands33-39

桌面显示器支架系列
Desktop Monitor Mount42-49

TV RACK

N;T;B **series**




Fixed Frame
固定一体 系列



Distance to Wall
15mm

Fixed Frame 固定一体架

N2



Max Load Capacity
15KG/33lbs



Display Size
14"-32"



Min: **75x75(mm)**
Max: **100x100(mm)**



Distance to Wall
15mm

Parameter



Packing specification: **100PCS/CTN**

Outer box specification: **530mmx325mmx135mm**

N.W.: **15.9kg** / G.W.: **16.04kg**

Fixed Frame 固定一体架

T20



Max Load Capacity
25KG/55lbs



Display Size
14"-43"



Min: **57x27(mm)**
Max: **200x200(mm)**



Distance to Wall
22mm

Parameter

Packing specification: **40PCS/CTN**

Outer box specification: **570mmx300mmx260mm**



N.W.: **21.35kg** / G.W.: **21.98kg**



Distance to Wall
23mm

Fixed Frame
固定一体架

B27-N



Max Load Capacity
18KG/40lbs



Display Size
14"-43"



Min:**63x25(mm)**
Max:**250x200(mm)**



Distance to Wall
23mm

Parameter



Packing specification: **30PCS/CTN**

Outer box specification: **370mmx315mmx405mm**

N.W.: **12.6kg** / G.W.: **13.24kg**

Fixed Frame
固定一体架

B27-S



Max Load Capacity
20KG/44lbs



Display Size
14"-43"



Min:**63x25(mm)**
Max:**250x200(mm)**



Distance to Wall
23mm

Parameter

Packing specification: **30PCS/CTN**

Outer box specification: **370mmx315mmx405mm**



N.W.: **13.8kg** / G.W.: **14.14kg**



Distance to Wall
23mm

Fixed Frame
固定一体架

T50-A



Max Load Capacity
50KG/110lbs



Display Size
26"-60"



Min: **16x25(mm)**
Max: **400x400(mm)**



Distance to Wall
23mm

Parameter


Packing specification: **20PCS/CTN**

Outer box specification: **482mmx242mmx392mm**

N.W.: **18.2kg** / G.W.: **18.75kg**

Fixed Frame
固定一体架

T50-S



Max Load Capacity
35KG/77lbs



Display Size
26"-60"



Min: **16x25(mm)**
Max: **400x400(mm)**



Distance to Wall
23mm

Parameter

Packing specification: **20PCS/CTN**

Outer box specification: **482mmx242mmx392mm**



N.W.: **16.4kg** / G.W.: **16.8kg**



Distance to Wall
24mm

Fixed Frame 固定一体架

T52-A



Max Load Capacity
50KG/110lbs



Display Size
26"-65"



Min:**34x28(mm)**
Max:**400x400(mm)**



Distance to Wall
24mm

Parameter



Packing specification: **20PCS/CTN**

Outer box specification: **480mmx275mmx260mm**

N.W.: **22.5kg** / G.W.: **23kg**

Fixed Frame 固定一体架

B42-4



Max Load Capacity
50KG/110lbs



Display Size
26"-65"



Min:**50x50(mm)**
Max:**400x400(mm)**



Distance to Wall
23mm

Parameter

Packing specification: **15PCS/CTN**

Outer box specification: **495mmx385mmx235mm**



N.W.: **19.2kg** / G.W.: **19.56kg**



Distance to Wall
23mm

Fixed Frame 固定一体架

T43



Max Load Capacity
50KG/110lbs



Display Size
26"-65"



Min:**27x35(mm)**
Max:**400x400(mm)**



Distance to Wall
23mm

Parameter



Packing specification: **15PCS/CTN**

Outer box specification: **475mmx375mmx185mm**

N.W.: **21.12kg** / G.W.: **21.62kg**

Fixed Frame 固定一体架

T53



Max Load Capacity
50KG/110lbs



Display Size
32"-75"



Min:**27x35(mm)**
Max:**600x400(mm)**



Distance to Wall
24mm

Parameter

Packing specification: **10PCS/CTN**

Outer box specification: **675mmx265mmx185mm**

N.W.: **18.5kg** / G.W.: **18.68kg**





Distance to Wall
24mm



Built in Level

Fixed Frame 固定一体架

B64



Max Load Capacity
50KG/110lbs



Display Size
32"-70"



Min:**27x35(mm)**
Max:**600x400(mm)**



Distance to Wall
24mm

Parameter




Packing specification: **10PCS/CTN**

Outer box specification: **670mmx260mmx235mm**

N.W.: **17.2kg** / G.W.: **17.7kg**

Fixed Frame 固定一体架

T70-5



Max Load Capacity
65KG/143lbs



Display Size
40"-80"



Min:**26x120(mm)**
Max:**600x500(mm)**



Distance to Wall
25mm

Parameter

Packing specification: **10PCS/CTN**

Outer box specification: **690mmx290mmx208mm**

N.W.: **17.6kg** / G.W.: **18.38kg**





Distance to Wall
30mm



Built in Level

Fixed Frame
固定一体架

B75



30



Max Load Capacity
75KG/165lbs



Display Size
42"-85"



Min: **85(mm)x35(mm)**
Max: **600(mm)x500(mm)**



Distance to Wall
30mm

Parameter



Packing specification: **8PCS/CTN**

Outer box specification: **670mmx295mmx238mm**

N.W.: **19.68kg** / G.W.: **20.26kg**

Fixed Frame
固定一体架

B85



30



Max Load Capacity
100KG/220lbs



Display Size
42"-90"



Min: **82x35(mm)**
Max: **700x500(mm)**



Distance to Wall
30mm

Parameter

Packing specification: **5PCS/CTN**

Outer box specification: **805mmx190mmx225mm**

N.W.: **16.3kg** / G.W.: **16.74kg**






Distance to Wall
38mm



Built in Level

Fixed Frame
固定一体架

892



Max Load Capacity
120KG/264lbs



Display Size
50"-120"



Min:**55x34(mm)**
Max:**900x600(mm)**



Distance to Wall
38mm


Parameter

Packing specification: **5PCS/CTN**

Outer box specification: **1020mmx185mmx240mm**

N.W.: **23.3kg** / G.W.: **23.8kg**






Tilt Mount
倾斜支架系列



Distance to Wall
52mm




Display Tilt Angle
-15°~15°



Built in Level

Tilt Mount
倾斜支架

C30



Max Load Capacity
25KG/55lbs



Display Size
14"-43"



Min:**45x25(mm)**
Max:**200x200(mm)**



Distance to Wall
52mm

Parameter


Packing specification: **20PCS/CTN**

Outer box specification: **490mmx300mmx255mm**

N.W.: **15.4kg** / G.W.: **16kg**

Tilt Mount
倾斜支架

C40



Max Load Capacity
30KG/66lbs



Display Size
26"-60"



Min:**25x60(mm)**
Max:**400x400(mm)**



Distance to Wall
52mm

Parameter


Packing specification: **20PCS/CTN**

Outer box specification: **480mmx355mmx260mm**

N.W.: **21.8kg** / G.W.: **22.74kg**



Distance to Wall
47.5mm





Display Tilt Angle
-15°~15°



Built in Level

Tilt Mount
倾斜支架

C43



Max Load Capacity
60KG/132lbs



Display Size
26"-65"



Min:**30x80(mm)**
Max:**400x400(mm)**



Distance to Wall
47.5mm

Parameter



Packing specification: **10PCS/CTN**

Outer box specification: **470mmx435mmx185mm**

N.W.: **17kg** / G.W.: **17.64kg**

Tilt Mount
倾斜支架

C45



Max Load Capacity
50KG/110lbs



Display Size
26"-65"



Min:**20x28(mm)**
Max:**400x400(mm)**



Distance to Wall
64mm

Parameter


Packing specification: **10PCS/CTN**

Outer box specification: **500mmx385mmx235mm**

N.W.: **17.43kg** / G.W.: **18.14kg**



Distance to Wall
47.5mm





Display Tilt Angle
-15°~15°



Built in Level

Tilt Mount
倾斜支架

C53



Max Load Capacity
75KG/165lbs



Display Size
32"-75"



Min:**80x30(mm)**
Max:**600x400(mm)**



Distance to Wall
47.5mm

Parameter


Packing specification: **8PCS/CTN**

Outer box specification: **670mmx350mmx185mm**

N.W.: **17.16kg** / G.W.: **17.84kg**

Tilt Mount
倾斜支架

C55



Max Load Capacity
60KG/120lbs



Display Size
32"-75"



Min:**48x20(mm)**
Max:**600x400(mm)**



Distance to Wall
64mm

Parameter


Packing specification: **8PCS/CTN**

Outer box specification: **675mmx310mmx235mm**

N.W.: **17.45kg** / G.W.: **18.16kg**



Distance to Wall
70mm




Display Tilt Angle
-15°~15°



Built in Level

Tilt Mount 倾斜支架

C65



Max Load Capacity
100KG/220lbs



Display Size
42"-85"



Min: **115x35(mm)**
Max: **700x500(mm)**



Distance to Wall
70mm

Parameter


Packing specification: **5PCS/CTN**

Outer box specification: **800mmx245mmx225mm**

N.W.: **19.2kg** / G.W.: **19.84kg**




CP series
Full Motion Mounts
CP万向伸缩 系列





Distance to Wall
65-300mm




Display Tilt Angle
-15°~15°



Built in Level

Full Motion Mounts
上下左右伸缩架

CP101



Max Load Capacity
10KG/22lbs



Display Size
14"-27"



Min: **50x50(mm)**
Max: **100x100(mm)**



Distance to Wall
65mm-300mm

Parameter



Packing specification: **20PCS/CTN**

Outer box specification: **470mmx205mmx290mm**

N.W.: **12.4kg** / G.W.: **12.84kg**

Full Motion Mounts
上下左右伸缩架

CP302



Max Load Capacity
18KG/40lbs



Display Size
14"-43"



Min: **50x50(mm)**
Max: **200x200(mm)**





Distance to Wall
60mm-430mm

Parameter


Packing specification: **10PCS/CTN**

Outer box specification: **480mmx245mmx315mm**

N.W.: **15.14kg** / G.W.: **15.74kg**





Arm adjustment angle: 180°



Full Motion Mounts 上下左右伸缩架

CP303



Parameter



Packing specification: 8PCS/CTN

Outer box specification: 515mmx245mmx268mm

N.W.: 17.6kg / G.W.: 18.1kg

Full Motion Mounts 上下左右伸缩架

CP305S





Parameter

Packing specification: 8PCS/CTN

Outer box specification: 480mmx320mmx245mm

N.W.: 20kg / G.W.: 20.45kg






Arm adjustment angle: 180°



Full Motion Mounts 上下左右伸缩架

CP306-S



Parameter



Packing specification: 10PCS/CTN

Outer box specification: 470mmx250mmx250mm

N.W.:10.9kg / G.W.: 11.35kg

Full Motion Mounts 上下左右伸缩架

CP306-S-4





Parameter

Packing specification: 10PCS/CTN

Outer box specification: 470mmx250mmx250mm

N.W.:13.35kg / G.W.: 13.8kg





Arm adjustment angle:180°,
base adjustment angle:180°



Full Motion Mounts 上下左右伸缩架

CP412A



Parameter



Packing specification: **4PCS/CTN**

Outer box specification: **470mmX310mmX180mm**

N.W.: **16.4kg** / G.W.: **17kg**

Full Motion Mounts 上下左右伸缩架

CP412S





Parameter


Packing specification: **4PCS/CTN**

Outer box specification: **470mmX310mmX180mm**

N.W.: **14kg** / G.W.: **14.5kg**








Arm adjustment angle:180°,
base adjustment angle:180°



Full Motion Mounts 上下左右伸缩架

CPS12A



-  Max Load Capacity
45KG/99lbs
-  Display Size
32"-85"
-  Min:**30x50(mm)**
Max:**600x400(mm)**
-  Distance to Wall
80mm-400mm

Parameter


Packing specification: **4PCS/CTN**





Outer box specification: **670mmX310mmX180mm**

N.W.: **19.5kg** / G.W.: **20kg**

Full Motion Mounts 上下左右伸缩架

CPS12S



-  Max Load Capacity
30KG/66lbs
-  Display Size
42"-75"
-  Min:**30x50(mm)**
Max:**600x400(mm)**
-  Distance to Wall
80mm-360mm

Parameter

Packing specification: **4PCS/CTN**

Outer box specification: **670mmx310mmx180mm**

N.W.: **16 kg** / G.W.: **16.5kg**

Display Tilt Angle
-15°~15°


Arm Swivel Range
-90°~90°

Arm adjustment angle:180°,
base adjustment angle:180°

Built in Level

Full Motion Mounts 上下左右伸缩架


CP614



- MAX** Max Load Capacity
60KG/132lbs
- Display Size
32"-85"
- VESA** Min: **100x200(mm)**
Max: **600x400(mm)**
- Distance to Wall
67mm-375mm

Full Motion Mounts 上下左右伸缩架

CP616



- MAX** Max Load Capacity
60KG/132lbs
- Display Size
32"-85"
- VESA** Min: **100x200(mm)**
Max: **600x400(mm)**
- Distance to Wall
67mm-600mm

Display Tilt Angle
-15°~15°


Arm Swivel Range
-90°~90°





Arm adjustment angle: 180°
base adjustment angle: 180°

Built in Level

Full Motion Mounts 上下左右伸缩架

CP646



-  Max Load Capacity
80KG/176lbs
-  Display Size
42"-80"
-  Min: **100x200(mm)**
Max: **600x400(mm)**
-  Distance to Wall
80mm-650mm

Parameter


Packing specification: 1 PCS/CTN





Outer box specification: 705mmx270mmx85mm

N.W.: 8.25kg / G.W.: 8.85kg

Full Motion Mounts 上下左右伸缩架

CP846



-  Max Load Capacity
80KG/176lbs
-  Display Size
52"-98"
-  Min: **30x80(mm)**
Max: **800x400(mm)**
-  Distance to Wall
80mm-650mm

Parameter

Packing specification: 1 PCS/CTN

Outer box specification: 705mmx270mmx75mm

N.W.: 8.5kg / G.W.: 9.25kg

Display Tilt Angle
-15°~15°


Arm Swivel Range
-90°~90°

Arm adjustment angle:180°,
base adjustment angle:180°

Built in Level

Full Motion Mounts 上下左右伸缩架

CP643



Max Load Capacity
MAX 40KG/88lbs

Display Size
32"-80"

VESA
Min: **30x85(mm)**
Max: **600x400(mm)**

Distance to Wall
85mm-850mm

Parameter

Packing specification: **1PCS/CTN**

Outer box specification: **690mmx270mmx85mm**

N.W.: **7kg** / G.W.: **7.6kg**



D series



Ceiling Mount
多功能吊架 系列

Ceiling Mount
多功能吊架

DN02



Max Load Capacity
30KG/66lbs



Display Size
14"-42"



Min: **75x75(mm)**
Max: **200x200(mm)**



Height adjustment
630mm-920mm

Parameter


Packing specification: **5PCS/CTN**

Outer box specification: **470mmx300mmx248mm**

N.W.: **10.1kg** / G.W.: **10.5kg**

Ceiling Mount
多功能吊架

DN04



Max Load Capacity
30KG/66lbs



Display Size
26"-55"



Min: **75x75(mm)**
Max: **400x400(mm)**



Height adjustment
760mm-1026mm

Parameter


Packing specification: **6PCS/CTN**

Outer box specification: **460mmx405mmx180mm**

N.W.: **15.48kg** / G.W.: **15.98kg**

Ceiling Mount 多功能吊架

DN06



Max Load Capacity
30KG/66lbs



Display Size
32"-65"



Min: **75x750(mm)**
Max: **600x400(mm)**




Height adjustment
745mm-920mm

Parameter

Packing specification: **5PCS/CTN**

Outer box specification: **675mmx295mmx245mm**

N.W.: **17kg** / G.W.: **17.6kg**




Y series
Trolley Stands
移动推车 系列

Trolley Stands

移动推车

Y609S



Max Load Capacity
25KG/55lbs



Display Size
32"-55"



Min:100x100(mm)
Max:400x400(mm)

Parameter

Packing specification: 1PCS/CTN


Outer box specification: 650mmx250mmx95mm

N.W.: 6.4kg / G.W.: 6.9kg

Trolley Stand:

移动推车

Y609A



Max Load Capacity
40KG/88lbs



Display Size
32"-65"



Min:100x100(mm)
Max:600x400(mm)

Parameter

Packing specification: 1PCS/CTN


Outer box specification: 650mmx256mmx95mm

N.W.: 8.33kg / G.W.: 8.7kg

Trolley Stands

移动推车

Y800



Max Load Capacity
50KG/110lbs



Display Size
32"-75"



Min: **100x100(mm)**
Max: **600x400(mm)**

Parameter

Packing specification: **1PCS/CTN**



Outer box specification: **1445mmx530mmx55mm**

N.W.: **11kg** / G.W.: **12.1kg**

Trolley Stands

移动推车

Y806



Max Load Capacity
100KG/220lbs



Display Size
50"-98"



Min: **200x200(mm)**
Max: **900x600(mm)**

Parameter

Packing specification: **1PCS/CTN**



Outer box specification: **1520mmx610mmx60mm**

N.W.: **21kg** / G.W.: **22.5kg**

Trolley Stands

移动推车

Y810



Max Load Capacity
120KG/264lbs



Display Size
50"-120"



Min:**30x60(mm)**
Max:**900x600(mm)**

Parameter

Packing specification: **1PCS/CTN**




Outer box specification: **1490mmx510mmx88mm**

N.W.: **26.8kg** / G.W.: **29.3kg**

Trolley Stands

移动推车

Y900



Max Load Capacity
150KG/330lbs



Display Size
52"-150"



Min:**34x55(mm)**
Max:**1150x600(mm)**

Parameter

Packing specification: **1PCS/CTN**


Outer box specification: **1515mmX620mmX95mm**

N.W.: **38.1kg** / G.W.: **40.5kg**

Trolley Stands

移动推车

YW01



单位: mm



Max Load Capacity
35KG/77lbs



Display Size
32"-65"



Min: **100x100(mm)**
Max: **600x400(mm)**

Parameter

Packing specification: **1PCS/CTN**


Outer box specification: **875mmx565mmx108mm**

N.W.: **17kg** / G.W.: **18kg**

Trolley Stands

移动推车

DW01



单位: mm



Max Load Capacity
40KG/77lbs



Display Size
32"-65"



Min: **100x100(mm)**
Max: **600x400(mm)**

Parameter

Packing specification: **1PCS/CTN**


Outer box specification: **875mmx565mmx108mm**

N.W.: **14.9kg** / G.W.: **16.7kg**

Trolley Stands

移动推车

YW04



Max Load Capacity
35KG/77lbs



Display Size
32"-65"



Min: **100x100(mm)**
Max: **600x400(mm)**

Parameter

Packing specification: **1PCS/CTN**


Outer box specification: **715mmx450mmx87mm**

N.W.: **9.65kg** / G.W.: **10.4kg**

Trolley Stands

人型推车

YR10



Max Load Capacity
120KG/264lbs



Display Size
42"-86"



Min: **100x100(mm)**
Max: **1000x600(mm)**

Parameter


Packing specification: **1PCS/CTN**

Outer box specification: **1122mmx810mmx170mm**

N.W.: **18.3kg** / G.W.: **22kg**

TV Desktop Shelf 电视桌面架

DW02



产品名称:电视桌面架

Product Name: TV Desktop Stand

产品承重: 30KG(MAX)

Product Load Capacity: 30KG (MAX)

装箱数量: 5套/箱

Packing quantity: 5 sets/carton

最大孔距: 400x400mm

Maximum VESA: 400x400mm

产品毛重: 3.4KG

Product gross weight: 3.4KG

内盒尺寸: 476x268x76MM

Inner box size: 476x268x76MM

参考尺寸: 26" -55" 平板电视

Suitable size: 26"-55" flat screen TV

Parameter


Packing specification: 5PCS/CTN

Outer box specification: 490mmx400mmx285mm

N.W.: 18kg / G.W.: 18.8kg

Height Adjustment Desk 升降书桌

S-M01



Max Load Capacity

30KG/66lbs

MODEL: S-M01

MANUAL ADJUSTABLE DESK


QTY: 1 SET

N.W./G.W.: 11.95/12.4 KGS

MEAS.: 720X545X105(mm)

AIR CONDITIONER BRACKET
空调外机支架

AC1512



适用:1-2匹
适合孔距:17.5-36cm
材料: 1.5mm厚优质冷轧钢板
Applies to: 1-2 HP
VESA: 17.5 - 36 cm
Material: 1.5 mm thickness cold rolled steel

AIR CONDITION BRACKET
SUITABLE FOR 1-2P AIR CONDITION
MODEL NO. : AC1512
CAPACITY : 9000-18000BTU

Q'TY:	8PCS
MEAS:	468X205X165(mm)
N.W:	16.5KGS
G.W:	17KGS

AIR CONDITIONER BRACKET
空调外机支架

AC1523



适用:2-3匹
适合孔距:26-44cm
材料: 1.5mm厚优质冷轧钢板
Applies to: 2-3 HP
VESA: 26 - 44 cm
Material: 1.5 mm thickness cold rolled steel



AIR CONDITION BRACKET
SUITABLE FOR 2-3P AIR CONDITION
MODEL NO. : AC1523
CAPACITY : 18000-24000BTU

Q'TY:	6PCS
MEAS:	560X205X125(mm)
N.W:	13.8KGS
G.W:	14.3KGS

SCREEN SHELF

多功能置物架

Q06



产品名称	屏幕置物架	产品颜色	黑色
产品材质	ABS	产品重量	173
产品尺寸	300X125mm	包装尺寸	135x310x55mm

Parameter

Packing specification: **30PCS/CTN**


Outer box specification:

580mmx325mmx412mm

N.W.: 7.8kg / G.W.: 8.5kg

Load Quantity:

P series





Desktop Monitor Mount
桌面显示器支架系列


Desktop Monitor Mount 桌面显示器支架

PS80

 Tilt Range +60°~-60°	 Rotation Angle +180°~-180	 Height Adjustment 0-400mm	 VESA 75*75 100*100	 Fit Screen Size 13"-32"	 Weight Capacity 9KG
--	---	---	--	---	---



Item NO.	PS80
Screen Size	13"-32"
Max Load Capacity	2-9kg
Inner box specifications	407x205x112mm
Carton Size	420x355x430mm
N.W/G.W	17.1KG/17.6KG
Q'TY	6PCS/CTN




Desktop Monitor Mount 桌面显示器支架

PM50



- 
 Tilt Range
+60°~-60°
- 
 Rotation Angle
+180°~-180
- 
 Height Adjustment
0-400mm
- 
 VESA
75*75 100*100
- 
 Fit Screen Size
13"-32"
- 
 Weight Capacity
9KG










Item NO.	PM50
Screen Size	13"-32"
Max Load Capacity	9kg
Inner box specifications	438x157x72mm
Carton Size	450x310x335mm
N.W/G.W	17.8KG/18.1KG
Q'TY	8PCS/CTN

Desktop Monitor Mount 桌面显示器支架

PM100



- 
 Tilt Range
+60°~-60°
- 
 Rotation Angle
+180°~-180
- 
 Height Adjustment
0-400mm
- 
 VESA
75*75 100*100
- 
 Fit Screen Size
13"-32"
- 
 Weight Capacity
9KG



Item NO.	PM100
Screen Size	13"-32"
Max Load Capacity	9kg
Inner box specifications	432x205x76mm
Carton Size	445x245x430mm
N.W/G.W	16.8KG/17.3KG
Q'TY	6PCS/CTN

Desktop Monitor Mount 桌面显示器支架

PM150



Tilt Range
+85°~-85°



Rotation Angle
+180°~-180



Height Adjustment
0-400mm





VESA
75*75 100*100



Fit Screen Size
13"-27"



Weight Capacity
8KG



3 joints design

Cable Clip

Stable Base

Item NO.	PM150
Screen Size	13"-27"
Weight Capacity	8kg
Dimension	1443 x400 x80mm
Material	Steel/Plastic
Carton Size	750 x375 x120mm
Mail Box Size	695 x190 x85mm

Desktop Monitor Mount 桌面显示器支架

PM200



Tilt Range
+85°~-85°



Rotation Angle
+180°~-180



Height Adjustment
0-800mm




VESA
75*75 100*100



Fit Screen Size
13"-27"



Weight Capacity
8KG










Item NO.	PM200
Screen Size	13"-27"
Weight Capacity	8kg
Dimension	800 x400 x100mm
Material	Steel/Plastic
Carton Size	465x440 x210mm
Mail Box Size	445x190 x100mm

Desktop Monitor Mount 桌面显示器支架

PM50S



 Tilt Range +85°~-85°	 Rotation Angle +180°~-180	 Height Adjustment 0-400mm	 VESA 75*75 100*100	 Fit Screen Size 13"-27"	 Weight Capacity 8KG
--	---	---	--	---	---










Item NO.	PM50S
Screen Size	13"-27"
Weight Capacity	8kg
Dimension	400 x400 x100mm
Material	Steel/Plastic
Carton Size	465x420 x145mm
Mail Box Size	445x130 x100mm

Desktop Monitor Mount 桌面显示器支架

PM100S



 Tilt Range +85°~-85°	 Rotation Angle +180°~-180	 Height Adjustment 0-800mm	 VESA 75*75 100*100	 Fit Screen Size 13"-27"	 Weight Capacity 8KG
--	---	---	--	---	---



Item NO.	PM100S
Screen Size	13"-27"
Weight Capacity	8kg
Dimension	100 x400 x800mm
Material	Steel/Plastic
Carton Size	465x420 x145mm
Mail Box Size	445x130 x100mm

Desktop Monitor Mount 桌面显示器支架

DM100S



Tilt Range
+85°~-85°



Rotation Angle
+180°~-180°



Height Adjustment
0-800mm




VESA
75*75 100*100



Fit Screen Size
13"-27"




Weight Capacity
8KG



Item NO.	DM100S
Screen Size	13"-27"
Weight Capacity	8kg
Dimension	800 x400 x100mm
Material	Steel/Plastic
Carton Size	465x420 x145mm
Mail Box Size	445x130 x100mm

Desktop Monitor Mount 桌面显示器支架

PM100T



Tilt Range
+85°~-85°



Rotation Angle
+180°~-180°



Height Adjustment
0-800mm




VESA
75*75 100*100



Fit Screen Size
13"-27"



Weight Capacity
8KG



Item NO.	PM100T
Screen Size	13"-27"
Weight Capacity	8kg
Dimension	500 x300 x400mm
Material	Steel/Plastic
Carton Size	445x330 x310mm
Mail Box Size	420 x290 x75mm

