



ROBOT KITCHEN

CHEF Z



Core Competencies


Multimodal Intelligent Perception Interaction System: Dynamic expression elements and human-like interaction.

Equipped with an embodied control algorithm driven by simulation and real data, achieving millisecond-level response times and real-time task rescheduling, thus completing actions nearly as efficiently as human beings.

The lightweight chassis with an intelligent energy-saving algorithm, allowing for 4-6 hours of enduring operation. Equipped with AI-driven navigation control algorithms for autonomous navigation and obstacle avoidance, responding smoothly and quickly to movement commands, ensuring accurate positioning and safe human-robot collaboration.



- Ambisonic Microphone
- Stereo Depth Camera
- Facial Expression Display
- Loudspeaker



- Humanoid Arms
- Waist with Full DoF
- Dexterous Hands
- HPC Module



- Ambisonic Microphone
- A streamlined humanoid silhouette, complemented by soft tones and high-gloss surface, embodying warmth and advanced technology.

COOKING ROBOT

Model

K30

7" TFT
Touch Screen



37-180 °C
Temperature Range

10000+
Global Cuisines
Multilingual Support

Model

K35

7" TFT
Touch Screen



37-180 °C
Temperature Range

10000+
Global Cuisines
Multilingual Support

Main Feature	
Jar Capacity : 2L/3.3L(MAX)	Net Weight : 7.5 KG
Product Size : 437*242*336mm	Built-in Scale : YES
Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/RED/ETL/CETL/FCC/IC/LFGB/DGCCRF/RoHS/REACH/PAHS	

Components

- Main Body
- 1 Multifunction Blade
- 2 Kneading Blade
- 3 Saute Blade
- 4 Steamer
- 5 Butterfly Whisk
- 6 Filter Basket
- 7 Blade Base
- 8 Spatula 1

Main Feature	
Jar Capacity : 3L/4.7L(MAX)	Net Weight : 7.5 KG
Product Size : 445*315*360mm	Built-in Scale : YES
Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/GS/RED/ETL/CETL/FCC/IC/LFGB/DGCCRF/RoHS/REACH/PAHS	

Components

- Main Body
- 1 Multifunction Blade
- 2 Kneading Blade
- 3 Saute Blade
- 4 Steamer
- 5 Butterfly Whisk
- 6 Filter Basket
- 7 Blade Base
- 8 Spatula 1

COOKING ROBOT

Model

K31 LED



 **LED**
Screen Display

 **37-120°C**
Temperature Range

 **10000+**
Global Cuisines
Multilingual Support

Model


K31 TFT



 **37-180°C**
Temperature Range

 **10000+**
Global Cuisines
Multilingual Support

 **5" TFT**
Touch Screen

Main Feature	
Jar Capacity : 2L/3L;3.3L(MAX)/4.7L(MAX)	Net Weight : 7.0 KG
Product Size : 440*272*305mm/440*320*340mm	Built-in Scale : YES
Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/RED/ETL/CETL/FCC/IC/LFGB/DGCCRF/RoHS/REACH/PAHS	
Components	
<ul style="list-style-type: none"> Main Body 1 Multifunction Blade 2 Kneading Blade 3 Saute Blade 4 Steamer 5 Butterfly Whisk 6 Filter Basket 7 Blade Base 8 Spatula 1 	
	

Main Feature	
Jar Capacity : 2L/3L;3.3L(MAX)/4.7L(MAX)	Net Weight : 7.2 KG
Product Size : 440*320*340mm/440*272*305mm	Built-in Scale : YES
Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/RED/ETL/CETL/FCC/IC/LFGB/DGCCRF/RoHS/REACH/PAHS	
Components	
<ul style="list-style-type: none"> Main Body 1 Multifunction Blade 2 Kneading Blade 3 Saute Blade 4 Steamer 5 Butterfly Whisk 6 Filter Basket 7 Blade Base 8 Spatula 1 	
	

COOKING ROBOT

Model

K33

 7" TFT
Touch Screen



 **37-120 °C**
Temperature Range

 **10000+**
Global Cuisines
Multilingual Support

Model

K34

 7" TFT
Touch Screen



 **37-180 °C**
Temperature Range

 **10000+**
Global Cuisines
Multilingual Support

Main Feature

Jar Capacity : 3L/4.7 L(MAX)

Net Weight : 7.5 KG

Product Size : 445*315*360mm

Built-in Scale : YES

Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)

Certificate : CE/CB/RED/ETL/CETL/FCC/IC/LFGB/DGCCRF/RoHS/REACH/PAHS

Components

- Main Body
- 1 Multifunction Blade
- 2 Kneading Blade
- 3 Saute Blade
- 4 Steamer
- 5 Butterfly Whisk
- 6 Filter Basket
- 7 Blade Base
- 8 Spatula 1



Main Feature

Jar Capacity : 3L/4.7 L(MAX)

Net Weight : 7.5 KG

Product Size : 445*315*346mm

Built-in Scale : YES

Rated Power : 1850W (Motor:350W ; Heating:1500W) (Adjustable Heating Power)

Certificate : CE/CB/RED/LFGB/DGCCRF/RoHS/REACH/PAHS

Components

- Main Body
- 1 Cleaning Brush
- 2 S Blade
- 3 Kneading Blade
- 4 Food Processor
- 5 Double Whisk
- 6 3D Sauté Blade
- 7 Filter Basket
- 8 Steamer
- 9 Spatula 1



COOKING ROBOT

Model

K23



LED
Screen Display

37-120 °C
Temperature Range

10000+
Global Cuisines
Multilingual Support

Model

K29



7" TFT
Touch Screen

37-180 °C
Temperature Range

10000+
Global Cuisines
Multilingual Support

Main Feature	
Jar Capacity : 2L/3.3L(MAX)	Net Weight : 6.6 KG
Product Size : 420*420*435mm	Built-in Scale : YES
Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/RED/LFGB/DGCCRF/RoHS/REACH	

Components

- Main Body
- 1 Multifunction Blade
- 2 Kneading Blade
- 3 Steamer
- 4 Butterfly Whisk
- 5 Filter Basket
- 6 Blade Base
- 7 Spatula 1

Main Feature	
Jar Capacity : 2L/3.3L(MAX)	Net Weight : 6.9 KG
Product Size : 406*270*352mm	Built-in Scale : YES
Rated Power : 1750W (Motor:750W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/GS/RED/ETL/CETL/FCC/IC/LFGB/DGCCRF/FDA/RoHS/REACH/PAHS	

Components

- Main Body
- 1 Multifunction Blade
- 2 Kneading Blade
- 3 Saute Blade
- 4 Cleaning Brush
- 5 Steamer
- 6 Butterfly Whisk
- 7 Filter Basket
- 8 Blade Base
- 9 Spatula 1

COOKING ROBOT

Model


K15



LED
Screen Display

37-120°C
Temperature Range

10000+
Global Cuisines
Multilingual Support

Main Feature	
Jar Capacity : 2L/3.3L(MAX)	Net Weight : 7.1 KG
Product Size : 470*330*430mm	Built-in Scale : YES
Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/RED/LFGB/DGCCRF/RoHS/REACH	
Components	
<ul style="list-style-type: none"> Main Body 1 Multifunction Blade 2 Kneading Blade 3 Steamer 4 Butterfly Whisk 5 Filter Basket 6 Spatula 1 	

Model


K21



37-180°C
Temperature Range

10000+
Global Cuisines
Multilingual Support

7" TFT
Touch Screen

Main Feature	
Jar Capacity : 2L/3.3L(MAX)	Net Weight : 9.5 KG
Product Size : 490*315*350mm	Independent Scale
Rated Power : 2000W (Motor:1000W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/RED/LFGB/DGCCRF/RoHS/REACH	
Components	
<ul style="list-style-type: none"> Main Body 1 Multifunction Blade 2 Kneading Blade 3 Steamer 4 Butterfly Whisk 5 Filter Basket 6 Spatula 1 	

COOKING ROBOT

Model

K16



 **LED**
Screen Display

 **37-120 °C**
Temperature Range

 **10000+**
Global Cuisines
Multilingual Support

Model


K08




 **37-120 °C**
Temperature Range

 **10000+**
Global Cuisines
Multilingual Support

 **LCD**
Screen Display

Main Feature	
Jar Capacity : 2L/3.3L(MAX)	Net Weight : 7.2 KG
Product Size : 445*315*360mm	Built-in Scale : YES
Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/RED/LFGB/DGCCRF/RoHS/REACH	
Components	
<ul style="list-style-type: none"> Main Body 1 Multifunction Blade 2 Kneading Blade 3 Steamer 4 Butterfly Whisk 5 Filter Basket 6 Spatula 1 	
	

Main Feature	
Jar Capacity : 2L/3.3L(MAX)	Net Weight : 6.9 KG
Product Size : 470*330*430mm	Built-in Scale : YES
Rated Power : 1700W (Motor:700W ; Heating:1000W) (Adjustable Heating Power)	
Certificate : CE/CB/RED/LFGB/DGCCRF/RoHS/REACH	
Components	
<ul style="list-style-type: none"> Main Body 1 Multifunction Blade 2 Kneading Blade 3 Steamer 4 Butterfly Whisk 5 Filter Basket 6 Spatula 1 	
	



Model	K41	K30	K35	K31 (TFT)	K31 (LED)
Jar Capacity	3L/ Max. 4.7L	2L/ Max. 3.3L	3L/ Max. 4.7L	2L/ 3L ; Max. 3.3L/ Max. 4.7L	2L/ 3L ; Max. 3.3L/ Max. 4.7L
Multifunction Blade	SUS304	SUS304	SUS304	SUS304	SUS304
Kneading Blade	—	SUS304	SUS304	SUS304	SUS304
Saute Blade	—	SUS304	SUS304	SUS304	SUS304
Steamer	Plastic two layers	Plastic two layers	Plastic two layers	Plastic two layers	Plastic two layers
Filter Basket	Plastic	Plastic	Plastic	Plastic	Plastic
Butterfly Whisk	Yes	Yes	Yes	Yes	Yes
Built-in Scale	Yes	Yes	Yes	Yes	Yes
Spatula	Silicone	Silicone	Silicone	Silicone	Plastic
Motor Power	700W	700W	700W	700W	700W
Speed	60-7000 rpm, 15 levels	60-7000 rpm, 10 levels	60-7000 rpm, 10 levels	60-7000 rpm, 10 levels	60-7000 rpm, 10 levels
Multi Gear System	Yes	Yes	Yes	Yes	Yes
Heater Type	Heating Tube	Heating Tube	Heating Tube	Heating Tube	Heating Tube
Heater Power	1000W, adjustable	1000W, adjustable	1000W, adjustable	1000W, adjustable	1000W, adjustable
Temperature Range (1°C Step)	● 37-180°C	● 37-180°C	● 37-180°C	● 37-180°C	37-120°C
Display	● 10" TFT touch screen	7" TFT touch screen	7" TFT touch screen	5" TFT touch screen	LED Touch Display
Timer Selection	1 second -12 hours	1 second -12 hours	1 second -12 hours	1 second -12 hours	1 second -12 hours
With Wifi and App Control	Yes	Yes	Yes	Yes	Yes
Cloud recipes	Yes	Yes	Yes	Yes	Yes
Dishwasher Safety	Yes	Yes	Yes	Yes	Yes



Model	K33	K34	K23	K29
Jar Capacity	3L/ Max. 4.7L	3L/ Max. 4.7L	2L/ Max. 3.3L	2L/ Max. 3.3L
Multifunction Blade	SUS304	SUS304	SUS304	SUS304
Kneading Blade	SUS304	SUS304	Plastic	SUS304
Saute Blade	SUS304	Nylon+SUS304	N/A	SUS304
Steamer	Plastic two layers	Plastic two layers	Plastic two layers	Plastic two layers
Filter Basket	Plastic	Plastic	Plastic	Plastic
Butterfly Whisk	Yes	Yes	Yes	Yes
Built-in Scale	Yes	Yes	Yes	Yes
Spatula	Silicone	Silicone	Silicone	Silicone
Motor Power	700W	350W	700W	750W
Speed	60-7000 rpm, 10 levels	60-2400 rpm, 10 levels	60-7000 rpm, 10 levels	60-7000 rpm, 10 levels
Multi Gear System	Yes	Yes	Yes	Yes
Heater Type	Heating Tube	Heating Tube	Heating Tube	Heating Tube
Heater Power	1000W, adjustable	1500W, adjustable	1000W, adjustable	1000W, adjustable
Temperature Range (1°C Step)	37-120°C	● 37-180°C	37-120°C	● 37-180°C
Display	7" TFT touch screen	7" TFT touch screen	LED Touch Display	7" TFT touch screen
Timer Selection	1 second -12 hours	1 second -12 hours	1 second -12 hours	1 second -12 hours
With Wifi and App Control	Yes	Yes	Yes	Yes
Cloud recipes	Yes	Yes	Yes	Yes
Dishwasher Safety	Yes	Yes	Yes	Yes



Model	K21	K15	K16	K08
Jar Capacity	2L/ Max. 3.3L	2L/ Max. 3.3L	2L/ Max. 3.3L	2L/ Max. 3.3L
Multifunction Blade	SUS304	SUS304	SUS304	SUS304
Kneading Blade	SUS304	SUS304	SUS304	SUS304
Saute Blade	N/A	N/A	N/A	N/A
Steamer	Plastic two layers	Plastic two layers	Plastic two layers	Plastic two layers
Filter Basket	Plastic	Plastic	Plastic	Plastic
Butterfly Whisk	Yes	Yes	Yes	Yes
Built-in Scale	Independent	Yes	Yes	Yes
Spatula	Silicone	Silicone	Silicone	Silicone
Motor Power	1000W	700W	700W	700W
Speed	60-10000 rpm, 10 levels	60-7000 rpm, 10 levels	60-7000 rpm, 10 levels	60-7000 rpm, 10 levels
Multi Gear System	Yes	Yes	Yes	Yes
Heater Type	Heating Tube	Heating Film	Heating Film	Heating Film
Heater Power	1000W, adjustable	1000W, adjustable	1000W, adjustable	1000W, adjustable
Temperature Range (1°C Step)	● 37-180°C	37-120°C	37-120°C	37-120°C
Display	7" TFT touch screen	LED Touch Display	LED Touch Display	LCD With Buttons
Timer Selection	1 second -12 hours	1 second -12 hours	1 second -12 hours	1 second -12 hours
With Wifi and App Control	Yes	Yes	Yes	Yes
Cloud recipes	Yes	Yes	Yes	Yes
Dishwasher Safety	Yes	Yes	Yes	Yes

STANDARD ACCESSORY



Accessories	Multifunction Blade	Kneading Blade	Saute Blade	Cleaning Brush	Spatula 1	Steamer	Filter Basket	Blade Base	Butterfly Whisk
K41	✓	✗	✗	✗	✓	✓	✓	✗	✓
K30	✓	✓	✓	✗	✓	✓	✓	✓	✓
K35	✓	✓	✓	✗	✓	✓	✓	✓	✓
K31(TFT)	✓	✓	✓	✗	✓	✓	✓	✓	✓
K31(LED)	✓	✓	✓	✗	✓	✓	✓	✓	✓
K33	✓	✓	✓	✗	✓	✓	✓	✓	✓
K23	✓	✓	✗	✗	✓	✓	✓	✓	✓
K29	✓	✓	✓	✓	✓	✓	✓	✓	✓
K21	✓	✓	✗	✗	✓	✓	✓	✗	✓
K15	✓	✓	✗	✗	✓	✓	✓	✗	✓
K16	✓	✓	✗	✗	✓	✓	✓	✗	✓
K08	✓	✓	✗	✗	✓	✓	✓	✗	✓
K34	S Blade	Kneading Blade	3D Sauté Blade	✗	✓	✓	✓	✗	✗

OPTIONAL ACCESSORIES



Accessories	Stainless Steel Steamer	Cleaning Brush	Metal Filter Basket	Food Processor	Potato Peeler	Food Dispenser	Spatula 2	Double Whisk
K41	✓	✓	✓	✓	✓	✓	✓	
K30	✗	✗	✓	✗	✗	✗	✓	✗
K35	✓	✓	✓	✓	✓	✗	✓	✗
K31(TFT)	✓	✓	✓	✓	✓	✗	✓	✗
K31(LED)	✗	✗	✓	✗	✗	✗	✗	✗
K33	✓	✓	✓	✓	✓	✗	✓	✗
K23	✗	✗	✓	✗	✗	✗	✗	✗
K29	✗	✗	✓	✗	✗	✗	✗	✗
K21	✗	✗	✓	✗	✗	✗	✗	✗
K15	✗	✗	✓	✗	✗	✗	✗	✗
K16	✗	✗	✓	✗	✗	✗	✗	✗
K08	✗	✗	✓	✗	✗	✗	✗	✗
K34	✗	✗	✓	✓	✗	✓	✗	✓

COMPARISON

Our Product VS Other Similar Products



Our Product



Display	7" TFT touch screen	8" TFT touch screen	7" TFT touch screen	5.5" TFT touch screen
Jar Capacity	3L	3L	2L	3L
Built-in Scale	Yes	Yes	Yes	Yes
Heating Power	1000W (Adjustable)	1050W (Not adjustable)	1000W (Not adjustable)	1750W (Not adjustable)
Heating Time	12 hours (Adjustable)	0-99 mins (Adjustable)	0-99 mins (Adjustable)	12 hours (Adjustable)
Max. Temperature	180 °C	130 °C	160 °C	● 200 °C
Motor Speed	60-7000 rpm, speed: 1-10	125-5500 rpm, speed: 1-10	● 60-10000 rpm, speed: 0.5-10	60-1800 rpm, speed: 1-18
Blade	Removable blade(4-blade)	Fixed blade(4-blade)	Fixed blade(4-blade)	Removable S blade(2-blade)
Dishwasher Safety	Yes	Yes	Yes	Yes
Deep Self-Cleaning	Yes, with cleaning brush	No	No	No
Food Processor	Yes	Yes	Yes	Yes
Steamer	Yes	Yes	Yes	Yes
Saute Blade	Yes	No	No	No
Kneading Blade	Yes	No	No	No
Filter Basket	Yes	Yes	Yes	Yes
Butterfly Whisk	Yes	Yes	Yes	Yes
Remotely Updating	Yes	Yes	Yes	Yes
Wifi and App Control	Yes (Can synchronize recipes and control machines)	Yes (Can synchronize recipes but cannot control the machine)	Yes (Can synchronize recipes but cannot control the machine)	Yes (Can synchronize recipes but cannot control the machine)
Recipe Recommendation Algorithm	Yes	No	No	No
Cloud Platform Service	Yes	No	No	No

Ice Cream Maker

Model **TO1**



Model:
TO101

Color Film



Main Feature

Voltage/Frequency : 220V-240V/50 Hz

Rated Power : 700 W

Speed : 2500rpm

Capacity : 450ml for each pint

- With 3 pints
- Plastic Housing, Injection Color
- Anti-slip feet
- Dishwasher Safe

Model:
TO102

TFT Full Touch Screen



Ice Cream Maker



Model
T0201

Color Film
Metal Shell

Model:
T0301

Color Film



One-touch
Program



DIY Ice Cream
Flavors



Main Feature	
Voltage/Frequency	: 220V-240V/50 Hz
Rated Power	: 700 W
Speed	: 2500rpm
Capacity	: 450ml for each pint

- With 3 pints
- Plastic Housing, Injection Color
- Anti-slip feet
- Dishwasher Safe

Main Feature	
Voltage/Frequency	: 220V-240V/50 Hz
Rated Power	: 700 W
Speed	: 2500rpm
Capacity	: 450ml for each pint

- With 3 pints
- Anti-slip feet
- Dishwasher Safe



Model: **T0202**
TFT Full Touch Screen



Model: **T0302**
TFT Full Touch Screen



Model: **T0303**
Knob Screen

Ice Cream Maker



Model
TO401

Color Film

Main Feature	
Voltage/Frequency	: 220V-240V/50 Hz
Rated Power	: 700 W
Speed	: 2500rpm
Capacity	: 450ml for each pint

- With 3 pints
- Plastic Housing, Injection Color
- Anti-slip feet
- Dishwasher Safe



Model:
TO402

TFT Full Touch Screen



Main Feature	
Voltage/Frequency	: 220V-240V/50 Hz
Rated Power	: 700 W
Speed	: 2500rpm
Capacity	: 450ml for each pint

- With 3 pints
- Plastic Housing, Injection Color
- Anti-slip feet
- Dishwasher Safe

Model:
TO403

Knob Screen



Ice Cream Maker



Model
T0501

Color Film

Main Feature	
Voltage/Frequency	: 220V-240V/50 Hz
Rated Power	: 700 W
Speed	: 2500rpm
Capacity	: 450ml for each pint

- With 3 pints
- Plastic Housing, Injection Color
- Anti-slip feet
- Dishwasher Safe



Model:
T0502

TFT Full Touch Screen



Main Feature	
Voltage/Frequency	: 220V-240V/50 Hz
Rated Power	: 700 W
Speed	: 2500rpm
Capacity	: 450ml for each pint

- With 3 pints
- Plastic Housing, Injection Color
- Anti-slip feet
- Dishwasher Safe



Model:
T0503

Knob Screen



Coffee Machine

Model

C02



App & WiFi Control



DIY Coffee Flavors

Model

C05



App & WiFi Control





DIY Coffee Flavors

Main Feature	
Product Dimension(W*H*D)	195*315*403 mm
Voltage	110-130V~/220-240V~ 50/60Hz
Power	1480W
Water tank capacity	1.2L
Pump	19bar
Bean container capacity	100g
Grounds container capacity	10-15pcs
Power cable length	1.0m
Bolier	2
Function	Americano/Espresso/Cappuccino/Latte Coffee/ Milk/Especial Drinks
3.5 inch TFT Touch Screen / with App and WiFi Control	

Main Feature	
Product Dimension(W*H*D)	195*315*403 mm
Voltage	110-130V~/220-240V~ 50/60Hz
Power	1480W
Water tank capacity	1.2L
Pump	19bar
Bean container capacity	100g
Grounds container capacity	10-15pcs
Power cable length	1.0m
Bolier	2
Function	Americano/Espresso/Cappuccino/Latte Coffee/ Milk/Especial Drinks
4.3 inch TFT Touch Screen / with App and WiFi Control	

Air Fryer

Model **A07**



Main Feature	
Product Dimention(W*H*D)	414*310*348mm
Voltage	110-130V~/220-240V~ 50/60Hz
Power	1700W
Capacity	8L
Temperature	80-200°C
4.3 inch TFT touch screen / with App and WiFi control	
<ul style="list-style-type: none">• 60 mins timer• Automatic shut-off with ready alert• Prevent slip feet• Frying pot & tray with non-stick coating• Heat resistant material inside enclosure	

AIR FRYER

Model
A02




Visual
Air Fryer


4-in-1
versatility

Model
A04




Double
Pot Design


8 Quick Menus
40 Local Recipes

Main Feature	
Product Dimension(W*H*D)	420*363*316mm
Voltage	110-130V~/220-240V~ 50/60Hz
Power	1700W
Capacity	9L(4.5+4.5L)
Temperature	80-200°C
4.3 inch TFT touch screen / with App and WiFi control	
<ul style="list-style-type: none"> • Visual Air Fryer, 60 mins timer • With 2 independent pot to cook 2 foods, 2 ways at the same time. • Automatic shut-off with ready alert • Prevent slip feet • Frying pot & tray with non-stick coating • Heat resistant material inside enclosure 	

Main Feature	
Product Dimension(W*H*D)	260*448*422mm
Voltage	220-240V~ 50-60Hz
Power	2600W
Capacity	8L(4L+4L)
Temperature	80-200°C
4.3 inch TFT touch screen / with App and WiFi control	
<ul style="list-style-type: none"> • 60 mins timer • Automatic shut-off with ready alert • With 2 independent pots to cook 2 foods in 2 different ways at the same time • 8 Quick Menus: Fries / Steak / Fish / Shrimp / Chicken Wings / Cake / Pizza / Dried Fruits + 40 Local Recipes Supported+ Customizable Categories • Non-slip feet • Frying pots and trays with non-stick coating • Heat-resistant materials inside the enclosure 	

AIR FRYER

Model

A09



Turn
Reminder



7 Cooking
Functions

Main Feature

Product Dimention(W*H*D)	288*385*323mm
Voltage	110-130V~/220-240V~ 50/60Hz
Power	1900W
Capacity	5.5L
Temperature	80-200°C

4.3 inch TFT touch screen / with App and WiFi control

- 60 mins timer
- Automatic shut-off with ready alert
- Prevent slip feet
- Frying pot & tray with non-stick coating
- Heat resistant material inside enclosure

Model

A01



60 Timer



Sleep Mode



Main Feature

Product Dimention(W*H*D)	354*265*330mm
Voltage:220-240V~ 50/60Hz	Power: 1800W
Voltage:110-130V~ 50/60Hz	Power: 1500W
Capacity	7L
Temperature	80-200°C

4.3 inch TFT touch screen / with App and WiFi control

- 60 mins timer
- Automatic shut-off with ready alert
- Prevent slip feet
- Frying pot & tray with non-stick coating
- Heat resistant material inside enclosure

Electric Pressure Cookers

Model **P03**



Main Feature	
Product Dimention(W*H*D)	336*317*326mm
Voltage	110-130V~/220-240V~ 50-60Hz
Power	1000W
Capacity	6L
Pressure	0-70Kpa
4.3inch TFT Touch display with preset recipes	
<ul style="list-style-type: none"> • Multifunction: Rice, Cereals, Congee, Porridge, Soup, Meat, Cake, Steam, etc. • 16+multiple safety protections: Pressure Limit Protection, Anti-block Shield, Steam Release, Lid Position Detection, Safely Lid Lock, Thermal Fuse, Electric Fuse, Overheat Protection • Standard Accessories: • Power Cord:1m power cord with plug Accessories: Rice Scoop, Measuring Cup, and Water Collector, Steam Rack 	

Electric Slow Cooker

Model **SC01**




Large Capacity
for Cook


Dishwasher
Safe



Main Feature

Product Dimension(W*H*D)	452*305*270mm
Voltage	110-130V~/220-240V~ 50-60Hz
Power	1350W
Capacity	5.7L
Temperature range	45-220°C/113-428°F

4.3inch TFT display and touch control

- Functions: Slow Cook/Cook Rice/Saute/Keep Warm/Steam.etc.
- 5.7L removable aluminum inner pot with food-grade nonstick coating and silicone handle cover
- Die-casting aluminum cooking pot and lid
- Dishwasher Safe
- Accessories: Rice Spoon/Measuring cup/Steam rack(optional)