

CM 1620

PROFESSIONAL COFFEE MACHINE WITH GRINDER



15/20BAR
High pressure pump



Conical burr
grinding system



Wide touch screen panel
with digital display



CM 1622

PROFESSIONAL COFFEE MACHINE WITH GRINDER



15/20BAR
High pressure pump



Conical burr
grinding system



Push button
with digital display



Specifications

- 120V, 60Hz, 1500W; 220-240V, 50-60Hz, 1500W
- Highend full stainless steel housing
- Conical burr grinder system
- Wide touch screen panel with digital display
- Single cup & double cups size coffee filter
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank and 110g bean box
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Stainless steel frothing tube and detachable nozzle
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 281*243*373mm
- Loading Qty: 760PCS/20GP 1573PCS/40GP 1825PCS/40HQ



Specifications

- 120V, 60Hz, 1500W; 220-240V, 50-60Hz, 1500W
- Highend full stainless steel housing
- Conical burr grinder system
- Push button touch panel with pressure gauge and digital display
- Single cup & double cups size coffee filter
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank and 110g bean box
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Stainless steel frothing tube and detachable nozzle
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 281*243*373mm
- Loading Qty: 760PCS/20GP 1573PCS/40GP 1825PCS/40HQ



CM 1625

PROFESSIONAL COFFEE MACHINE WITH GRINDER



15/20BAR
High pressure pump



Conical burr
grinding system



Wide touch screen panel
with pressure display



Specifications

- 120V, 60Hz, 1500W; 220-240V, 50-60Hz, 1500W
- Highend full stainless steel housing
- Conical burr grinder system
- Wide touch screen panel with pressure display
- Single cup & double cups size coffee filter
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank and 110g bean box
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Stainless steel frothing tube and detechable nozzle
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 281*243*373mm
- Loading Qty: 760PCS/20GP 1573PCS/40GP 1825PCS/40HQ



CM 1626

PROFESSIONAL COFFEE MACHINE WITH GRINDER



15/20BAR
High pressure pump



Conical burr
grinding system



Colorful touch screen panel
for easy operation



Specifications

- 120V, 60Hz, 1500W; 220-240V, 50-60Hz, 1500W
- Highend full stainless steel housing
- Conical burr grinder system
- Colorful touch screen panel for easy operation
- Single cup & double cups size coffee filter
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank and 110g bean box
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Stainless steel frothing tube and detechable nozzle
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 281*243*373mm
- Loading Qty: 760PCS/20GP 1573PCS/40GP 1825PCS/40HQ



CM 1628

PROFESSIONAL COFFEE MACHINE WITH GRINDER



15/20BAR
High pressure pump



Conical burr
grinding system



Push button touch panel
with pressure gauge
and digital display



Specifications

- 120V, 60Hz, 1500W; 220-240V, 50-60Hz, 1500W
- High end full stainless steel housing
- Conical burr grinder system
- Push button touch panel with pressure gauge and digital display
- Single cup & double cups size coffee filter
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank and 110g bean box
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Stainless steel frothing tube and detachable nozzle
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 281*243*373mm
- Loading Qty: 760PCS/20GP 1573PCS/40GP 1825PCS/40HQ



CM 1628A

PROFESSIONAL COFFEE MACHINE WITH GRINDER



15/20BAR
High pressure pump



Conical burr
grinding system



Push button touch panel
with pressure gauge
and digital display



Specifications

- 120V, 60Hz, 1500W; 220-240V, 50-60Hz, 1500W
- High end full stainless steel housing
- Conical burr grinder system
- Push button touch panel with pressure gauge and digital display
- Single cup & double cups size coffee filter
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank and 110g bean box
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Stainless steel frothing tube and detachable nozzle
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 281*243*373mm
- Loading Qty: 760PCS/20GP 1573PCS/40GP 1825PCS/40HQ



CM 1628C

PROFESSIONAL COFFEE MACHINE WITH GRINDER



15/20BAR
High pressure pump



Conical burr
grinding system



Push button touch panel
with digital display



Specifications

- 120V, 60Hz, 1500W; 220-240V, 50-60Hz, 1500W
- Highend full stainless steel housing
- Conical burr grinder system
- Push button touch panel with digital display
- Single cup & double cups size coffee filter
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank and 110g bean box
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Stainless steel frothing tube and detechable nozzle
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 281*243*373mm
- Loading Qty: 760PCS/20GP 1573PCS/40GP 1825PCS/40HQ

CM 1627

PROFESSIONAL COFFEE MACHINE WITH GRINDER



15/20BAR
High pressure pump



Conical burr
grinding system



Push control panel
with LCD display
and pressure gauge



Specifications

- 120V, 60Hz, 1500W; 220-240V, 50-60Hz, 1500W
- Highend full stainless steel housing
- Conical burr grinder system
- Push control panel with LCD display and pressure gauge
- Single cup & double cups size coffee filter
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank and 110g bean box
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Stainless steel frothing tube and detechable nozzle
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 281*243*373mm
- Loading Qty: 760PCS/20GP 1573PCS/40GP 1825PCS/40HQ

CM 1610

PROFESSIONAL COFFEE MACHINE WITH GRINDER



20BAR Italian ULKA high pressure pump



Automatic pressure relief function



Automatic identification of water tank level



Specifications

- 120V, 60Hz,1700W;220-240V, 50-60Hz,2800W
- Espresso coffee machine with grinder system
- Built-in water tank (1.6L) & coffee bean box (160g)
- High-end stainless steel housing, Push button with LCD display control and pressure gauge
- Dual thermal block heating element, the perfect espresso and rich milk froth
- Independent hot water outlet to make Americano and hot water
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Professional 10mm bold steam tube for strong steam
- Automatic pressure relief function
- Automatic water level warning
- Equipped with flow meter, precisely controls the coffee volume
- Durable stainless steel cup plate for coffee cups preheating
- Product size:341*335*402mm
- Loading Qty:320PCS/20GP 670PCS/40GP 800PCS/40HQ

CM 1612

PROFESSIONAL COFFEE MACHINE WITH GRINDER



20BAR Italian ULKA high pressure pump



Automatic pressure relief function



Automatic identification of water tank level



Specifications

- 220-240V, 50-60Hz,3100W
- Espresso coffee machine with grinder system
- Built-in water tank (1.6L) & coffee bean box (160g)
- High-end stainless steel housing, Push button with LCD display control and pressure gauge
- Three thermal block heating element, the perfect espresso and rich milk froth
- Independent hot water outlet to make Americano and hot water
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Professional 10mm bold steam tube for strong steam
- Automatic pressure relief function
- Automatic water level warning
- Equipped with flow meter, precisely controls the coffee volume
- Durable stainless steel cup plate for coffee cups preheating
- Product size:341*335*402mm
- Loading Qty:320PCS/20GP 670PCS/40GP 800PCS/40HQ



CG 2101

COFFEE GRINDER



Conical burr grinding system



Various coffee grind degrees from Espresso to French



Upgrade anti-static technology



Specifications

- 120v 60Hz 150W;220-240V 50-60Hz 150W
- Full stainless steel housing
- Push button control panel with screen
- Conical burr create uniform grinds for better flavor
- 150W powerful DC motor creates a consistent grind and durability
- 250g removable bean container,75g powder box
- 450rpm grinding speed
- Perfect for all kinds of coffee from Espresso to French Press
- Upgrade technology for better anti-static
- Removable bean container and upper burr for easy clean
- Optional powder bracket, suitable for both 51 and 58mm portafilters
- Product size:232*147*335mm
- Loading Qty: 1128PCS/20GP 2004PCS/40GP 3060PCS/40HQ



CG 2102

COFFEE GRINDER



Conical burr grinding system



Various coffee grind degrees from Espresso to French



Upgrade anti-static technology



Specifications

- 120v 60Hz 150W;220-240V 50-60Hz 150W
- Full stainless steel housing
- Colorful touch control panel
- Conical burr create uniform grinds for better flavor
- 150W powerful DC motor creates a consistent grind and durability
- 250g removable bean container,75g powder box
- 450rpm grinding speed
- Perfect for all kinds of coffee from Espresso to French Press
- Upgrade technology for better anti-static
- Removable bean container and upper burr for easy clean
- Optional funnel bracket, suitable for both 51 and 58mm portafilters
- Product size:232*147*335mm
- Loading Qty: 1128PCS/20GP 2004PCS/40GP 3060PCS/40HQ



CG 2103

COFFEE GRINDER



Conical burr grinding system



Various coffee grind degrees from Espresso to French



Upgrade anti-static technology



Specifications

- 120v 60Hz 150W;220-240V 50-60Hz 150W
- Full stainless steel housing
- Colorful touch control panel
- Conical burr create uniform grinds for better flavor
- 150W powerful DC motor creates a consistent grind and durability
- 250g removable bean container,75g powder box
- 450rpm grinding speed
- Perfect for all kinds of coffee from Espresso to French Press
- Upgrade technology for better anti-static
- Removable bean container and upper burr for easy clean
- Optional funnel bracket, suitable for both 51 and 58mm portafilters
- Product size:232*147*335mm
- Loading Qty: 1128PCS/20GP 2004PCS/40GP 3060PCS/40HQ



CG 2108

COFFEE GRINDER



Conical burr grinding system



Various coffee grind degrees from Espresso to French



Upgrade anti-static technology



Specifications

- 120v 60Hz 150W;220-240V 50-60Hz 150W
- Full stainless steel housing
- Colorful touch control panel
- Conical burr create uniform grinds for better flavor
- 150W powerful DC motor creates a consistent grind and durability
- 250g removable bean container,75g powder box
- 450rpm grinding speed
- Perfect for all kinds of coffee from Espresso to French Press
- Upgrade technology for better anti-static
- Removable bean container and upper burr for easy clean
- Optional funnel bracket, suitable for both 51 and 58mm portafilters
- Product size:213*141*357mm
- Loading Qty: TBA



CG 2109

COFFEE GRINDER



Conical burr grinding system



Various coffee grind degrees from Espresso to French



Upgrade anti-static technology



Specifications

- 120v 60Hz 150W;220-240V 50-60Hz 150W
- Full stainless steel housing
- Colorful touch control panel
- Conical burr create uniform grinds for better flavor
- 150W powerful DC motor creates a consistent grind and durability
- 250g removable bean container,75g powder box
- 450rpm grinding speed
- Perfect for all kinds of coffee from Espresso to French Press
- Upgrade technology for better anti-static
- Removable bean container and upper burr for easy clean
- Optional funnel bracket, suitable for both 51 and 58mm portafilters
- Product size:213*141*357mm
- Loading Qty: TBA



CG 2100

COFFEE GRINDER



Conical burr grinding system



Various coffee grind degrees from Espresso to French



Upgrade anti-static technology



Specifications

- Portable Rechargeable Burr Coffee Grinder
- Full Aluminum Alloy Housing
- 30g removable bean container
- 800mAH high capacity and silent battery
- Easily adjustable 16 gears grind settings
- Type-C charging port
- Come with low battery warning and charge protection Perfect for camping, travel, RVs, patios, and office use Product
- size:Φ60*225mm
- Loading Qty:TBA



CM 1863

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Wide Colorful touch panel
for easy operation



Two brewing systems for
both hot and cold brew



Specifications

- 120V,60Hz,1350W;220-240V,50-60Hz,1350W
- Wide colorful touch panel for easy operation
- Two brewing systems for hot espresso and cold brew coffee.
- Function options: Espresso,Cold brew, Steam,Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth.
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1833

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Wide Colorful touch panel
for easy operation



Fully automatic
milk frothing system



Specifications

- 120V,60Hz,1350W;220-240V,50-60Hz,1350W
- Wide colorful touch panel for easy operation
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature,automatic clean function for internal tube,and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1862

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Wide Colorful touch panel
for easy operation



Two brewing systems for
both hot and cold brew



Specifications

- 120V,60Hz,1350W;220-240V,50-60Hz,1350W
- Push button with digital display for easy operation
- Two brewing systems for hot espresso and cold brew coffee
- Function options: Espresso,Cold brew, Steam,Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1832

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Wide Colorful touch panel
for easy operation



Fully automatic
milk frothing system



Specifications

- 120V,60Hz,1350W;220-240V,50-60Hz,1350W
- Push button with digital display for easy operation
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature,automatic clean function for internal tube,and descale function
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1865

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Wide touch screen panel
with pressure display



Two brewing systems for
both hot and cold brew



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Wide touch screen panel with pressure display
- Two brewing systems for hot espresso and cold brew coffee.
- Function options: Espresso,Cold brew, Steam,Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth.
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1835

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Wide touch screen panel
with pressure display



Fully automatic
milk frothing system



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Wide touch screen panel with pressure display
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature,automatic clean function for internal tube,and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1866

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Wide Colorful touch panel
for easy operation



Two brewing systems for
both hot and cold brew



Specifications

- 120V,60Hz,1350W;220-240V,50-60Hz,1350W
- Wide colorful touch panel for easy operation
- Two brewing systems for hot espresso and cold brew coffee.
- Function options: Espresso,Cold brew, Steam,Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth.
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1836

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Wide Colorful touch panel
for easy operation



Fully automatic
milk frothing system



Specifications

- 120V,60Hz,1350W;220-240V,50-60Hz,1350W
- Wide colorful touch panel for easy operation
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature,automatic clean function for internal tube,and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1868

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with pressure gauge
and digital display



Two brewing systems for
both hot and cold brew



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Push button control panel with pressure gauge and digital display
- Two brewing systems for hot espresso and cold brew coffee.
- Function options: Espresso,Cold brew, Steam,Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth.
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1838

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Push button control panel
with pressure gauge
and digital display



Fully automatic
milk frothing system



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Push button control panel with pressure gauge and digital display
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature,automatic clean function for internal tube,and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1868A

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with pressure gauge
and digital display



Two brewing systems for
both hot and cold brew



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Push button control panel with pressure gauge and digital display
- Two brewing systems for hot espresso and cold brew coffee.
- Function options: Espresso,Cold brew, Steam,Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth.
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1838A

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Push button control panel
with pressure gauge
and digital display



Fully automatic
milk frothing system



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Push button control panel with pressure gauge and digital display
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature,automatic clean function for internal tube,and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ





CM 1868C

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with digital display



Two brewing systems for
both hot and cold brew



CM 1838C

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Push button control panel
with digital display



Fully automatic
milk frothing system



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Push button control panel with digital display
- Two brewing systems for hot espresso and cold brew coffee.
- Function options: Espresso,Cold brew, Steam,Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth.
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Push button control panel with digital display
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature,automatic clean function for internal tube,and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1869

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with digital display



Two brewing systems for
both hot and cold brew



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- Push button control panel with digital display
- Two brewing systems for hot espresso and cold brew coffee.
- Function options: Espresso, Cold brew, Steam, Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth.
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1839

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Push button control panel
with digital display



Fully automatic
milk frothing system



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- Push button control panel with digital display
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature, automatic clean function for internal tube, and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1867

HIGH-END WIDE COFFEE MACHINE



15/20BAR
High pressure pump



Push control panel
with pressure gauge
and LCD display



Two brewing systems for
both hot and cold brew



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Push control panel with pressure gauge and LCD display
- Two brewing systems for hot espresso and cold brew coffee.
- Function options: Espresso,Cold brew, Steam,Hot water
- Instant thermoblock heating system, to make the perfect espresso and rich milk froth.
- Adjustable coffee amount & temperature and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*243*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1837

HIGH-END WIDE COFFEE MACHINE



20BAR
High pressure pump



Push control panel
with pressure gauge
and LCD display



Fully automatic
milk frothing system



Specifications

- 120V, 60Hz,1350W;220-240V, 50-60Hz,1350W
- Push control panel with pressure gauge and LCD display
- One button to make espresso, cappuccino and latte
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- Adjustable coffee amount & temperature,automatic clean function for internal tube,and descale function
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- Detachable 1.8L transparent water tank & 500ml transparent milk tank
- With overheat and over pressure protecting device
- Durable stainless steel cup plate for coffee cups preheating
- Product size: 281*220*315mm
- Loading Qty: 780PCS/20GP 1566PCS/40GP 1934PCS/40HQ



CM 1663

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Push-button control panel
with pressure gauge



Coffee options:
Espresso, Cappuccino



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1633

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Push-button control panel
with pressure gauge



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x215x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1662

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Push-button control panel



Coffee options:
Espresso, Cappuccino



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1632

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Push-button control panel



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x215x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1668

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Push-button control panel
with digital display



Coffee options:
Espresso, Cappuccino



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1638

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Push-button control panel
with digital display



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x215x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1861

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Colorful touch panel



Coffee options:
Espresso, Cappuccino



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1831

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Colorful touch panel



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x215x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1665

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Touch screen control panel
with timing display



Coffee options:
Espresso, Cappuccino



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1635

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Touch screen control panel
with timing display



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x215x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1660

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Touch screen control panel
with timing display



Coffee options:
Espresso,Cappuccino



Specifications

- 120V 60Hz 1350W;220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1630

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Touch screen control panel
with timing display



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W;220-240V50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size:330x215x308mm
- Loading QTY: 818pcs/20GP1740pcs/40GP 1988pcs/40HQ



CM 1667

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Colorful touch panel



Coffee options:
Espresso, Cappuccino



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1637

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Colorful touch panel



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x215x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ





CM 1631

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Colorful touch panel



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W;220-240V50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- With overheat and overpressure protecting device
- Product size:330x215x308mm
- Loading QTY: 818pcs/20GP1740pcs/40GP 1988pcs/40HQ



CM 1666

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Push-button control panel
with LCD display



Coffee options:
Espresso,Cappuccino



Specifications

- 120V 60Hz 1350W;220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1666D

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Push-button control panel
with pressure gauge
and LCD display



Professional 58mm
brewing system



Specifications

- 120V 60Hz 1750W;220-240V 50-60Hz 1900W
- Upgraded professional 58mm brewing head system
- Come with 58mm aluminum alloy horn funnel for professional use
- Double instant thermal block heating system for strong steam performance
- Come with automatic pressure relief function
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1636

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Push-button control panel
with LCD display



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W;220-240V50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- With overheat and overpressure protecting device
- Product size:330x215x308mm
- Loading QTY: 818pcs/20GP1740pcs/40GP 1988pcs/40HQ



CM 1669

HIGH-END SLIM COFFEE MACHINE



15/20BAR
High pressure pump



Push-button control panel
with LCD display



Coffee options:
Espresso, Cappuccino



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Instant thermal block heating system, the perfect espresso and rich milk froth can be prepared
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x165x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1639

HIGH-END SLIM COFFEE MACHINE



20BAR
High pressure pump



Push-button control panel
with LCD display



Fully automatic
milk frothing system



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- Double instant thermoblock heating system, to make perfect espresso and rich milk froth automatically
- One button to make espresso, cappuccino and latte
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1.3L detachable transparent water tank & 700ml detachable transparent milk tank
- 1 and 2 cups filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
With overheat and overpressure protecting device
- Product size: 330x215x308mm
- Loading QTY: 818pcs/20GP 1740pcs/40GP 1988pcs/40HQ



CM 1650

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with thermometer



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless cup plate for coffee cups pre-heating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 286x214x293mm
- Loading qty: 992pcs/20GP 2094pcs/40GP 2350pcs/40HQ

CM 1650B

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with thermometer



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless cup plate and guard bar for coffee cups pre-heating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 286x214x293mm
- Loading qty: 992pcs/20GP 2094pcs/40GP 2350pcs/40HQ

CM 1651

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Touch panel
with screen display



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless cup plate for coffee cups pre-heating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 286x214x293mm
- Loading qty: 992pcs/20GP 2094pcs/40GP 2350pcs/40HQ



CM 1652

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with screen display



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless cup plate and guard bar for coffee cups pre-heating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 286x214x293mm
- Loading qty: 992pcs/20GP 2094pcs/40GP 2350pcs/40HQ



CM 1653

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with screen display



Specifications

- 120V 60Hz 950W,220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder and attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless cup plate and guard bar for coffee cups pre-heating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size:286x214x293mm
- Loading qty:992pcs/20GP 2094pcs/40GP 2350pcs/40HQ



CM 1695

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Touch screen control panel
with thermometer



Specifications

- 120V 60Hz 950W,220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size:370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ



CM 1683

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Touch screen control panel
with thermometer



Specifications

- 120V 60Hz 950W,220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size:370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ



CM 1687

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Touch screen control panel



Specifications

- 120V 60Hz 950W,220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size:370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ



CM 1688

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Touch screen control panel
with thermometer
or pressure gauge



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1680

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with thermometer
or pressure gauge



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1691

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1685

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1686

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel
with thermometer
or pressure gauge



Specifications

- 120V 60Hz 950W,220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size:370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1693

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Touch screen control panel
with thermometer
or pressure gauge



Specifications

- 120V 60Hz 950W,220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size:370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1697B

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



IMD touch control panel
with digital screen



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1697

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Touch control panel



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 1 and 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1698

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Push button control panel



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1699

CLASSIC COFFEE MACHINE



15/20BAR
High pressure pump



Rocker switch control panel



Specifications

- 120V 60Hz 950W, 220-240V 50-60Hz, 950W
- Aluminum alloy die casting boiler
- Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- 2 cups size stainless steel filter for ground coffee
- Durable stainless steel cup plate for coffee cups preheating
- 1.5L detachable transparent water tank
- With overheat and overpressure protecting device
- Product size: 370x225x301mm
- Loading QTY: 900pcs/20GP 1900pcs/40GP 2200pcs/40HQ

CM 1670

PROFESSIONAL COFFEE MACHINE



58mm professional portafilter with horn funnel



Push Button Control panel with digital display



Independent hot water tube for hot water and Americano



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- Highend full stainless steel housing
- Instant boiler for the perfect espresso and rich milk froth
- Independent hot water outlet to make Americano and hot water
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Professional 10mm bold steam tube for strong steam
- Automatic pressure relief function
- Equipped with flow meter, precisely controls the coffee volume
- Detachable 1.5L transparent water tank
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 370*224*340mm
- Loading QTY: 736pcs/20GP 1607pcs/40GP 1800pcs/40HQ



CM 1670B

PROFESSIONAL COFFEE MACHINE



58mm professional portafilter with horn funnel



Push Button Control panel with pressure gauge



Independent hot water tube for hot water and Americano



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- Highend full stainless steel housing
- Instant boiler for the perfect espresso and rich milk froth
- Independent hot water outlet to make Americano and hot water
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Professional 10mm bold steam tube for strong steam
- Automatic pressure relief function
- Equipped with flow meter, precisely controls the coffee volume
- Detachable 1.5L transparent water tank
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 370*224*340mm
- Loading QTY: 736pcs/20GP 1607pcs/40GP 1800pcs/40HQ



CM 1670C

PROFESSIONAL COFFEE MACHINE



58mm professional portafilter with horn funnel



Push Button Control panel



Coffee options: espresso, cappuccino



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- Highend full stainless steel housing
- Instant boiler for the perfect espresso and rich milk froth
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Regular 8mm steam tube for strong steam
- Automatic pressure relief function
- Detachable 1.5L transparent water tank
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 370*224*340mm
- Loading QTY: 736pcs/20GP 1607pcs/40GP 1800pcs/40HQ



CM 1671

PROFESSIONAL COFFEE MACHINE



58mm professional portafilter with horn funnel



Touch control panel with pressure gauge



Independent hot water tube for hot water and Americano



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- Highend full stainless steel housing
- Instant boiler for the perfect espresso and rich milk froth
- Independent hot water outlet to make Americano and hot water
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Professional 10mm bold steam tube for strong steam
- Automatic pressure relief function
- Equipped with flow meter, precisely controls the coffee volume
- Detachable 1.5L transparent water tank
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 370*224*340mm
- Loading QTY: 736pcs/20GP 1607pcs/40GP 1800pcs/40HQ



CM 1671B

PROFESSIONAL COFFEE MACHINE



58mm professional portafilter with horn funnel



Touch control panel with screen display



Independent hot water tube for hot water and Americano



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- High end full stainless steel housing
- Instant boiler for the perfect espresso and rich milk froth
- Independent hot water outlet to make Americano and hot water
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Professional 10mm bold steam tube for strong steam
- Automatic pressure relief function
- Equipped with flow meter, precisely controls the coffee volume
- Detachable 1.5L transparent water tank
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 370*224*340mm
- Loading QTY: 736pcs/20GP 1607pcs/40GP 1800pcs/40HQ



CM 1671C

PROFESSIONAL COFFEE MACHINE



58mm professional portafilter with horn funnel



Touch control panel with screen display



Coffee options: espresso, cappuccino



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- High end full stainless steel housing
- Instant boiler for the perfect espresso and rich milk froth
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Regular 8mm steam tube for strong steam
- Automatic pressure relief function
- Detachable 1.5L transparent water tank
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 370*224*340mm
- Loading QTY: 736pcs/20GP 1607pcs/40GP 1800pcs/40HQ



CM 1672

PROFESSIONAL COFFEE MACHINE



58mm professional portafilter with horn funnel



Push Button Control panel with pressure gauge and display screen



Independent hot water tube for hot water and Americano



Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- Highend full stainless steel housing
- Instant boiler for the perfect espresso and rich milk froth
- Independent hot water outlet to make Americano and hot water
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Professional 10mm bold steam tube for strong steam
- Automatic pressure relief function
- Equipped with flow meter, precisely controls the coffee volume
- Detachable 1.5L transparent water tank
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 370*224*340mm
- Loading QTY: 736pcs/20GP 1607pcs/40GP 1800pcs/40HQ



CM 1672C

PROFESSIONAL COFFEE MACHINE



58mm professional portafilter with horn funnel



Push Button Control panel with pressure gauge and display screen



Coffee options: espresso, cappuccino





Specifications

- 120V, 60Hz, 1350W; 220-240V, 50-60Hz, 1350W
- Highend full stainless steel housing
- Instant boiler for the perfect espresso and rich milk froth
- Professional 58mm aluminum alloy portafilter with horn funnel
- Professional 58mm Single-wall stainless steel filter
- Regular 8mm steam tube for strong steam
- Automatic pressure relief function
- Detachable 1.5L transparent water tank
- Durable stainless cup plate and coffee cups pre-heating
- With overheat and overpressure protecting device
- Product size: 370*224*340mm
- Loading QTY: 736pcs/20GP 1607pcs/40GP 1800pcs/40HQ



PART 8

Multi Capsule Coffee Machine



CM 1813

MULTI CAPSULE COFFEE MACHINE



20BAR
High pressure pump



Touch panel
for easy operation



Specifications

- 120V 60Hz 1350W; 220-240V 50-60Hz 1350W
- 20BAR high pressure pump
- 4 in 1 Capsule coffee maker
- Compatible with Nespresso, DG Capsule, ESE Pod and Espresso Powder
- Touch panel for easy operation
- Transparent removable 0.6L water tank
- Cold&Hot brew function can be switched
- Removable drip tray for easy cleaning
- Energy saving according to Erp
- Product size: 338*115*303mm
- Loading qty: TBA



PART 9

CAPSULE PORTAFILTER



NEW LAUNCH OF CAPSULE PORTAFILTER CAPSULE PORTAFILTER

A upgrade CAPSULE PORTAFILTER has been launched, which is suitable for Nespresso type capsule!

We designed it to be compatible with our espresso machine, maximizing the functions of machine!

