

# ESPRESSO MACHINE WITH GRINDER

NEW

## • EM3701A

### Espresso machine with grinder

- 1400W, single thermo block heating system, with pressure gauge, LCD display
- Grinder with sus420 Italian taper grinding cutter head, Anti-static design, switch knob to adjust the time
- With 1 pumps, electro-magnetic relief valve, flow meter
- Independent hot water tube
- Stainless steel housing, matt color-painting on cup plate



## • EM3701

### Espresso machine with grinder

- 2200W, dual thermo block heating system, with pressure gauge, LCD display
- Grinder with sus420 Italian taper grinding cutter head, Anti-static design, switch knob to adjust the time
- With 2 pumps, electro-magnetic relief valve, flow meter
- Brewing coffee and steaming can work at the same time.
- Independent hot water tube
- Stainless steel housing, matt color-painting on cup plate



Parameter

Product size: 316mm\*272mm\*402mm

Net weight: 4.5kg

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	1	36.1*30*42.1	37.6*31.5*44.1	6.75	11.3	538	1100	1300

# ESPRESSO MACHINE WITH GRINDER

## • EM3603

NEW

### Espresso machine with grinder

- 1500 watts, 19Bar high pressure pump, with pressure meter
- 1.8L detachable transparent water tank
- Matt PP housing, Thermo block heating system
- Dia 51mm Alum.filter holder attached with dual stainless steel filter
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and overpressure protected device
- Coffee powder capacity time adjustable;with LED light
- 5420# pure copper motor, automatic reset protection when overheating and power failure
- 10 grinding degrees can be selected to meet different coffee needs
- Coffee powder capacity time adjustable;
- 5420# pure copper motor, automatic reset protection when overheating and power failure
- 10 grinding degrees can be selected to meet different coffee needs
- The output of 500PRM from the 2-stage deceleration planetary gear drive can reduce the friction and generate heat and keep the original flavor of coffee
- Motor silicone shockproof pad, increase stability and reduce vibration
- Sus420 Stainless steel Italian taper grinding cutter head
- Anti-static design, coffee powder is not easy to splash
- Mill bin capacity 200g



Parameter

Product size:320\*241mm\*364mm



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	2	36x28.5x35.5	60*37.5*37.5	5	13.2	664	1374	1612

# ESPRESSO COFFEE MAKER

NEW



• EM3830

## Semi-commercial ESPRESSO MACHINE

- Electro-magnetic relief valve, with scale
- Dot matrix screen displays temperature and time

- 2200 watts, PID temperature control system
- With ON/OFF Retro toggle switch
- With pressure gauge
- 15Bar high pressure ulka pump and 5Bar high pressure pump
- S/S steam and water pipe for cappuccino and hot water
- Touched control for adjusting temperature and time
- Two boiler heating system, Can make coffee and steam at the same time, without waiting for temperature to change.
- 58mm durable stainless steel or Aluminum alloy filter holder attached with single layer stainless filter to improve coffee quality
- 1.4L detachable transparent water tank
- with water level gauge detection, displays warning light to indicate lacking of water .
- Safe and reliable, overheating protected, and with safety valve can release pressure automatically
- Release grouphead pressure automatically
- Drip tray for easy cleaning
- Durable stainelss cup plate for coffee cups preheating



Parameter

Product size:348X221X315.5mm

Accessories

1. 58mm Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	1	/	/	16	/	/	/	/

# ESPRESSO COFFEE MAKER

NEW



**EM3131A**

Simple design, PP plastic housing  
Touch control buttons



**EM3131**

Dot matrix screen, PP plastic housing  
Touch control buttons

## EM3131A / EM3131

- 1350 watts, 19 Bar pump,PID temperature control
- 1.2L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- Thermo block heating system
- Aluminum alloy Porter filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and overpressure protected device



### Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	3	38.5*17.9*33.3	55.2*39.4*35.4	3.4	5.2	1092	2259	2640

# PROFESSIONAL ESPRESSO MACHINE

NEW



• PE3933

## Professional espresso machine

- 1500W watts, with 3 Retro toggle switches for control easily of ON/OFF, steam and pre-infusion coffee
- Dual stainless steel boiler system: 0.5L for brewing and 2L for steaming
- Open parameter setting: brewing pressure, pre-infusion time, brewing temperature, steam temperature
- Italian classical brewing head E61, Red copper water lines and copper fittings
- Flow and Pressure adjusting bar, and gradual soft pre infusion
- Real-time monitoring of extraction and steam states, LED displays temperature and time.
- External inlet or 2L water tank, to meet multiple usage scenarios



Parameter

Product size: 515x390x435mm

Net weight: 33.2kg

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	1	/	/	33.2	/	/	/	/

# COMMERCIAL ESPRESSO MACHINE

NEW



• PE3922

## Commercial espresso machine

- PTC Constant Temperature Integrated Brewing Head
- Innovative Integrated Heating Plate and Brewing Head in Aluminum Block
- OLAB Italian pump, 9 bar OPV automatic regulator valve
- With 2 pressure gauges and flow meter
- 2L storage type steam boiler, extraction boiler
- With 3 Retro toggle switches for control easily of ON/OFF, steam and pre-infusion coffee
- 3 holes steam nozzle
- Adjustable time and temperature for making coffee




Parameter  
Product size: 430x358x373mm  
Net weight: 16kg

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	1	/	/	16	/	/	/	/

# PORTABLE COFFEE MAKER

NEW



## • PCM03

### Portable Coffee Maker

- Coffee pod capacity: 12g;
- Coffee cup capacity: 100ml;
- Highest pressure: 15bar;
- Time to get one shot espresso coffee: 30-45seconds(60ml);
- One shot espresso coffee water capacity: 80ml;
- Hot water temperature range: 92-98 ℃ ;
- Temperature of espresso coffee: 86 ℃ ;
- Water output each time: 2ml;
- Filter size: Φ45mm(Coffee powder), Φ25mm(Capsule);
- Product net weight: 275g;
- Each part material: Silicone, Stainless steel, PA66+GF plastic;



#### Parameter

- Capsule size: Φ37\*28mm;
- Water tank capacity: 100ml;
- Product size: 125\*72\*60mm;

#### Packing information

#### Loading capacity

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	48	15*11*0.7	45.5*43.5*32.5	17	18	13824	28800	36000

# ESPRESSO COFFEE MAKER

## • EM3501

### Espresso coffee maker

- LED temperature display
- 1350 watts, 15Bar or 19Bar high pressure pump
- Stainless steel housing
- Thermo block heating system
- 1.5L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Aluminum alloy filter holder attached with dual stainless filer to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- Durable cup plate for coffee cups preheating

#### Parameter

Product size: 280\*234\*312mm

Capacity: 1.5L

#### Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	2	28.5*27*36	55.5*30*38	7.5	9.8	920	840	2180

## • EM3202X

### Espresso coffee maker

- LED temperature display
- Flow meter
- Pressure gauge
- 58mm professional portafilter
- Matt color-painting on cup plate
- 1350 watts, 15Bar or 19Bar high pressure pump
- Stainless steel housing
- Thermo block heating system
- 1.8L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Aluminum alloy filter holder attached with dual stainless filer to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- Durable cup plate for coffee cups preheating



#### Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter

#### Parameter

Product size: 280\*234\*312mm

Capacity: 1.8L

# ESPRESSO COFFEE MAKER

## • EM3206W

### Espresso coffee maker

- Slim touch-panel and LED temperature and time display on the top
- Electromagnetic relief valve
- Flow meter
- Pressure gauge
- 58mm professional portafilter
- Matt color-painting on cup plate.

NEW



## • EM3206X

### Espresso coffee maker

- Electromagnetic relief valve
- Flow meter
- Pressure gauge
- 58mm professional portafilter
- Matt color-painting on cup plate.

NEW



- 1350 watts, 15Bar or 19Bar high pressure pump
- Stainless steel housing
- Thermo block heating system
- 1.8L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- Durable cup plate for coffee cups preheating

#### Parameter

Product size: 280\*234\*312mm

Capacity: 1.8L

#### Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	2	31.5*27.3*34.5	56*32.9*36.9	7.5	9.8	850	1700	2000

# ESPRESSO COFFEE MAKER

## • EM3208

### ESPRESSO MACHINE

- LED temperature display
- 4 slight-touch buttons
- Electroplated control panel frame



## • EM3208J

### Espresso coffee maker

- Classic Retro Design
- Retro switch control lever
- LED temperature display
- Pressure gauge
- Flow meter
- Electromagnetic relief valve
- 58mm professional portafilter
- Electroplated control panel frame

- 1350 watts, 15Bar or 19Bar high pressure pump
- ABS housing, with S/S decoration on bottom side
- Thermo block heating system
- 1.8L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- Durable cup plate for coffee cups preheating

**NEW**



#### Parameter

Product size:280\*234\*312mm

Capacity: 1.8L

#### Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	2	32.8*27*35	55.5*34.3*37	7.5	9.8	850	1700	1924

# ESPRESSO COFFEE MAKER

## • EM3121

### ESPRESSO MACHINE

- **Electro-magnetic relief valve**
- **With flow meter&pressure gauge**
- 1350 watts, PID temperature control
- Thermo block heating system
- Durable Alum. die casting housing
- 15Bar or 20Bar high pressure ulka pump
- 1.4L detachable transparent water tank
- With safety valve can release pressure automatically
- With stainless steel decoration
- 58mm stainless steel & Aluminum alloy filter holder attached with single layer stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and overpressure protected device
- Release grouphead pressure automatically
- Durable stainelss cup plate for coffee cups preheating



## • EM3122

- **Electro-magnetic relief valve**
- **With flow meter&pressure gauge**




## • EM3215

- **Auto-Frothing with Temperature Control**
- 1350 watts, PID temperature control
- ABS plastic housing
- Thermo block heating system;
- 15Bar or 20Bar high pressure ulka pump;
- 1.4L detachable transparent water tank;
- With safety valve can release pressure automatically;
- 58mm stainless steel & Aluminum alloy filter holder attached with single layer stainless fiter to improve coffee quality (1 and 2 cup);
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and overpressure protected device;
- Durable stainelss cup plate for coffee cups preheating;

#### Accessories

- |                       |                                     |
|-----------------------|-------------------------------------|
| 1. 58mm Filter Holder | Parameter                           |
| 2. Spoon with Tamper  | Product size:368mm*182mm*432mm      |
| 3. 2 Cups Filter      | Carton size: 388mm*197mm*455 (1pcs) |
| 1 Cup Filter          |                                     |



• EM3122

• EM3215

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	2	36.8*18.2*43.2	39.5*38.2*45.5	/	/	730	1650	2000

# ESPRESSO COFFEE MAKER

## • EM3110

### ESPRESSO MACHINE

- **Stainless steel housing**
- **Temperature&Time display on the front**
- 1340 watts, PID temperature control
- 20Bar high pressure pump
- 1.2L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- Thermo block heating system
- With Operating temperature display
- With stainless steel decoration
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Can use for ground coffee
- Can make coffee or steam conveniently
- Safe and reliable, with overheating and overpressure protected device
- Durable stainless cup plate for coffee cups preheating
- can spray paint color on housing

**NEW**



## • EM3111

- **Stainless steel housing**

## • EM3111A

- **Without pressure gauge**

- 1340 watts, PID temperature control
- 20Bar high pressure pump
- 1.2L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- Thermo block heating system
- With pressure gauge indication
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Can use for ground coffee
- Can make coffee or steam conveniently
- Safe and reliable, with overheating and overpressure protected device
- Durable stainless cup plate for coffee cups preheating

**NEW**



• EM3111A

• EM3111

Parameter

Product size:311\*141\*283mm

Accessories

1. Filter Holder
2. Spoon with Tamper

3. Pod Filter (Optional)

4. 2 Cups Filter

5. 1 Cup Filter (Optional)

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	3	38.5*17.9*33.3	55.2*39.4*35.4	3.4	5.2	1092	2259	2640

# ESPRESSO COFFEE MAKER

## • EM3810

### ESPRESSO MACHINE

- **Electro-magnetic relief valve**
- **With flow meter**
- 1350 watts, PID temperature control system
- Thermo block heating system;
- LED displays temperature and time; Touched control for adjusting temperature and time
- 15Bar or 20Bar high pressure ulka pump;
- 1.4L detachable transparent water tank;
- Aluminum trim panel;
- 58mm stainless steel & Aluminum alloy filter holder attached with single layer stainless filter to improve coffee quality (1 and 2 cup);
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and overpressure protected device;
- Release grouphead pressure automatically
- Durable aluminum cup plate for preheating coffee cups;

#### Parameter

Product size: 335mm\*160mm\*295mm

Carton size: 390mm\*255mm\*370(1pcs/ctn)  
390mm\*495mm\*370(2pcs/ctn)

#### Accessories

1. 58mm Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
- 1 Cup Filter

Qty/20'GP CNTR: 910 pcs

Qty/40'GP CNTR: 1900 pcs

Qty/40'HQ CNTR: 2190 pcs



## • EM3801

- **Electro-magnetic relief valve**

## • EM3802

- **Auto-Frothing with Temperature Control**

- 2800 watts, PID temperature control system
- With ON/OFF Retro toggle switch
- With pressure gauge & flow meter
- 15Bar high pressure ulka pump and 5Bar high pressure pump
- S/S steam and water pipe for cappuccino and hot water
- LED displays temperature and time; Touched control for adjusting temperature and time
- Two boiler heating system, Can make coffee and steam at the same time, without waiting for temperature to change.
- 58mm durable stainless steel or Aluminum alloy filter holder attached with single layer stainless filter to improve coffee quality
- 2.0L detachable transparent water tank
- with water level gauge detection, displays warning light to indicate lacking of water .
- Safe and reliable, overheating protected, and with safety valve can release pressure automatically
- Release grouphead pressure automatically
- Drip tray for easy cleaning
- Durable stainelss cup plate for coffee cups preheating

#### Parameter

Product size: 435mm\*247mm\*342mm

Carton size: 459mm\*271mm\*366 (1pcs)

NEW



• EM3801



• EM3802

#### Accessories

1. 58mm Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter

QQty/20'GP CNTR: 420 pcs

Qty/40'GP CNTR: 1290 pcs

Qty/40'HQ CNTR: 1505 pcs

# ESPRESSO COFFEE MAKER

## • EM3101

### • with Touch-panel LED display on front body

- 1350 watts, PID temperature control
- 15Bar or 19Bar high pressure pump
- Thermo block heating system
- 1.4L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Durable stainless cup plate for coffee cups preheating
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- With stainless steel decoration



## • EM3102

### • with pressure gauge or temperature gauge

#### Parameter

Product size: 328\*153\*320mm

Capacity: 1.4L

#### Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	3	37.3*19.6*36.5	60.2*38.8*39.1	11.8	12.4	900	1800	2050

# ESPRESSO COFFEE MAKER

## • EM3105

- with pressure gauge or temperature gauge

## • EM3105A

- S/S panel on front body without gauge

- 1350 watts, PID temperature control
- 15Bar or 19Bar high pressure pump
- Thermo block heating system
- 1.4L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Durable stainless cup plate for coffee cups preheating
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- With stainless steel decoration

Parameter

Product size: 328\*153\*320mm

Capacity: 1.4L

Accessories

1. Filter Holder

2. Spoon with Tamper

3. 2 Cups Filter

4. 1 Cup Filter



• EM3105A

• EM3105

Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	3	37.3*19.6*36.5	60.2*38.8*39.1	11.8	12.4	900	1800	2050

## • EM3201

### Espresso machine

- Touch-panel LED display
- Temperature display
- Pressure gauge
- Electroplated control panel frame
- 1350 watts, PID temperature control
- 15Bar or 19Bar high pressure pump
- Thermo block heating system
- Stainless steel housing
- 1.8L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- Durable cup plate for coffee cups preheating



# ESPRESSO COFFEE MAKER

## • EM3202

### Espresso machine

- LED temperature display
- 5 slight-touch buttons
- Matt color-painting on cup plate.

#### Parameter

Product size:280\*234\*312mm

Capacity: 1.8L

#### Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter



## • EM3203

- Classic Retro Design
- Retro switch control lever
- Pressure gauge
- Electroplated control panel frame

## • EM3203A

- LED temperature display
- PET membrane control panel with buttons

- 1350 watts, PID temperature control
- 15Bar or 19Bar high pressure pump
- ABS housing, with S/S decoration on bottom side
- Thermo block heating system
- 1.8L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- Durable cup plate for coffee cups preheating

#### Parameter

Product size:280\*234\*312mm

Capacity: 1.8L

#### Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter



• EM3203A

• EM3203



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	2	31.5*27.3*34.5	56*32.9*36.9	7.5	9.8	850	1700	2000

# ESPRESSO COFFEE MAKER

## • EM3206

### • Espresso machine

- Pressure gauge
- 4 slight-touch buttons
- Matt color-painting on cup plate.

- 1350 watts, PID temperature control
- 15Bar or 19Bar high pressure pump
- Thermo block heating system
- Stainless steel housing
- 1.8L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- Durable cup plate for coffee cups preheating



## • EM3207

### Espresso machine

- LED temperature display
- Touch-panel LED display & ON/OFF button
- Matt color-painting on cup plate.

Parameter

Product size: 280\*234\*312mm

Capacity: 1.8L

Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	2	31.5*27.3*34.5	56*32.9*36.9	7.5	9.8	850	1700	2000

# ESPRESSO COFFEE MAKER

## • EM3209

### Espresso coffee maker

- LED temperature display
- 4 slight-touch buttons
- Electroplated control panel frame
- 1350 watts, PID temperature control
- 15Bar or 19Bar high pressure pump
- Thermo block heating system
- Stainless steel housing
- 1.8L detachable transparent water tank
- Volumetric control: preset 1 and 2 cup
- With safety valve can release pressure automatically
- Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and over pressure protected device
- Durable cup plate for coffee cups preheating



## • EM3210

### • EM3210 Espresso coffee maker

- Pressure gauge
- 4 slight-touch buttons

Parameter

Product size:280\*234\*312mm

Capacity: 1.8L

Accessories

1. Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	2	31.5*27.3*34.5	56*32.9*36.9	7.5	9.8	850	1700	2000

# ESPRESSO MACHINE WITH GRINDER

## • EM3601

### • with Touch-panel LED on front body

- 1500 watts, PID temperature control
- 19Bar high pressure pump, Touch-screen for preset 1 and 2 cup
- 1.4L detachable transparent water tank
- With safety valve can release pressure automatically
- Thermo block heating system
- ABS housing, with S/S panel on front,easy to clear
- Dia 58mm S/S filter holder attached with dual stainless filter
- Detachable frothing nozzle and drip tray for easy cleaning
- Safe and reliable, with overheating and overpressure protected device
- Coffee powder capacity time adjustable;
- 5420# pure copper motor, automatic reset protection when overheating and power failure;
- 10 grinding degrees can be selected to meet different coffee needs;
- The output of 500PRM from the 2-stage deceleration planetary gear drive can reduce the friction and generate heat and keep the original flavor of coffee;
- Motor silicone shockproof pad, increase stability and reduce vibration;
- Sus420 Stainless steel Italian taper grinding cutter head;
- Anti-static design, coffee powder is not easy to splash.
- Mill bin capacity 200g



## • EM3602

### • with pressure gauge or temperature gauge

Parameter

Product size:322\*344\*318.5mm

Accessories

1. 58mm Filter Holder
2. Spoon with Tamper
3. 2 Cups Filter
4. 1 Cup Filter
5. powder brush



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	1	38.7x40.9x39	41.5*41.5*39.3	6.5	7.5	400	800	840

# COFFEE GRINDER



## CG5005

### Conical Burr Coffee Grinder

- 5420# copper motor, 220~240V 50/60Hz 150W.
- Touch control panel, stainless steel housing
- coffee powder container and brush included.
- Overheating and power failure automatic reset protection;
- 30 grinding thicknesses are optional to meet different coffee needs;
- The 2-stage reduction planetary gear transmission outputs 500PRM, which reduces the heat generated by friction and maintains the original flavor of coffee.
- Motor silicone anti-vibration pad, increase stability and reduce vibration
- sus420 stainless steel Italian conical grinding cutter head
- Anti-static design, coffee powder is not easy to splash

Parameter

Product size: 203\*125\*377mm

NEW



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	6	25.1*16.3*42.3	51.7*50.1*44.1	9	10	1470	2940	3624

## • CG5006

### • Conical Burr Coffee Grinder

- 5420# copper motor, 220~240V 50/60Hz 150W.
- stainless steel housing
- coffee powder container and brush included.
- Overheating and power failure automatic reset protection;
- 30 grinding thicknesses are optional to meet different coffee needs;
- The 2-stage reduction planetary gear transmission outputs 500PRM, which reduces the heat generated by friction and maintains the original flavor of coffee.
- Motor silicone anti-vibration pad, increase stability and reduce vibration
- sus420 stainless steel Italian conical grinding cutter head
- Anti-static design, coffee powder is not easy to splash

Parameter

Product size: 203\*125\*377mm



## • CG5007

### • Conical Burr Coffee Grinder

- 5420# copper motor, 220~240V 50/60Hz 150W.
- Touch control panel, stainless steel housing
- coffee powder container and brush included.
- Overheating and power failure automatic reset protection;
- 30 grinding thicknesses are optional to meet different coffee needs;
- The 2-stage reduction planetary gear transmission outputs 500PRM, which reduces the heat generated by friction and maintains the original flavor of coffee.
- Motor silicone anti-vibration pad, increase stability and reduce vibration
- sus420 stainless steel Italian conical grinding cutter head
- Anti-static design, coffee powder is not easy to splash

Parameter

Product size: 203\*125\*377mm



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	6	25.1*16.3*42.3	51.7*50.1*44.1	9	10	1470	2940	3624

# COFFEE GRINDER

## • CG5001

- ABS housing, switch knob control
- Coffee bean chamber 200g capacity.
- With coffee powder container for 14 cups amount.
- Stainless Steel conical burrs designed to minimize grinding heat and protect the essential oils in the coffee bean
- Lower-rpm Grinder. Reduces noise and heat
- 30 precise grind settings from the finest Espresso to the coarsest French Press Grind
- 2-14 Cups adjustable grinding amount. Choose the amount freely up to 14 cups to suit your grinding needs and the resealable dust-proof lid keeps coffee fresher longer.
- Product size:184\*117\*286mm



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	6	323*14.2*33.5	47.5*43.8*35.3	7.5	8.5	2280	4560	5556

## • CG5002

### • Conical Burr Coffee Grinder

- 5420# copper motor,220~240V 50/60Hz 150W.
- Touch control panel, stainless steel housing
- coffee powder container and brush included.
- Overheating and power failure automatic reset protection;
- 30 grinding thicknesses are optional to meet different coffee needs ;
- The 2-stage reduction planetary gear transmission outputs 500PRM, which reduces the heat generated by friction and maintains the original flavor of coffee.
- Motor silicone anti-vibration pad, increase stability and reduce vibration
- sus420 stainless steel Italian conical grinding cutter head
- Anti-static design, coffee powder is not easy to splash

Parameter

Product size: 203\*125\*377mm



Packing information						Loading capacity		
Qty /GB	Qty /Ctn	Gift box size (CM)	Carton size (CM)	N.W. (KG)	G.W. (KG)	20' (PCS)	40GP (PCS)	40HQ (PCS)
1	6	25.1*16.3*42.3	51.7*50.1*44.1	9	10	1470	2940	3486

# AUTOMATIC BREAD MAKER

**NEW**



## • BM8622

- Stainless steel housing
- LCD display, 6 buttons
- Max capacity: 2LB(1000g)

Parameter

Product size: 310\*233\*322mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



## • BM8115

- ※ Automatic nut dispenser
- ※ Optional without nut dispenser
- PP housing
- PET membrane control panel

Parameter

Product size: 330\*273\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+ AC Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



**NEW**



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8622	350*260*370	9 / 10	750 / 1520 / 1800	GS, CB, ETL
	BM8115	366*302*330	11 / 12	700 / 1470 / 1670	GS, CB, ETL

# AUTOMATIC BREAD MAKER

NEW



## • BM8221

- Stainless steel housing ; with exhaust funnel
- With Automatic nut dispenser
- The overall light-emitting LED display, with inner light
- Tempered glass control panel, Touch-screen
- DIY program provides more cooking fun

Parameter

Product size: 350\*225\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory

## • BM8922

- ※ Automatic nut dispenser
- ※ Optional without nut dispenser
- Stainless steel housing, with glass viewing window
- The overall light-emitting LED display, with inner light
- Double kneading blades
- Powerful AC motor

Parameter

Product size:410\*268\*300mm

Capacity:2LB(1000g); 2.5LB(1250g); 3LB(1500g)

Power: 850W(Heating element 750W+Motor 100W)

Voltage:220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory

NEW



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8221	390*305*350	13.8 / 14.8	600 / 1200/ 1400	GS, CB, ETL
	BM8922	440*290*335	14.8 / 15.8	600 / 1000 / 1420	GS, CB, ETL

# AUTOMATIC BREAD MAKER



## • BM8111

- PP housing, Control panel and lid top in stainless steel panel decoration, slight-touch button
- With 19 digital programs
- Glass viewing window to show the bread making process, with exhaust funnel

### Parameter

Product size: 330\*273\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+ AC Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



# AUTOMATIC BREAD MAKER

## • BM8112



- PP housing&lid, PET membrane control panel
- Glass viewing window to show the bread making process, with exhaust funnel

### Parameter

Product size: 330\*273\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+ AC Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



## • BM8113

- PP housing, lid top in stainless steel panel decoration, PET membrane control panel

### Parameter

Product size: 330\*273\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+ AC Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



### Common Feature

- #3004 Alum. alloy bread barrel,
- ADC12 Alum. die casting alloy mixing blade
- 15 hours programmable delay timer
- 1 hour keep warm function
- 10 minutes electric power cut off memory function
- Adjustable crust control: light, medium and dark
- Accessories: measuring cup and spoon, hook

Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
BM8111	366*302*330	11 / 12	700 / 1470 / 1670	GS, CB, ETL
BM8112	366*302*330	11 / 12	700 / 1470 / 1670	GS, CB, ETL
BM8113	366*302*330	11 / 12	700 / 1470 / 1670	GS, CB, ETL

# AUTOMATIC BREAD MAKER

## • BM8011

- Plastic housing, with viewing window
- Slightly touched button
- LCD display with background light

Parameter

Product size: 407\*282\*300mm

Capacity: 1.5LB(750g); 2LB(1000g)

Power: 650W (Heating element 550W+AC motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8010

- PP housing, with glass viewing window
- Full-automatic program control for bread making
- LCD display, with 19 digital programs

## • BM8021

- PP housing, with glass viewing window
- Automatic nut dispenser
- Full-automatic program control for bread making

Parameter

Product size: 335\*272\*300.7mm

Maz Capacity:2LB

Power: 600W (Heating element 550W+DC Motor 50W)

650W(Heating element 550W+AC Motor 100W)



• BM8010

• BM8021



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8011	440*315*335	13 / 14	580 / 1200/ 1380	GS, CB, ETL
	BM8010	353*305*325	10 / 11	700 / 1450 / 1680	GS, CB, ETL
	BM8021	353*305*325	10 / 11	700 / 1450/ 1680	GS, CB, ETL
	<ul style="list-style-type: none"> <li>• #3004 Alum. alloy bread barrel,</li> <li>• ADC12 Alum. die casting alloy mixing blade</li> <li>• 15 hours programmable delay timer</li> <li>• 1 hour keep warm function</li> <li>• 10 minutes electric power cut off memory function</li> <li>• Adjustable crust control: light, medium and dark</li> <li>• Accessories: measuring cup and spoon, hook</li> </ul>				

# AUTOMATIC BREAD MAKER

## • BM8101

- PP housing, with top cover in stainless steel panel decoration
- Viewing window, with exhaust funnel

## • BM8103

- PP housing & Lid
- Viewing window, with exhaust funnel

Parameter

Product size: 355\*240\*302mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour keep warm



15 hours delay timer



10 mins memory



• BM8103

• BM8101

## • BM9101

- PP housing & Lid, wormgear DC motor
- Viewing window, with exhaust funnel

Parameter

Product size: 309\*260\*272mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 550W (Heating element 500W+ DC Motor 50W)

Voltage: 220-240V/50HZ; 100-120V/60HZ



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8101	385*275*328	10.0 / 11.0	720 / 1470 / 1720	GS, CB, ETL
	BM8103	385*275*328	9.3 / 10.3	720 / 1470 / 1720	GS, CB, ETL
	BM9101	338*298*315	11 / 12	900/ 1860 / 2150	GS, CB, ETL

### Common Feature

- LCD display, With 19 digital programs
- #3004 Alum. alloy bread barrel,
- ADC12 Alum. die casting alloy mixing blade
- 15 hours programmable delay timer
- 1 hour keep warm function
- 10 minutes electric power cut off memory function
- Adjustable crust control: light, medium and dark
- Accessories: measuring cup and spoon, hook

# STAINLESS STEEL BREAD MAKER

## • BM8501

- Stainless steel housing, with stainless steel panel decoration
- Viewing window, with exhaust funnel
- LCD display, with 19 digital programs

Parameter

Product size: 355\*240\*302mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8502

- Stainless steel housing ; PP- Lid & base
- Viewing window, with exhaust funnel
- LCD display, With 19 digital programs

Parameter

Product size: 355\*240\*302mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8501	385*275*328	11 / 12	720 / 1470 / 1720	GS, CB, ETL
	BM8502	385*275*328	10.5 / 11.5	720 / 1470 / 1720	GS, CB, ETL

# STAINLESS STEEL BREAD MAKER

## • BM8511

- Stainless steel housing, with top cover in stainless steel panel decoration
- Automatic nut dispenser, 23 hours programmable delay timer
- Glass viewing window, with exhaust funnel

Parameter

Product size: 355\*255\*324mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour keep warm



15 hours delay timer



10 mins memory



## • BM8621

- Stainless steel housing, with handle easy for carrying
- Automatic nut dispenser & yeast dispenser
- LCD display, With 15 digital programs

Parameter

Product size: 310\*233\*322mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8511	380*275*335	11 / 12	720 / 1470 / 1720	CB, ETL
	BM8621	350*260*370	9 / 10	750 / 1520 / 1800	GS, CB, ETL

# AUTOMATIC BREAD MAKER

## • BM8301

- PP housing, with PET membrane decoration panel on top
- With handle easy for carrying
- Adjustable crust control: light, medium and dark
- LCD display, With 19 digital programs

### Parameter

Product size: 310\*210\*265mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 500W (Heating element 450W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



## • BM8302

- PP housing, Diamond cube decoration on lid cover
- Mini-sized, with handle easy for carrying
- LCD display, With 19 digital programs

### Parameter

Product size: 230\*315\*242mm

Capacity: 1LB(450g); 1.2LB(600g);

Power: 500W (Heating element 450W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8301	340*255*310	7.5 / 8.5	900 / 1868 / 2150	GS, CB, ETL
	BM8302	335*250*285	7.0 / 8.0	1000 / 2070 / 2384	GS, CB, ETL

# AUTOMATIC BREAD MAKER

## • BM8305

- PP housing, with viewing window to show the bread maker process
- With handle easy for carrying
- LCD display, with 19 digital programs

### Parameter

Product size: 310\*210\*275mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 500W (Heating element 450W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8311

- PP housing, with glass viewing window to show the bread maker process
- Removable fruit & nut automatic dispenser
- Light-touch control panel, with handle easy for carrying
- LCD display, With 19 digital programs

### Parameter

Product size: 310\*210\*300mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 500W (Heating element 450W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	<ul style="list-style-type: none"> <li>• #3004 Alum. alloy bread barrel,</li> <li>• ADC12 Alum. die casting alloy mixing blade</li> <li>• 15 hours programmable delay timer</li> <li>• 1 hour keep warm function</li> <li>• 10 minutes electric power cut off memory function</li> <li>• Adjustable crust control: light, medium and dark</li> <li>• Accessories: measuring cup and spoon, hook</li> </ul>	BM8305	335*255*310	7.5 / 8.5	900 / 1868 / 2150
	BM8311	350*255*310	8 / 9	900 / 1868 / 2150	GS, CB, ETL

# AUTOMATIC BREAD MAKER

## • BM8601

- Stainless steel housing, with PET membrane decoration panel on top
- LCD display, With 19 digital programs

### Parameter

Product size: 310\*210\*265mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 500W (Heating element 450W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



## • BM8602

- Stainless steel housing, diamond cube decoration on lid cover
- Mini-size, with handle easy for carrying
- LCD display, With 19 digital programs

### Parameter

Product size: 230\*315\*242mm

Capacity: 1LB(450g); 1.2LB(600g);

Power: 500W (Heating element 450W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



### Common Feature

- #3004 Alum. alloy bread barrel,
- ADC12 Alum. die casting alloy mixing blade
- 15 hours programmable delay timer
- 1 hour keep warm function
- 10 minutes electric power cut off memory function
- Adjustable crust control: light, medium and dark
- Accessories: measuring cup and spoon, hook

Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
BM8601	340*255*310	8 / 9	900 / 1860 / 2250	GS, CB, ETL
BM8602	335*250*285	7 / 8	1000 / 2070 / 2384	GS, CB, ETL

# AUTOMATIC BREAD MAKER

## • BM8605

- Stainless steel housing, with glass viewing window to show the bread making process
- With handle easy for carrying, film control panel
- LCD display, With 19 digital programs,

Parameter

Product size: 310\*210\*275mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 500W (Heating element 450W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8611

- Stainless steel housing, with glass viewing window
- Removable fruit & nut automatic dispenser
- Light-touch control panel
- With handle easy for carrying

Parameter

Product size: 310\*210\*300mm

Capacity: 1LB(500g); 1.5LB(750g)

Power: 500W (Heating element 450W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	<ul style="list-style-type: none"> <li>• #3004 Alum. alloy bread barrel,</li> <li>• ADC12 Alum. die casting alloy mixing blade</li> <li>• 15 hours programmable delay timer</li> <li>• 1 hour keep warm function</li> <li>• 10 minutes electric power cut off memory function</li> <li>• Adjustable crust control: light, medium and dark</li> <li>• Accessories: measuring cup and spoon, hook</li> </ul>	BM8605	335*250*310	8 / 9	900 / 1868 / 2150
	BM8611	350*255*310	8.5 / 9.5	890 / 1850 / 2150	GS, CB, ETL

# STAINLESS STEEL BREAD MAKER

## • BM8203

- Stainless steel housing ; with exhaust funnel
- Tempered glass control panel, Touch-screen
- DIY program provides more cooking fun

Parameter

Product size: 350\*225\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8205

- Stainless steel housing ; with exhaust funnel
- Slight-touch control button
- DIY program provides more cooking fun

Parameter

Product size: 350\*225\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8203	390*305*350	13.8 / 14.8	600 / 1200/ 1400	GS, CB, ETL
	BM8205	390*305*350	13 / 14	600 / 1,200/ 1400	GS, CB, ETL

# STAINLESS STEEL BREAD MAKER

## • BM8215

- Automatic nut dispenser
- Stainless steel housing ; with exhaust funnel
- Slight-touch control button

Parameter

Certification: GS, CB, ETL

Product size: 350\*225\*290mm

Capacity: 1LB(500g), 1.5LB(750g), 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz, 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8216

- Automatic nut dispenser
- Stainless steel housing ; with exhaust funnel
- Switch knob and slightly touched button

Parameter

Product size: 350\*225\*290mm

Capacity: 1LB(500g), 1.5LB(750g), 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz, 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	<ul style="list-style-type: none"> <li>• #3004 Alum. alloy bread barrel,</li> <li>• ADC12 Alum. die casting alloy mixing blade</li> <li>• 15 hours programmable delay timer</li> <li>• 1 hour keep warm function</li> <li>• 10 minutes electric power cut off memory function</li> <li>• Adjustable crust control: light, medium and dark</li> <li>• Accessories: measuring cup and spoon, hook</li> </ul>	BM8215	390*305*350	13.8 / 14.8	600 / 1200 / 1380
	BM8216	390*305*350	13.8 / 14.8	600 / 1200 / 1380	GS, CB, ETL

# AUTOMATIC NUT DISPENSER BREAD MAKER

## • BM8217

- Automatic nut dispenser
- Stainless steel body housing ; PP upper housing
- Switch knob and slightly touched button
- DIY program provides more cooking fun
- Powerful AC motor 100W

Parameter

Product size: 350\*225\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8202

- PV membrane decoration panel on top
- Automatic nut dispenser, with sliding cover
- Slight-touch control panel, with exhaust funnel
- DIY program provides more cooking fun

## • BM8202S

- Stainless steel decoration panel on top
- Automatic nut dispenser, with sliding cover
- Slight-touch control panel, with exhaust funnel
- DIY program provides more cooking fun

Parameter

Product size: 350\*225\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



• BM8202

• BM8202S



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8217	390*305*350	13.8 / 14.8	600 / 1200 / 1380	GS, CB, ETL
	BM8202	390*305*350	12 / 13	600 / 1200 / 1380	GS, CB, ETL
	BM8202S	390*305*350	12 / 13	600 / 1200 / 1380	GS, CB, ETL

# STAINLESS STEEL BREAD MAKER

## • BM8206

- Stainless steel housing ; with exhaust funnel
- Tempered glass control panel, Touch-screen
- LCD display with background light, with 22 digital programs

### Parameter

Product size: 350\*225\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8220

- Automatic nut dispenser
- Stainless steel housing ; with exhaust funnel
- Switch knob and slightly touched button
- DIY program provides more cooking fun
- Powerful AC motor 100W

### Parameter

Product size: 350\*225\*290mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



### Common Feature

- #3004 Alum. alloy bread barrel,
- ADC12 Alum. die casting alloy mixing blade
- 15 hours programmable delay timer
- 1 hour keep warm function
- 10 minutes electric power cut off memory function
- Adjustable crust control: light, medium and dark
- Accessories: measuring cup and spoon, hook

Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
BM8206	390*305*350	13.8 / 14.8	600 / 1200/ 1400	GS, CB, ETL
BM8220	390*305*350	13 / 14	600 / 1,200/ 1400	GS, CB, ETL

# DOUBLE KNEADERS BREAD MAKER

## • BM8910

- PP+Stainless steel housing, with glass viewing window
- Touch panel, the overall light-emitting LED display
- Double kneading blades

Parameter

Product size: 410\*268\*300mm

Capacity: 2LB(1000g); 2.5LB(1250g); 3LB(1500g)

Power: 850W(Heating element 750W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8901

- PP housing, with glass viewing window
- Cool touch housing, IMD panel. Touch control panel
- LCD display, With 15 digital programs
- Powerful AC motor

Parameter

Product size: 410\*268\*307mm

Capacity: 2.5LB(1250g);3LB(1500g); 3.5LB(1800g)

Power: 850W (Heating element 750W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Double kneading blades

MaxCapacity:2LB(1000g)

Color: ● ● ●

Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	<ul style="list-style-type: none"> <li>• #3004 Alum. alloy bread barrel,</li> <li>• ADC12 Alum. die casting alloy mixing blade</li> <li>• 15 hours programmable delay timer</li> <li>• 1 hour keep warm function</li> <li>• 10 minutes electric power cut off memory function</li> <li>• Adjustable crust control: light, medium and dark</li> <li>• Accessories: measuring cup and spoon, hook</li> </ul>	BM8910	466*296*333	15 / 16	500 / 1200/ 1280
	BM8901	440*290*335	14.8 / 15.8	600 / 1200 / 1420	GS, CB, ETL

# DOUBLE KNEADER BREAD MAKER

## • BM8902

- PP housing, top-cover in stainless steel panel decoration
- with glass viewing window
- Double kneading blades

## • BM8903

- PP housing
- Glass viewing window
- Double kneading blades

Parameter

Product size:410\*268\*300mm

Capacity:2LB(1000g);2.5LB(1250g);3LB(1500g)

Power: 850W(Heating element 750W+Motor 100W)

Voltage:220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



• BM8902

• BM8903

## • BM8903-B

- PP housing, stainless steel panel on the lid
- with glass viewing window
- Double kneading blades

Parameter

Product size:410\*268\*300mm

Capacity:2LB(1000g); 2.5LB(1250g); 3LB(1500g)

Power: 850W(Heating element 750W+Motor 100W)

Voltage:220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8902	440*290*335	14.8 / 15.8	600 / 1000 / 1420	GS, CB, ETL
	BM8903	440*290*335	14.8 / 15.8	600 / 1000 / 1420	GS, CB, ETL
	BM8903-B	440*290*335	14.8 / 15.8	600 / 1000 / 1420	GS, CB, ETL
	<ul style="list-style-type: none"> <li>• #3004 Alum. alloy bread barrel,</li> <li>• ADC12 Alum. die casting alloy mixing blade</li> <li>• 15 hours programmable delay timer</li> <li>• 1 hour keep warm function</li> <li>• 10 minutes electric power cut off memory function</li> <li>• Adjustable crust control: light, medium and dark</li> <li>• Accessories: measuring cup and spoon, hook</li> </ul>				

# DOUBLE KNEADERS BREAD MAKER

## • BM8920/BM8921

- ※ Automatic nut dispenser (BM8920)
- ※ Optional without nut dispenser (BM8921)
- Switch knob for easy control
- Stainless steel housing, with glass viewing window
- Double kneading blades
- Powerful AC motor

### Parameter

Product size: 410\*268\*300mm

Capacity: 2LB(1000g); 2.5LB(1250g); 3LB(1500g)

Power: 850W(Heating element 750W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8905

- PP housing
- with glass viewing window
- Double kneading blades

### Parameter

Product size: 410\*268\*300mm

Capacity: 2LB(1000g); 2.5LB(1250g); 3LB(1500g)

Power: 850W(Heating element 750W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8920	440*290*335	14.8 / 15.8	600 / 1000 / 1420	GS, CB, ETL
	BM8921	440*290*335	14.8 / 15.8	600 / 1000 / 1420	GS, CB, ETL
	BM8905	440*290*335	14.8 / 15.8	600 / 1000 / 1420	GS, CB, ETL

# STAINLESS STEEL BREAD MAKER

## • BM8701

- Stainless steel housing
- LCD display, With 15 digital programs

Parameter

Product size: 290\*246\*284mm

Capacity: 1LB(500g); 1.5LB(750g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8702

- Stainless steel housing
- Tempered glass control panel, Touch screen
- Zinc alloy chromed handle

Parameter

Product size: 290\*246\*284mm

Capacity: 1LB(500g); 1.5LB(750g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8701	356*278*320	9.0 / 10.0	750 / 1560 / 1800	/
	BM8702	356*278*320	9.0 / 10.0	750 / 1560 / 1800	/

# STAINLESS STEEL BREAD MAKER

## • BM8703

- Switch knob, slight-touch control buttons for easy control
- Stainless steel housing
- LCD display, With 15 digital programs

Parameter

Product size: 290\*246\*284mm

Capacity: 1LB(500g); 1.5LB(750g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Digital programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BM8705

- Automatic nut dispenser
- Switch knob, slight-touch control buttons for easy control
- Stainless steel housing
- LCD display, With 15 digital programs

Parameter

Product size: 290\*246\*284mm

Capacity: 1LB(500g); 1.5LB(750g)

Power: 550W (Heating element 500W+Motor 50W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BM8703	356*278*320	9.0 / 10.0	750 / 1560 / 1800	/
	BM8705	356*278*320	9.0 / 10.0	750 / 1560 / 1800	/

# AUTOMATIC BREAD MAKER

## • BR201

- PP housing & Lid, with viewing window, exhaust funnel
- Powerful AC motor 100W
- LCD display, With 19 digital programs

Parameter

Product size: 300\*230\*355mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



DIY programs



crust colours



loaf size



1 hour  
keep warm



15 hours  
delay timer



10 mins  
memory



## • BR202

- PP housing & Lid, with viewing window, exhaust funnel
- Powerful AC motor 100W
- LCD display, With 19 digital programs

## • BR205

- PP housing & Lid, with viewing window, exhaust funnel
- Powerful AC motor 100W
- LCD display, With 19 digital programs

Parameter

Product size: 300\*230\*355mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



• BR201

• BR205



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BR201	397*325*322	12 / 13	600 / 1200/ 1350	/
	BR202	397*325*322	12 / 13	600 / 1200/ 1350	/
	BR205	397*325*322	12 / 13	600 / 1200/ 1350	/
	<ul style="list-style-type: none"> <li>• 15 hours programmable delay timer</li> <li>• 1 hour keep warm function</li> <li>• 10 minutes electric power cut off-memory function</li> <li>• Adjustable crust control: light, medium and dark</li> <li>• Non-stick bread barrel &amp; kneading blade</li> <li>• Non-slip feet</li> </ul>				

# AUTOMATIC BREAD MAKER

## • BR203

- Stainless steel housing
- With viewing window, exhaust funnel
- Powerful AC motor 100W
- LCD display, With 19 digital programs

### Parameter

Product size: 355\*240\*302mm

Capacity: 1LB(500g); 1.5LB(750g); 2LB(1000g)

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz; 100-120V/60Hz



## • BR208

- Stainless steel housing, with handle easy for carrying
- Automatic nut dispenser & yeast dispenser
- Two heating elements for 3D baking
- Super quiet DC motor
- Die cast bread pan
- ADC12 Alum. die casting alloy mixing blade
- LCD display, With 15 digital programs
- Adjustable crust control: light, medium and dark
- Accessories: measuring cup and spoon, hook

### Parameter

Product size: 300\*230\*355mm

Capacity: 1LB(500g); 1.5LB(750g);

Power: 600W (Heating element 500W+Motor 100W)

Voltage: 220-240V/50Hz ; 100-120V/60Hz



Common Feature	Model	Inner Box Size	N.W. / G.W.	Loadign Q'ty 20' / 40GP / 40HQ	Certification
	BR203	397*325*322	12 / 13	600 / 1200 / 1350	/
	BR208	375*295*405	6 / 8	410 / 820 / 960	/